#### CHAPTER 72

#### IRON AND STEEL

XV 72-1

### Notes

1. In this chapter and, in the case of notes (d), (e) and (f) below throughout the tariff schedule, the following expressions have the meanings hereby assigned to them:

### (a) Pig iron

Iron-carbon alloys not usefully malleable, containing more than 2 percent by weight of carbon and which may contain by weight one or more other elements within the following limits:

- not more than 10 percent of chromium
- not more than 6 percent of manganese
- not more than 3 percent of phosphorus
- not more than 8 percent of silicon
- a total of not more than 10 percent of other elements.

### (b) Spiegeleisen

Iron-carbon alloys containing by weight more than 6 percent but not more than 30 percent of manganese and otherwise conforming to the specification at (a) above.

### (c) Ferroalloys

Alloys in pigs, blocks, lumps or similar primary forms, in forms obtained by continuous casting and also in granular or powder forms, whether or not agglomerated, commonly used as an additive in the manufacture of other alloys or as deoxidants, desulfurizing agents or for similar uses in ferrous metallurgy and generally not usefully malleable, containing by weight 4 percent or more of the element iron and one or more of the following:

- more than 10 percent of chromium
- more than 30 percent of manganese
- more than 3 percent of phosphorus
- more than 8 percent of silicon
- a total of more than 10 percent of other elements, excluding carbon, subject to a maximum content of 10 percent in the case of copper.

# (d) <u>Steel</u>

Ferrous materials other than those of heading 7203 which (with the exception of certain types produced in the form of castings) are usefully malleable and which contain by weight 2 percent or less of carbon. However, chromium steels may contain higher proportions of carbon.

# (e) Stainless steel

Alloy steels containing, by weight 1.2 percent or less of carbon and 10.5 percent or more of chromium, with or without other elements.

XV 72-2

#### (f) Other alloy steel

Steels not complying with the definition of stainless steel and containing by weight one or more of the following elements in the proportion shown:

- 0.3 percent or more of aluminum
- 0.0008 percent or more of boron
- 0.3 percent or more of chromium
- 0.3 percent or more of cobalt
- 0.4 percent or more of copper
- 0.4 percent or more of lead
- 1.65 percent or more of manganese
- 0.08 percent or more of molybdenum
- 0.3 percent or more of nickel
- 0.06 percent or more of niobium
- 0.6 percent or more of silicon.
- 0.05 percent or more of titanium
- 0.3 percent or more of tungsten (wolfram)
- 0.1 percent or more of vanadium
- 0.05 percent or more of zirconium
- 0.1 percent or more of other elements (except sulfur, phosphorus, carbon and nitrogen), taken separately.

### (q) Remelting scrap ingots of iron or steel

Products roughly cast in the form of ingots without feeder-heads or hot tops, or of pigs, having obvious surface faults and not complying with the chemical composition of pig iron, spiegeleisen or ferroalloys.

### (h) Granules

Products of which less than 90 percent by weight passes through a sieve with a mesh aperture of 1 mm and of which 90 percent or more by weight passes through a sieve with a mesh aperture of 5 mm.

# (ij) Semifinished products

Continuous cast products of solid section, whether or not subjected to primary hot-rolling; and

Other products of solid section, which have not been further worked than subjected to primary hot-rolling or roughly shaped by forging, including blanks for angles, shapes or sections.

These products are not presented in coils.

# (k) Flat-rolled products

Rolled products of solid rectangular (other than square) cross section, which do not conform to the definition at (ij) above in the form of:

- coils of successively superimposed layers, or
- straight lengths, which if of a thickness less than 4.75 mm are of a width measuring at least 10 times the thickness or if of a thickness of 4.75 mm or more are of a width which exceeds 150 mm and measures at least twice the thickness.

Flat-rolled products include those with patterns in relief derived directly from rolling (for example, grooves, ribs, checkers, tears, buttons, lozenges) and those which have been perforated, corrugated or polished, provided that they do not thereby assume the character of articles or products of other headings.

Flat-rolled products of a shape other than rectangular or square, of any size, are to be classified as products of a width of 600 mm or more, provided that they do not assume the character of articles or products of other headings.

### (1) Bars and rods, hot-rolled, in irregularly wound coils

Hot-rolled products in irregularly wound coils, which have a solid cross section in the shape of circles, segments of circles, ovals, rectangles (including squares), triangles or other convex polygons. These products may have indentations, ribs, grooves or other deformations produced during the rolling process (reinforcing bars and rods).

#### (m) Other bars and rods

Products which do not conform to any of the definitions at (ij), (k) or (1) above or to the definition of wire, which have a uniform solid cross section along their whole length in the shape of circles, segments of circles, ovals, rectangles (including squares), triangles or other convex polygons. These products may:

- have indentations, ribs, grooves or other deformations produced during the rolling process (reinforcing bars and rods);
- be twisted after rolling.

### (n) Angles, shapes and sections

Products having a uniform solid cross section along their whole length which do not conform to any of the definitions at (ij), (k), (1) or (m) above or to the definition of wire.

Chapter 72 does not include products of heading 7301 or 7302.

### (o) Wire

Cold-formed products in coils, of any uniform solid cross section along their whole length, which do not conform to the definition of flat-rolled products.

# (p) Hollow drill bars and rods

Hollow bars and rods of any cross section, suitable for drills, of which the greatest external dimension of the cross section exceeds 15 mm but does not exceed 52 mm, and of which the greatest internal dimension does not exceed one half of the greatest external dimension. Hollow bars and rods of iron or steel not conforming to this definition are to be classified in heading 7304.

- 2. Ferrous metals clad with another ferrous metal are to be classified as products of the ferrous metal predominating by weight.
- 3. Iron or steel products obtained by electrolytic deposition, by pressure casting or by sintering are to be classified according to their form, their composition and their appearance, in the headings of this chapter appropriate to similar hot-rolled products.

#### Subheading Notes

1. In this chapter the following expressions have the meanings hereby assigned to them:

# (a) Alloy pig iron

Pig iron containing, by weight, one or more of the following elements in the specified proportions:

- more than 0.2 percent of chromium
- more than 0.3 percent of copper
- more than 0.3 percent of nickel
- more than 0.1 percent of any of the following elements: aluminum, molybdenum, titanium, tungsten (wolfram), vanadium.

# (b) Nonalloy free-cutting steel

Nonalloy steel containing by weight one or more of the following elements in the specified proportions:

- 0.08 percent or more of sulfur  $\,$
- 0.1 percent or more of lead
- more than 0.05 percent of selenium  $\,$
- more than 0.01 percent of tellurium
- more than 0.05 percent of bismuth.

XV 72-4

### (c) Silicon electrical steel

Alloy steels containing by weight at least 0.6 percent but not more than 6 percent of silicon and not more than 0.08 percent of carbon. They may also contain by weight not more than 1 percent of aluminum but no other element in a proportion that would give the steel the characteristics of another alloy steel.

### (d) High-speed steel

Alloy steels containing, with or without other elements, at least two of the three elements molybdenum, tungsten and vanadium with a combined content by weight of 7 percent or more, 0.6 percent or more of carbon and 3 to 6 percent of chromium.

### (e) Silico-manganese steel

Allov steels containing by weight:

- 0.35 percent or more but not more than 0.7 percent of carbon
- 0.5 percent or more but not more than 1.2 percent of manganese, and
- 0.6 percent or more but not more than 2.3 percent of silicon, but not containing any other element in a proportion that would give the steel the characteristics of another alloy steel.
- 2. For the classification of ferroalloys in the subheadings of heading 7202 the following rule should be observed:

A ferroalloy is considered as binary and classified under the relevant subheading (if it exists) if only one of the alloy elements exceeds the minimum percentage laid down in chapter note 1(c); by analogy, it is considered respectively as ternary or quaternary if two or three alloy elements exceed the minimum percentage.

For the application of this rule, the unspecified "other elements" referred to in chapter note 1(c) must each exceed 10 percent by weight.

#### Additional U.S. Notes

1. For the purposes of the tariff schedule the following expressions have the meanings hereby assigned to them:

### (a) High-strength steel

Flat-rolled products of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa.

### (b) Universal mill plate

Flat-rolled products rolled on four faces or in a closed box pass, of a width exceeding 150 mm but not exceeding 1,250 mm and of thickness of not less than 4 mm, not in coils and without patterns in relief.

# (c) Concrete reinforcing bars and rods

Hot-rolled bars and rods containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling.

# (d) Razor blade steel

Flat-rolled products of stainless steel not over 0.25 mm in thickness and not over 23 mm in width, and containing by weight not over 14.7 percent of chromium, certified at the time of entry to be used in the manufacture of razor blades.

# (e) Tool steel

Alloy steels which contain the following combinations of elements in the quantity by weight respectively indicated:

- (i) more than 1.2 percent carbon and more than 10.5 percent chromium; or
- (ii) not less than 0.3 percent carbon and 1.25 percent or more but less than 10.5 percent chromium; or
- (iii) not less than 0.85 percent carbon and 1 percent to 1.8 percent, inclusive, manganese; or
- (iv) 0.9 percent to 1.2 percent, inclusive, chromium and 0.9 percent to 1.4 percent, inclusive, molybdenum; or
- (v) not less than 0.5 percent carbon and not less than 3.5 percent molybdenum; or
- (vi) not less than 0.5 percent carbon and not less than 5.5 percent tungsten.

# (f) Chipper knife steel

Alloy tool steels which contain, in addition to iron, each of the following elements by weight in the amount specified:

- (i) not less than 0.48 nor more than 0.55 percent of carbon;
- (ii) not less than 0.2 nor more than 0.5 percent of manganese;
- (iii) not less than 0.75 nor more than 1.05 percent of silicon;
- (iv) not less than 7.25 nor more than 8.75 percent of chromium;
- (v) not less than 1.25 nor more than 1.75 percent of molybdenum;
- (vi) none, or not more than 1.75 percent of tungsten; and
- (vii) not less than 0.2 nor more than 0.55 percent of vanadium.

### (g) <u>Heat-resisting steel</u>

Alloy steels containing by weight less than 0.3 percent of carbon and 4 percent or more but less than 10.5 percent of chromium.

### (h) Ball-bearing steel

Alloy tool steels which contain, in addition to iron, each of the following elements by weight in the amount specified:

- (i) not less than 0.95 nor more than 1.13 percent of carbon;
- (ii) not less than 0.22 nor more than 0.48 percent of manganese;
- (iii) none, or not more than 0.03 percent of sulfur;
- (iv) none, or not more than 0.03 percent of phosphorus;
- (v) not less than 0.18 nor more than 0.37 percent of silicon;
- (vi) not less than 1.25 nor more than 1.65 percent of chromium;
- (vii) none, or not more than 0.28 percent of nickel;
- (viii) none, or not more than 0.38 percent of copper; and
  - (ix) none, or not more than 0.09 percent of molybdenum.
- 2. For the purposes of this chapter, unless the context provides otherwise, the term "further worked" refers to products subjected to any of the following surface treatments: polishing and burnishing; artificial oxidation; chemical surface treatments such as phosphatizing, oxalating and borating; coating with metal; coating with nonmetallic substances (e.g., enameling, varnishing, lacquering, painting, coating with plastics materials); or cladding.
- 3. No allowance or reduction of duties for partial damage or loss in consequence of discoloration or rust occurring before entry shall be made upon iron or steel or upon any article of iron or steel.

XV 72-6

#### Statistical Notes

- 1. For the purposes of subheading 7204.10, <u>waste and scrap of cast iron</u> includes but is not necessarily limited to: cupola cast (ISIS number 252); charging box cast (ISIS number 253); heavy breakable cast (ISIS number 254); hammer blocks or bases (ISIS number 255); burnt iron (ISIS number 256); mixed cast (ISIS number 257); stove plate, clean cast iron stove (ISIS number 258); clean auto cast (ISIS numbers 259, 262 and 263); motor blocks (ISIS number 260); drop broken machinery cast (ISIS number 261); malleable (ISIS number 264); ingot molds and stools (ISIS numbers 265 and 266); and railroad ferrous scrap consisting of cast iron No. 1, No. 2, No.3 and No. 4, cast iron brake shoes and No. 1 wheels.
- 2. For the purposes of subheading 7204.41 or 7204.49 the expression:
  - (a) No. 1 heavy melting includes, but is not necessarily limited to:

No. 1 heavy melting steel (ISIS numbers 200, 201 and 202); bundled No. 1 steel (ISIS number 217); cast steel (ISIS number 233); springs and crankshafts (ISIS number 244); ship scrap; and railroad ferrous scrap consisting of cast steel No. 1 and No. 2, railroad No.1 melting steel, spring steel, destroyed steel cars, destroyed steel car sides and box car roofs (note: other types of railroad ferrous scrap are included in some of the grades listed below);

- (b) No. 2 heavy melting includes, but is not necessarily limited to:
  - No. 2 heavy melting steel (ISIS numbers 203, 204, 205 and 206); bundled No. 2 steel (ISIS number 218); foundary steel (ISIS numbers 242 and 243); and hard steel cut 76 cm and under (ISIS number 248);
- (c)  $\underline{\text{No. 1 bundles}}$  includes, but is not necessarily limited to:
  - No. 1 busheling (ISIS number 207); new black sheet clippings (ISIS number 207A); No. 1 bundles (ISIS number 208); electric furnace bundles (ISIS number 235); silicon-bearing steel busheling, clippings, and bundles (ISIS numbers 239, 240 and 250); No. 1 railroad ferrous sheet scrap; and car clips;
- (d) No. 2 bundles includes, but is not necessarily limited to:
  - No. 2 bundles (ISIS number 209); No. 3 bundles (ISIS number 214); incinerator bundles (ISIS number 215); terne plate bundles (ISIS number 216); and auto slabs (ISIS numbers 224 and 225);
- (e) Borings, shovelings and turnings includes, but it not necessarily limited to:

Machine shop turnings, shoveling turnings and iron borings (ISIS numbers 219, 220, 221, 222 and 223); briquetted iron borings (ISIS number 226); briquetted steel turnings (ISIS number 227); alloy free turnings (ISIS numbers 245, 246 and 247); heavy turnings (ISIS number 251); chemical borings, No. 1 and No. 2 (ISIS numbers 267 and 271); malleable borings (ISIS number 270); steel shavings; and railroad ferrous scrap consisting of No. 1 turnings and No. 2 turnings, drillings and/or borings;

- (f) Shredded scrap includes, but is not necessarily limited to:
  - Shredded clippings (ISIS number 212); and shredded automobile scrap (ISIS numbers 210 and 211);
- (g)  $\underline{\text{Cut plate and structural}}$  includes but is not necessarily limited to:

Billet, bloom and forge crops (ISIS number 229); bar crops, punchings and plate scrap (ISIS numbers 230 and 234); plate and structural (ISIS numbers 231, 232, 236, 237 and 238); chargeable ingots and ingot butts (ISIS number 241); and chargeable slab crops (ISIS number 249).

# I. $\frac{\text{PRIMARY MATERIALS; PRODUCTS IN GRANULAR OR}}{\text{POWDER FORM}}$

7201	Pig iron and spiegeleisen in pigs, blocks or other				
7201.10.00 00 0	primary forms:  Nonalloy pig iron containing by weight 0.5 percent or less of phosphorus	t	Free		\$1.11/t
7201.20.00 00 8	Nonalloy pig iron containing by weight more than 0.5 percent of phosphorus	t	Free		\$1.11/t
7201.30.00 00 6 7201.40.00 00 4	Alloy pig iron			Free (CA,E,IL)	\$1.11/t 0.5%
7202	Ferroalloys:				
7202.11	Ferromanganese: Containing by weight more than 2 percent of carbon:				
7202.11.10 00 6	Containing by weight more than 2 percent but not more than 4 percent of carbon	ka v	1 4%	Free (A*,CA,E,IL)	6 5%
E000 11 E0 00 E	manganese content		1.10	1100 (11 , 011, 11, 11)	0.50
7202.11.50 00 7	Containing by weight more than 4 percent of carbon		1.5%	Free (CA,E,IL)	10.5%
7202.19	Other:	9			
7202.19.10 00 8	Containing by weight not more than 1 percent of carbon  manganese content		2.3%	Free (A,CA,E,IL)	22%
7202.19.50 00 9	Containing by weight more than 1 percent but not more than 2				
	percent of carbon manganese content		1.4%	Free (A*,CA,E,IL)	6.5%
	Ferrosilicon:				
7202.21	Containing by weight more than 55 percent of silicon:				
	Containing by weight more				
	than 55 percent but not more than 80 percent of silicon:				
7202.21.10 00 4	Containing by weight more				
	than 3 percent of calcium		1.1%	Free (A*,CA,E,IL)	11.5%
7202.21.50 00 5	Silicon content	kgv	1.5%	Free (A*,CA,E,IL)	11.5%
7202.21.75 00 6	silicon content Containing by weight more than	kg			
	80 percent but not more than 90 percent of silicon	ka v	1 9%	Free (CA,E,IL)	9%
	silicon content		1.50	1100 (011,11,111)	50
7202.21.90 00 7	Containing by weight more than 90				
	percent of siliconsilicon content		5.8%	Free (CA,E,IL)	40%
7202.29.00	Other		Free		4.4¢/kg on silicon content
10 6	Containing by weight over 2 percent				
	of magnesiumsilicon content				
50 7	Othersilicon content				

7202 (con.)		Ferroalloys (con.):					
7202.30.00	00 5	Ferrosilicon manganese manganese content		3.9%	Free	(A*,CA,E,IL)	23%
		Ferrochromium:	9				
7202.41.00	00 2	Containing by weight more than 4 percent of carbon	kqv	1.9%	Free	(CA,E,IL)	7.5%
E000 40		chromium content				, , ,	
7202.49	00 2	Other:  Containing by weight more than 3					
7202.13.10	00 2	percent of carbon		1.9%	Free	(CA,E,IL)	7.5%
7202.49.50	00 3	Otherchromium content	kg		Free	(CA,E,IL)	30%
7202.50.00		Ferrosilicon chromiumchromium content	kg		Free	(CA,E,IL)	25%
7202.60.00	00 8	Ferronickelnickel content	kg	Free			6.6¢/kg
7202.70.00	00 6	Ferromolybdenummolybdenum content		4.5%	Free	(E,IL) (CA)	31.5%
7202.80.00	00 4	Ferrotungsten and ferrosilicon tungsten tungsten content		5.6%	Free 4.4%	(A,E,IL) (CA)	35%
		Other:			_	/ \	
7202.91.00	00 1	Ferrotitanium and ferrosilicon titanium	J	3.7%	2.9%		25%
7202.92.00	00 0	Ferrovanadiumvanadium content		4.2%	Free	(E,IL) (CA)	25%
7202.93.00	00 9	Ferroniobium	kg	5%	Free 4% (0	(E,IL)	25%
7202.99		Other:				•	
7202.99.10	00 1	Ferrozirconium	kg	4.2%	Free	(E,IL) (CA)	25%
7202.99.50	20 8 40 4	OtherFerrophosphorusOther	kg	5%	Free	(CA,E,IL)	25%
7203		Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99.94 percent, in lumps, pellets or similar forms:					
7203.10.00	00 8	Ferrous products obtained by direct reduction of iron ore	t	Free			\$2.21/t
7203.90.00	00 1	Other	t	Free			\$2.21/t

7204	Ferrous waste and scrap; remelting scrap ingots of iron or steel:				
7204.10.00 00 7	Waste and scrap of cast iron	t	Free		74¢/t
7204.21.00 00 4	Of stainless steel	t	Free		74¢/t
7204.29.00 00 6	Other		Free		74¢/t
7204.30.00 00 3	Waste and scrap of tinned iron or steel	t	Free		Free
	Other waste and scrap:				
7204.41.00	Turnings, shavings, chips, milling				
	waste, sawdust, fillings, trimmings				
	and stampings, whether or not in				
	bundles		Free		74¢/t
20 6	No. 1 bundles				/ -
40 2	No. 2 bundles				
60 7	Borings, shovelings and turnings	t			
80 3	Other				
7204.49.00	Other		Free		74¢/t
20 8	No. 1 heavy melting	t			•
40 4	No. 2 heavy melting				
	Other:				
60 9	Cut plate and structural	t			
70 7	Shredded				
80 5	Other	t			
7204.50.00 00 8	Remelting scrap ingots	t	Free		74¢/t
	3 1 3				,
7205	Granules and powders, of pig iron, spiegeleisen,				
	iron or steel:				
7205.10.00 00 6	Granules	kq	1%	Free (A,E,IL)	3%
		3		0.9% (CA)	
	Powders:				
7205.21.00 00 3	Of alloy steel	kg	4%	Free (A,E,IL)	45%
	-	-		3.6% (CA)	
7205.29.00 00 5	Other	t	Free		\$2.21/t

# II. IRON AND NONALLOY STEEL

7206	Iron and nonalloy steel in ingots or other primary forms (excluding iron of heading 7203):				
7206.10.00 00 5	Ingots	kg	4.2%	Free (E,IL)	20%
7206.90.00 00 8	Other	kg	4.2%	3.7% (CA) Free (A,E,IL) 3.7% (CA)	20%
7207	Semifinished products of iron or nonalloy steel: Containing by weight less than 0.25 percent of carbon:				
7207.11.00 00 3	Of rectangular (including square) cross section, the width measuring less than twice the thickness	kg	4.2%	Free (E,IL) 3.7% (CA)	20%
7207.12.00	Other, of rectangular (other than square) cross section		4.2%	Free (E,IL) 3.7% (CA)	20%
10 0	Having a width measuring less than four times the thickness	kg		3.70 (61.)	
50 1	Having a width measuring at least four times the thickness	kg			
7207.19.00	Other		4.2%	Free (E,IL) 3.7% (CA)	20%
30 9 90 6 7207.20.00	Of circular cross section Other Containing by weight 0.25 percent or more of			3.7% (CA)	
7207.20.00	carbon		4.2%	Free (E,IL) 3.7% (CA)	20%
	Of rectangular (including square) cross section:				
25 3	Having a width measuring less than four times the thickness	kg			
45 9	Having a width measuring at least four times the thickness	ka			
75 2 90 3	Of circular cross sectionOther	kg			
7208	Flat-rolled products of iron or nonalloy steel, of a width of 600 mm or more, hot-rolled, not clad, plated or coated:  In coils, not further worked than hot-				
7208.11.00 00 2	rolled, of high-strength steel: Of a thickness exceeding 10 mm	kg	6%	Free (E,IL) 5.4% (CA)	20%
7208.12.00 00 1	Of a thickness of 4.75 mm or more but not exceeding 10 mm	kg	6%	Free (E,IL) 5.4% (CA)	20%
7208.13	Of a thickness of 3 mm or more but less than 4.75 mm:			5.4% (CA)	
7208.13.10 00 8	Pickled	kg	5.1%	Free (E,IL) 4.5% (CA)	0.4¢/kg + 20%
7208.13.50 00 9	Other	kg	4.9%	Free (E,IL) 4.4% (CA)	20%
7208.14 7208.14.10 00 7	Of a thickness of less than 3 mm: Pickled	ka	5.1%	Free (E,IL)	0.4¢/kg +
7208.14.10 00 7	Other		4.9%	4.5% (CA) Free (E,IL)	20% 20%
,200.14.50 00 6	Other	лу	1.00	4.4% (CA)	200

7208 (con.)	Flat-rolled products of iron or nonalloy steel, of a width of 600 mm or more, hot-rolled, not clad, plated or coated (con.):  Other, in coils, not further worked than hot-				
7208.21	rolled: Of a thickness exceeding 10 mm:				
7208.21.10 00 8	Pickled	kg	5.1%	Free (E,IL)	0.4¢/kg +
7208.21.50 00 9	Other	kg	6%	4.5% (CA) Free (E,IL) 5.4% (CA)	20% 20%
7208.22	Of a thickness of 4.75 mm or more but not exceeding 10 mm:			5.4% (CA)	
7208.22.10 00 7	Pickled	kg	5.1%	Free (E,IL) 4.5% (CA)	0.4¢/kg + 20%
7208.22.50 00 8	Other	kg	6%	Free (E,IL) 5.4% (CA)	20%
7208.23	Of a thickness of 3 mm or more but less than 4.75 mm:				
7208.23.10 00 6	Pickled	•	5.1%	Free (E,IL) 4.5% (CA)	0.4¢/kg + 20%
7208.23.50	Other		4.9%	Free (E,IL) 4.4% (CA)	20%
30 1 90 8	With untrimmed edges Other				
7208.24 7208.24.10 00 5	Of a thickness of less than 3 mm: Pickled	kg	5.1%	Free (E,IL)	0.4¢/kg +
7208.24.50	Other		4.9%	4.5% (CA) Free (E,IL)	20% 20%
30 0	With untrimmed edges	kg		4.4% (CA)	
90 7	Other  Not in coils, not further worked than hot- rolled, of high-strength steel:	кд			
7208.31.00 00 8	Universal mill plate	kg	6%	Free (E,IL) 5.4% (CA)	20%
7208.32.00 00 7	Other, of a thickness exceeding 10 mm	kg	6%	Free (E,IL) 5.4% (CA)	20%
7208.33	Other, of a thickness of 4.75 mm or more but not exceeding 10 mm:			3.10 (611)	
7208.33.10 00 4	Pickled	kg	5.1%	Free (E,IL) 4.5% (CA)	0.4¢/kg + 20%
7208.33.50 00 5	Other	kg	6%	Free (E,IL) 5.4% (CA)	20%
7208.34	Other, of a thickness of 3 mm or more but less than 4.75 mm:				
7208.34.10 00 3	Pickled	•	5.1%	Free (E,IL) 4.5% (CA)	0.4¢/kg + 20%
7208.34.50 00 4	Other	kg	4.9%	Free (E,IL) 4.4% (CA)	20%
7208.35 7208.35.10 00 2	Other, of a thickness of less than 3 mm: Pickled	kg	5.1%	Free (E,IL)	0.4¢/kg +
7208.35.50 00 3	Other	kg	4.9%	4.5% (CA) Free (E,IL) 4.4% (CA)	20% 20%
	Other, not in coils, not further worked than hot-rolled:			1.10 (CA)	
7208.41.00 00 6	Universal mill plate	kg	6%	Free (E,IL) 5.4% (CA)	20%
7208.42.00 00 5	Other, of a thickness exceeding 10 mm	kg	6%	Free (E,IL) 5.4% (CA)	20%
7208.43.00 00 4	Other, of a thickness of 4.75 mm or more but not exceeding 10 mm	kg	6%	Free (E,IL) 5.4% (CA)	20%
7208.44.00 00 3	Other, of a thickness of 3 mm or more but less than 4.75 mm	kg	4.9%	Free (E,IL) 4.4% (CA)	20%
7208.45.00 00 2	Other, of a thickness of less than 3 mm	kg	4.9%	Free (E,IL)	20%
7208.90.00 00 6	Other	kg	5%	4.4% (CA) Free (E,IL)	20%
				4.5% (CA)	

7209		Flat-rolled products of iron or nonalloy steel, of a width of 600 mm or more, cold-rolled (cold-reduced), not clad, plated or coated:  In coils, not further worked than cold-rolled					
7209.11.00	00 1	(cold-reduced), of high-strength steel: Of a thickness of 3 mm or more	kg	5.1%	Free 4.5%	(E,IL) (CA)	0.4¢/kg + 20%
7209.12.00		Of a thickness exceeding 1 mm but less than 3 mm		5.1%	Free 4.5%	(E,IL) (CA)	0.4¢/kg + 20%
7209.13.00	30 4 90 1	Annealed	kg				
	30 3	not exceeding 1 mm		5.1%	Free 4.5%	(E,IL) (CA)	0.4¢/kg + 20%
7209.14.00	90 0	OtherOf a thickness of less than 0.5 mm	kg	5.1%	Free 4.5%	(E,IL)	0.4¢/kg + 20%
	30 2 90 9	AnnealedOtherOther, in coils, not further worked than cold-rolled (cold-reduced):			1.50	(011)	200
7209.21.00		Of a thickness of 3 mm or more	kg	5.1%	Free 4.5%	(E,IL) (CA)	0.4¢/kg + 20%
7209.22.00		Of a thickness exceeding 1 mm but less than 3 mm	kg	5.1%	Free 4.5%	(E,IL) (CA)	0.4¢/kg + 20%
7209.23.00	00 7	Of a thickness of 0.5 mm or more but not exceeding 1 mm	kg	5.1%	Free 4.5%	(E,IL) (CA)	0.4¢/kg + 20%
7209.24 7209.24.10	00 4	Of a thickness of less than 0.5 mm: Of a thickness of less than 0.361 mm (blackplate)	ka	3.2%	Free	(E,IL)	20%
7209.24.50	00 5	Other		5.1%	2.8%	(CA) (E,IL)	0.4¢/kg + 20%
		Not in coils, not further worked than cold-rolled (cold-reduced), of high-strength steel:			4.5%	(CA)	20%
7209.31.00		Of a thickness of 3 mm or more	kg	5.1%	Free 4.5%	(E,IL) (CA)	0.4¢/kg + 20%
7209.32.00	00 6	Of a thickness exceeding 1 mm but less than 3 mm	kg	5.1%	Free 4.5%	(E,IL) (CA)	0.4¢/kg + 20%
7209.33.00	00 5	Of a thickness of 0.5 mm or more but not exceeding 1 mm	kg	5.1%	Free 4.5%	(E,IL) (CA)	0.4¢/kg +
7209.34.00	00 4	Of a thickness of less than 0.5 mm	kg	5.1%	Free 4.5%	(E,IL) (CA)	0.4¢/kg + 20%
		Other, not in coils, not further worked than cold-rolled (cold-reduced):					
7209.41.00 7209.42.00		Of a thickness of 3 mm or more	kg	5.1%	Free 4.5%	(E,IL) (CA)	0.4¢/kg + 20%
		Of a thickness exceeding 1 mm but less than 3 mm	kg	5.1%	Free 4.5%	(E,IL) (CA)	0.4¢/kg + 20%
7209.43.00	00 3	Of a thickness of 0.5 mm or more but not exceeding 1 mm	kg	5.1%	Free 4.5%	(E,IL) (CA)	0.4¢/kg + 20%
7209.44.00	00 2	Of a thickness of less than 0.5 $\mbox{mm}$	kg	5.1%	Free 4.5%	(E,IL) (CA)	0.4¢/kg + 20%
7209.90.00	00 5	Other	kg	5.1%		(E,IL)	0.4¢/kg + 20%

7210			oducts of iron or nonalloy a 600 mm or more, clad, plate						
			coated with tin:						
7210.11.00	00 8	Of a	thickness of 0.5 mm or more	e	kg	3.5%	Free	(E,IL) (CA)	6%
7210.12.00	00 7	Of a	thickness of less than 0.5	mm	kg	3.5%		(E,IL)	6%
7210.20.00	00 7		coated with lead, including		kg	4%	Free 3.6%	(E,IL) (CA)	6%
		Electroly	tically plated or coated wit	th zinc:					
7210.31.00	00 4		igh-strength steel		kg	6.5%	Free 5.8%	(E,IL)	21.5%
7210.39.00	00 6	Other	£		kg	6.5%		(E,IL)	21.5%
			plated or coated with zinc					( /	
7210.41.00	00 2	Corrı	ıgated		kg	6.5%	Free 5.8%	(E,IL) (CA)	21.5%
7210.49.00		Other	£			6.5%	Free 5.8%	(E,IL) (CA)	21.5%
7210.50.00	30 8 90 5 00 0	Plated or	Of high-strength steel Other coated with chromium oxides						
		chromium a	and chromium oxides		kg	5.7%	Free 5.1%	(E,IL) (CA)	45%
7210.60.00	00 8	Plated or	coated with aluminum		kg	6.5%	Free 5.8%	(E,IL) (CA)	21.5%
7210.70			varnished or coated with pla						
7210.70.30	00 0		coated or plated with metal		kg	5.1%	Free	(E,IL)	0.4¢/kg +
7210.70.60		Other	£			6.5%		(E,IL)	20% 21.5%
	30 7		Zinc coated or plated: Electrolytically coate plated		ka		5.8%	(CA)	
			praced		ng.				
	60 0 90 4		Other		kg kg				
7210.90 7210.90.10	00 0	Other: Clad			kg	6.5%	Free	(E,IL)	30%
					J		5.8%	(CA)	
7210.90.60	00 9	Other	<pre>c: Electrolytically coated or with base metal</pre>		kg	5.7%	Free	(E,IL)	45%
							5.1%		
7210.90.90	00 3		Other		kg	6.5%	Free 5.8%	(E,IL) (CA)	21.5%

7211		Flat-rolled products of iron or nonalloy steel, of a width of less than 600 mm, not clad, plated or				
		<pre>coated:   Not further worked than hot-rolled, of   high-strength steel:</pre>				
7211.11.00	00 7	Universal mill plate	kg	6%	Free (E,IL) 5.4% (CA)	20%
7211.12.00	00 6	Other, of a thickness of 4.75 mm or				
		more	kg	6%	Free (E,IL) 5.4% (CA)	20%
7211.19		Other:				
7211.19.10	00 7	Of a width of less than 300 mm	kg	5.7%	Free (E,IL) 5.1% (CA)	25%
7211.19.50	00 8	Other	kg	4.9%	Free (E,IL) 4.4% (CA)	20%
		Other, not further worked than hot-rolled:				
7211.21.00	00 5	Universal mill plate	kg	6%	Free (E,IL) 5.4% (CA)	20%
7211.22.00		Other, of a thickness of 4.75 mm or				
		more		6%	Free (E,IL) 5.4% (CA)	20%
	45 1	Not in coils				
7211.29	90 5	Other:	kg			
7211.29.10	00 5	Of a width of less than 300 mm: Of a thickness exceeding				
7211.23.10	00 3	1.25 mm	kg	5.7%	Free (E,IL) 5.1% (CA)	25%
7211.29.30	00 1	Other	ka	3.4%	Free (E,IL)	25%
7211.25.50	00 1		ng	3.10	3% (CA)	250
7211.29.50	00 6	Other: Pickled	le co	5.1%	Free (E,IL)	0.4¢/kg +
	00 6		3		4.5% (CA)	20%
7211.29.70		Other		4.9%	Free (E,IL) 4.4% (CA)	20%
		In coils:				
	30 6	With untrimmed	1			
		edges				
	60 9	Other				
7011 20	90 3	Other	kg			
7211.30		Not further worked than cold-rolled (cold-reduced), of high-strength steel:				
7211.30.10		Of a width of less than 300 mm: Of a thickness exceeding 0.25 mm		3.4%	Free (E,IL)	25%
	30 6	Of a width less than 51 mm, in			3% (CA)	
	30 6	coils	kg			
	90 3	Other	ka			
7211.30.30		Other		2.4%	Free (E,IL)	25%
7211.30.50	00.3	Other	ka	E 19	2.1% (CA) Free (E,IL)	0.4¢/kg +
/211.30.30	00 3	other	<i>y</i> g	5.1%	4.5% (CA)	20%

7211 (con.)	Flat-rolled products of iron or nonalloy steel, of a width of less than 600 mm, not clad, plated or coated (con.):  Other, not further worked than cold-rolled (cold-reduced):				
7211.41	Containing by weight less than 0.25 percent of carbon: Of a width of less than 300 mm:				
7211.41.10 00 9	Of a thickness exceeding 1.25 mm	kg	5.7%	Free (E,IL)	25%
7211.41.30	Of a thickness exceeding 0.25 mm but not exceeding 1.25 mm		2.4%	5.1% (CA)	25%
			3.46	Free (E,IL) 3% (CA)	256
30 9	Of a width less than 51 mm, in coils	kg			
90 6	Other	kg			
7211.41.50 00 0	Of a thickness less than 0.25 mm	kg	2.4%	Free (E,IL) 2.1% (CA)	25%
7211.41.70	Other		5.1%	Free (E,IL) 4.5% (CA)	0.4¢/kg + 20%
30 0	Of a thickness exceeding 1.25 mm	kg		1.30 (CII)	200
60 3	Of a thickness exceeding 0.25 mm but not exceeding 1.25 mm	kg			
90 7	Of a thickness less than 0.25 mm	kg			
7211.49 7211.49.10	Other: Of a width of less than 300 mm: Of a thickness exceeding				
	0.25 mm		3.4%	Free (E,IL) 3% (CA)	25%
30 5	Of a width less than 51 mm, in coils	kg		2.5 ( 22.5 /	
90 2 7211.49.30 00 7	Other		2.4%	Free (E,IL)	25%
7211.49.50	Other		5.1%	2.1% (CA) Free (E,IL)	0.4¢/kg +
30 6	Of a thickness exceeding 1.25 mm	kg		4.5% (CA)	20%
60 9	Of a thickness exceeding 0.25 mm but not exceeding 1.25 mm	kg			
90 3	Of a thickness less than				
7211.90.00 00 1	0.25 mm		5.1%	Free (E,IL) 4.5% (CA)	20%

7212	Flat-rolled products of iron or nonalloy steel,				
	of a width of less than 600 mm, clad, plated or coated:				
7212.10.00 00 7		kg	3.5%	Free (E,IL) 3.1% (CA)	6%
7212.21.00 00 4	Electrolytically plated or coated with zinc: Of high-strength steel	lr.cc	6.5%	Free (E,IL)	21.5%
		_		5.8% (CA)	
7212.29.00 00 6	Other	kg	6.5%	Free (E,IL) 5.8% (CA)	21.5%
7212.30	Otherwise plated or coated with zinc: Of a width of less than 300 mm:				
7212.30.10	Of a thickness exceeding 0.25 mm or				
	more		3.4%	Free (E,IL) 3% (CA)	25%
30 5	Of a width less than 51 mm,	1		(,	
	in coils	3			
90 2 7212.30.30 00 7	Other		2 4%	Free (E,IL)	25%
7212.30.30 00 7		-		2.1% (CA)	25%
7212.30.50 00 2	Other	kg	6.5%	Free (E,IL) 5.8% (CA)	21.5%
7212.40	Painted, varnished or coated with plastics:			5.00 (CII)	
7212.40.10 00 9	Of a width of less than 300 mm	kg	3.4%	Free (E,IL) 3% (CA)	25%
7212.40.50 00 0	Other	kg	5.1%	Free (E,IL) 4.5% (CA)	0.4¢/kg + 20%
7212.50.00 00 8	Otherwise plated or coated	kg	6.5%	Free (E,IL)	21.5%
7212.60.00 00 6	Clad	kg	6.5%	5.8% (CA) Free (E,IL) 5.8% (CA)	30%
7213	Bars and rods, hot-rolled, in irregularly wound				
	coils, of iron or nonalloy steel:			_	
7213.10.00 00 6	Concrete reinforcing bars and rods	kg	4.9%	Free (E,IL) 4.4% (CA)	20%
7213.20.00 00 4	Of free-cutting steel	kg	1.9%	Free (E,IL) 1.7% (CA)	5.5%
	Other, containing by weight less than 0.25 percent of carbon:				
7213.31	Of circular cross section measuring				
7213.31.30 00 5	less than 14 mm in diameter:  Not tempered, not treated and not				
7213.31.30 00 3	partly manufactured	kg	1.9%	Free (E,IL)	5.5%
7213.31.60 00 8	Other	kg	2.3%	1.7% (CA) Free (E,IL)	6%
7213.39.00	Other		1.9%	2% (CA) Free (E,IL)	5.5%
	Of circular cross section:			1.7% (CA)	
30 7	With a diameter of 14 mm or	1			
	more but less than 19 mm	кд			
60 0	With a diameter of 19 mm or	1			
90 4	moreOther				
		2			

Table	7213 (con.)		Bars and rods, hot-rolled, in irregularly wound coils, of iron or nonalloy steel (con.):  Other, containing by weight 0.25 percent or more but less than 0.6 percent of carbon:					
Not tempered, not treated and not partly manufactured	7213.41		Of circular cross section measuring					
2213.41.60 00 6   Other	7213.41.30	00 3	Not tempered, not treated and not	kg	1.9%			5.5%
Other	7213.41.60	00 6	Other	kg	2.3%	Free (	(E,IL)	6%
Of circular cross section:   With a diameter of 14 mm or   kg	7213.49.00		Other		1.9%	Free (	(E,IL)	5.5%
Mother		30 5	With a diameter of 14 mm or	kg				
Other containing by weight 0.6 percent or more of carbon.   1.9%   Free (E,IL)   5.5%   1.7% (CA)		60 8		ka				
Of circular cross section:  With a diameter of less than 14 mm. kg  40 9 With a diameter of 14 mm or more but less than 19 mm. kg  60 4 With a diameter of 19 mm or more. kg  60 4 With a diameter of 19 mm or more. kg  7214 Other bars and rods of iron or nonalloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but including those twisted after rolling:  7214.10.00 00 5 Forged. kg 4.7% Free (E,IL) 20% 4.2% (CA)  7214.20.00 00 3 Concrete reinforcing bars and rods. kg 4.9% Pree (E,IL) 20% 4.4% (CA)  7214.30.00 00 1 Of free-cutting steel. kg 4.7% Free (E,IL) 20% 4.2% (CA)  7214.40.00 Other, containing by weight less than 0.25 percent of carbon. kg  7214.50.00 Other, containing by weight 0.25 percent or more but less than 0.6 percent of carbon. kg  7214.50.00 Other, containing by weight 0.25 percent or more but less than 0.6 percent of carbon. kg  7214.60.00 Other, containing by weight 0.6 percent or ror more of carbon. kg  7214.60.00 Other, containing by weight 0.6 percent or ror more of carbon. kg  7214.60.00 Other, containing by weight 0.6 percent or ror more of carbon. A 1.7% Free (E,IL) 20% 4.2% (CA)  7214.60.00 Other, containing by weight 0.6 percent or ror more of carbon. A 1.7% Free (E,IL) 20% 4.2% (CA)  7214.60.00 Other, containing by weight 0.6 percent or ror more of carbon. A 1.7% Free (E,IL) 20% 4.2% (CA)  7214.60.00 Other, containing by weight 0.6 percent or ror more of carbon. A 1.7% Free (E,IL) 20% 4.2% (CA)  7214.60.00 Other, containing by weight 0.6 percent or ror more of carbon. A 1.7% Free (E,IL) 20% 4.2% (CA)  7214.60.00 Other, containing by weight 0.6 percent or ror more of carbon. A 1.7% Free (E,IL) 20% 4.2% (CA)	7213.50.00	90 2	Other Other, containing by weight 0.6 percent or	kg	1 0%	Eroo /	(P. TI.)	«
With a diameter of less than 14 mm. kg					1.9%			5.5%
Dut less than 19 mm.   kg		20 3		kg				
Other bars and rods of iron or nonalloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but including those twisted after rolling:   7214.10.00 00 5   Forged		40 9		kg				
further worked than forged, hot-rolled, hot-drawn or hot-extruded, but including those twisted after rolling:  7214.10.00 00 5 Forged								
7214.10.00 00 5 Forged	7214		further worked than forged, hot-rolled, hot-drawn or hot-extruded, but including those twisted after					
7214.20.00 00 3	7214.10.00	00 5		kg	4.7%			20%
7214.40.00 Other, containing by weight less than 0.25 percent of carbon	7214.20.00	00 3	Concrete reinforcing bars and rods	kg	4.9%	Free (	E,IL)	20%
Percent of carbon	7214.30.00	00 1	Of free-cutting steel	kg	4.7%			20%
10 7	7214.40.00				1 79	Eroo /	'P TT \	20%
30 3 Rounds. kg 50 8 Other. kg  7214.50.00 Other, containing by weight 0.25 percent or more but less than 0.6 percent of carbon. 4.7% Free (E,IL) 20%  10 4 Flats. kg 30 0 Rounds. kg 50 5 Other. kg  7214.60.00 Other, containing by weight 0.6 percent or or more of carbon. 4.7% Free (E,IL) 20%  4.2% (CA)  4.2% (CA)  Free (E,IL) 20% 4.2% (CA)  4.2% (CA)		10 7	-		1.70			200
more but less than 0.6 percent of carbon	7214 50 00	30 3	RoundsOther	kg				
10 4 Flats	7214.50.00				4.7%			20%
or more of carbon	7214 60 00	30 0	RoundsOther	kg		1120	(011)	
10 2 Flatskg 30 8 Roundskg	/214.00.00		or more of carbon		4.7%			20%
		30 8	Rounds	kg			,	

7215 7215.10.00	00 4	Other bars and rods of iron or nonalloy steel: Of free-cutting steel, not further worked than cold-formed or cold-finished	kg	7.5%		(E,IL)	0.3¢/kg +
7215.20.00	00 2	Other, not further worked than cold-formed or cold-finished, containing by weight less than 0.25 percent of carbon	kg	7.5%	6.7% Free	(E,IL)	20% 0.3¢/kg +
7215.30.00	00 0	Other, not further worked than cold-formed or cold-finished, containing by weight 0.25 percent or more but less than 0.6 percent			6.7%	(CA)	20%
T015 40 00		of carbon	kg	7.5%	Free 6.7%	(E,IL) (CA)	0.3¢/kg + 20%
7215.40.00	00 8	Other, not further worked than cold-formed or cold-finished, containing by weight 0.6 percent or more of carbon	kg	7.5%		(E,IL)	0.3¢/kg +
7215.90		Other:			6.7%	(CA)	20%
7215.90.10	00.5	Plated or coated with metal:  Not cold-formed	ka	3.2%	Free	(E,IL)	0.4¢/kg +
7215.90.30		Cold-formed	3		2.8%		20% 0.3¢/kg +
					6.7%	(CA)	20%
7215.90.50	00 6	Other	kg	7.5%	Free 6.7%	(A,E,IL) (CA)	0.3¢/kg + 20%
7216		Angles, shapes and sections of iron or nonalloy steel:					
7216.10.00	)	U, I or H sections, not further worked than					
		hot-rolled, hot-drawn or extruded, of a height of less than 80 mm		0.9%		(E,IL)	2%
	10 1	U sections	kg		0.8%	(CA)	
	50 2	Other  L or T sections, not further worked than hot- rolled, hot-drawn or extruded, of a height	kg				
7216.21.00	00 0	of less than 80 mm: L sections	kg	0.9%		(E,IL)	2%
7216.22.00	00 9	T sections	kg	0.9%	0.8% Free 0.8%	(E,IL)	2%
		U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more:				( /	
7216.31.00	00 8	U sections	kg	0.9%	Free	(E,IL)	2%
7216.32.00	00 7	I sections (standard beams)	kg	0.9%	Free	(E,IL)	2%
7216.33.00	)	H sections		0.9%	0.8% Free 0.8%	(E,IL)	2%
	30 0	Weighing not more than 11.3 kg per 30.5 cm, with a web depth measuring 102 mm to 356 mm	kg				
	60 3	Weighing more than 11.3 kg but not more than 27.2 kg per 30.5 cm, with a web depth measuring 203 mm to 457 mm	kg				
7216.40.00	90 7	Other  L or T sections, not further worked than hotrolled, hot-drawn or extruded, of a height of 80 mm or more		0.0%	Ence	(F. II.)	2%
	10 5			0.5.	0.8%	(E,IL) (CA)	20
7216.50.00	10 5 50 6 00 4	L sections	kg			<b></b>	
		or extruded	kg	0.9%	Free 0.8%	(E,IL) (CA)	2%
7216.60.00	00 2	Angles, shapes and sections, not further worked than cold-formed or cold-finished	kg	4.9%	Free 4.4%	(A,E,IL)	20%
7216.90.00	00 6	Other	kg	4.4%		(E,IL)	20%

7217		Wire of iron or nonalloy steel: Containing by weight less than 0.25 percent				
7217.11		of carbon: Not plated or coated, whether or not polished: Flat wire:				
7217.11.10	00 9	Of a thickness not exceeding 0.25 mm	kg	4.2%	Free (E,IL)	25%
7217.11.20	00 7	Of a thickness exceeding 0.25 mm but not exceeding			3.7% (CA)	
7217.11.30	00 5	1.25 mm	kg	3.2%	Free (E,IL) 2.8% (CA)	25%
721711130	00 5	1.25 mm	kg	5.1%	Free (E,IL) 4.5% (CA)	25%
7217.11.50		Round wire: With a diameter of less than				
7217.11.50		1.5 mm		5.3%	Free (E,IL) 4.7% (CA)	25%
	20 6	Heat treated: With a diameter of less than 1.0 mm	kg			
	40 2	With a diameter of 1.0 mm or more but less than 1.5 mm	kg			
	60 7	With a diameter of less than 1.0 mm	kg			
7217.11.70	80 3	With a diameter of 1.0 mm or more but less than 1.5 mm With a diameter of 1.5 mm or	kg			
7217.11.70		more		1.5%	Free (E,IL) 1.3% (CA)	7%
	30 0	Heat treated				
7217.11.90	90 7 00 2	OtherOther wire		5.5%	Free (E,IL) 4.9% (CA)	25%
7217.12		Plated or coated with zinc:				
7217.12.10	8 00	Flat wire	kg	5.2%	Free (E,IL) 4.6% (CA)	26%
7217.12.30		Round wire: With a diameter of less than				
7217.12.50		1.5 mm		5.3%	Free (E,IL) 4.7% (CA)	25%
	30 8	With a diameter of less than 1.0 mm	kg			
	60 1	With a diameter of 1.0 mm or more but less than 1.5 mm	kg			
7217.12.50	00 9	With a diameter of 1.5 mm or				
7217.12.70	00 5	more Other wire	_		Free (E,IL) 1.3% (CA) Free (E,IL)	7% 25%
1211.12.70	00 5	Other wire	<i>r</i> g	5.6%	5% (CA)	456

7217 (con.)	Wire of iron or nonalloy steel (con.): Containing by weight less than 0.25 percent				
7217.13	of carbon (con.):  Plated or coated with other base metals:				
7217.13.10 00 7	Flat wire	kg	5.2%	Free (E,IL) 4.6% (CA)	26%
E01E 12 20	Round wire:				
7217.13.30	With a diameter of less than 1.5 mm		5.3%	Free (E,IL)	25%
				4.7% (CA)	
30 7	With a diameter of less than 1.0 mm	kg			
60 0	With a diameter of				
	1.0 mm or more but less than 1.5 mm	1			
7217.13.50 00 8	With a diameter of 1.5 mm or	kg			
	more	kg	1.5%	Free (E,IL)	7%
7217.13.70 00 4	Other wire	kg	5.6%	1.3% (CA) Free (E,IL) 5% (CA)	25%
7217.19	Other:			30 (CA)	
7217.19.10 00 1	Coated with plastics	kg	0.9%	Free (E,IL) 0.8% (CA)	2%
7217.19.50 00 2	Other	kg	5.3%	Free (E,IL) 4.7% (CA)	35%
	Containing by weight 0.25 percent or more				
7217.21	<pre>but less than 0.6 percent of carbon:    Not plated or coated, whether or not</pre>				
	polished:				
7217.21.10 00 7	Flat wire	kg	3.2%	Free (E,IL) 2.8% (CA)	25%
7217.21.30	Round wire		5.3%	Free (E,IL) 4.7% (CA)	25%
	Heat treated:				
15 6	With a diameter of less than 1.0 mm	ka			
		3			
30 7	With a diameter of 1.0 mm or more but less than				
	1.5 mm	kg			
45 0	With a diameter of 1.5 mm				
	or more	kg			
60 0	Other: With a diameter of less				
	than 1.0 mm	kg			
75 3	With a diameter of 1.0 mm				
	or more but less than 1.5 mm	le cr			
	1.5	νa			
90 4	With a diameter of 1.5 mm or more	1			
7217.21.50 00 8	or more		5.5%	Free (E,IL)	25%
		-		4.9% (CA)	

7217 (con.)	Wire of iron or nonalloy steel (con.):  Containing by weight 0.25 percent or more but less than 0.6 percent of carbon (con.):				
7217.22 7217.22.10	Plated or coated with zinc:  Round wire		5.3%	Free (E,IL) 4.7% (CA)	25%
15 9	With a diameter of less than 1.0 mm	kg		4.70 (CA)	
30 0	With a diameter of 1.0 mm or more but less than 1.5 mm	kg			
50 5	With a diameter of 1.5 mm or more	kq			
7217.22.50 00 7	Other	kg	5.2%	Free (E,IL) 4.6% (CA)	26%
7217.23 7217.23.10	Plated or coated with other base metals: Round wire		5.3%	Free (E,IL) 4.7% (CA)	25%
15 8	With a diameter of less than 1.0 mm	kg			
30 9	With a diameter of 1.0 mm or more but less than 1.5 mm	kg			
50 4	With a diameter of 1.5 mm or more	kq			
7217.23.50 00 6	Other		5.2%	Free (E,IL) 4.6% (CA)	26%
7217.29 7217.29.10 00 9	Other: Coated with plastics	kg	0.9%	Free (E,IL) 0.8% (CA)	2%
7217.29.50 00 0	Other	kg	5.3%	Free (E,IL) 4.7% (CA)	35%
	Containing by weight 0.6 percent or more of carbon:				
7217.31	Not plated or coated, whether or not polished:				
7217.31.10 00 5	Flat wire	_		Free (E,IL) 2.8% (CA)	25%
7217.31.30	Round wire		5.3%	Free (E,IL) 4.7% (CA)	25%
15 4	Heat treated: With a diameter of less than 1.0 mm	kg			
30 5	With a diameter of 1.0 mm or more but less than 1.5 mm	kg			
45 8	With a diameter of 1.5 mm or more	kg			
60 8	Other: With a diameter of less than 1.0 mm	kg			
75 1	With a diameter of 1.0 mm or more but less than 1.5 mm	kg			
90 2	With a diameter of 1.5 mm	1			
7217.31.50 00 6	or more		5.5%	Free (E,IL) 4.9% (CA)	25%

7217 (con.)	Wire of iron or nonalloy steel (con.): Containing by weight 0.6 percent or more of carbon (con.):					
7217.32	Plated or coated with zinc:					
7217.32.10	Round wire		5.3%	Free 4.7%	(E,IL) (CA)	25%
15 7	With a diameter of less than 1.0 mm	kg			,	
30 8	With a diameter of 1.0 mm or more but less than 1.5 mm	kg				
50 3	With a diameter of 1.5 mm or more	ka				
7217.32.50 00 5	Other		5.2%	Free 4.6%	(E,IL)	25%
7217.33	Plated or coated with other base metals:			1.00	(CII)	
7217.33.10	Round wire		5.3%	Free 4.7%	(E,IL) (CA)	25%
15 6	With a diameter of less than 1.0 mm	kg				
30 7	With a diameter of 1.0 mm or more but less than 1.5 mm	kg				
50 2	With a diameter of 1.5 mm or more	le or				
7217.33.50 00 4	Other		5.2%	Free 4.6%	(E,IL)	26%
7217.39	Other:			1.00	(011)	
7217.39.10 00 7	Coated with plastics	kg	0.9%	Free	(E,IL) (CA)	2%
7217.39.50 00 8	Other	kg	5.3%	Free	(E,IL) (CA)	35%

# III. STAINLESS STEEL

7218		Stainless steel in ingots or other primary forms; semifinished products of stainless steel:					
7218.10.00	00 1	Ingots and other primary forms	kg	5.2%	Free 4.6%	(E,IL)	29%
7218.90.00		Other		5.2%	Free	(E,IL)	29%
		Of rectangular (including square) cross section:			4.6%	(CA)	
		Having a width less than four times					
	10 2	the thickness: Having a cross-sectional area					
		of 19.4 cm <sup>2</sup> or more, but less than 232 cm <sup>2</sup>	kg				
	20 0	Having a cross-sectional area of 232 cm <sup>2</sup> or more	kg				
	30 8 35 3	Other	kg				
	35 3	the thickness	kg				
	45 1	Of circular cross section: Having a cross-sectional area of 19.4 cm² or more, but less than					
		232 cm <sup>2</sup>	kg				
	55 8	Having a cross-sectional area of 232 $cm^2$ or more	kg				
	65 6	Other	kg				
	70 9	Other: Having a cross-sectional area of					
		19.4 cm² or more, but less than 232 cm²	kg				
	80 7	Having a cross-sectional area of 232 cm <sup>2</sup> or more	kg				
	90 5	Other	kg				
7219		Flat-rolled products of stainless steel, of a width of 600 mm or more:  Not further worked than hot-rolled, in coils:					
7219.11.00		Of a thickness exceeding 10 mm	kg	10.1% <u>1</u> /	Free	(E,IL)	29%
7219.12.00	00 8	Of a thickness of 4.75 mm or more but not exceeding 10 mm	kg	10.1% <u>1</u> /	Free	(E,IL)	29%
7219.13.00		Of a thickness of 3 mm or more but less					
	30 1	than 4.75 mm		10.1% <u>2</u> /	Free	(E,IL)	29%
7219.14.00	60 4	Other Of a thickness of less than 3 mm		10.1% 2/	Free	(E,IL)	29%
	30 0 60 3	Of a width of 1370 mm or more		<u> </u>			
		Not further worked than hot-rolled, not in coils:	5				
7219.21.00 7219.22.00	00 7	Of a thickness exceeding 10 mm Of a thickness of 4.75 mm or more but not	kg	9.6% <u>1</u> /	Free	(E,IL)	29%
7219.22.00	00 0	exceeding 10 mm	kg	9.6% <u>1</u> /	Free	(E,IL)	29%
7219.23.00		Of a thickness of 3 mm or more but less		/	_	(=)	
	30 9	than 4.75 mm	kg	10.1% <u>2</u> /	rree	(E,IL)	29%
7219.24.00	60 2	Other Of a thickness of less than 3 mm		10.1% <u>2</u> /	Free	(E,IL)	29%
	30 8 60 1	Of a width of 1370 mm or more Other					
			•				

 $<sup>\</sup>frac{1}{2}$ / An additional duty may be imposed on certain flat-rolled products of stainless steel. See subheading 9903.72.01. An additional duty may be imposed on certain flat-rolled products of stainless steel. See subheading 9903.72.00.

7219 (con.)		Flat-rolled products of stainless steel, of a width of 600 mm or more (con.):  Not further worked than cold-rolled (cold-				
		reduced):				
7219.31.00		Of a thickness of 4.75 mm or more Other:		10.1% <u>1</u> /	Free (E,IL)	29%
7219.32.00	10 3 50 4	In coils				
7217.32.00		than 4.75 mm		10.1% <u>2</u> /	Free (E,IL)	29%
	15 7	Of a width of 1370 mm or more				
	30 8	Other  Not in coils:	кд			
	45 1 60 1	Of a width of 1370 mm or more				
7219.33.00	60 I	Other Of a thickness exceeding 1 mm but less	kg			
		than 3 mm		10.1% <u>2</u> /	Free (E,IL)	29%
	15 6	Of a width of 1370 mm or more				
	30 7	Other Not in coils:	kg			
	45 0	Of a width of 1370 mm or more				
7219.34.00	60 0	Other Of a thickness of 0.5 mm or more but not	кg			
		exceeding 1 mm		10.1% <u>2</u> /	Free (E,IL)	29%
	10 0	In coils				
7219.35.00	50 1	Not in coils		10.1% 2/	Free (E,IL)	29%
7217.33.00	10 9	In coils		10.10 <u>2</u> /	rice (E,IE)	200
	50 0	Not in coils				
7219.90.00	00 3	Other	kg	5.9% <u>2</u> /	Free (E,IL)	29%
7220		Flat-rolled products of stainless steel, of a				
		width of less than 600 mm: Not further worked than hot-rolled:				
7220.11.00	00 6	Of a thickness of 4.75 mm or more	ka	10.6% 1/.3/	Free (E,IL)	29%
7220.12		Of a thickness of less than 4.75 mm:			(-,,	
7220.12.10		Of a width of 300 mm or more			Free (E,IL)	29%
7220.12.50 7220.20	00 4	Of a width of less than 300 mm Not further worked than cold-rolled (cold-	кд	$11.6\% \ \overline{2}/$	Free (E,IL)	34%
7220.20		reduced):				
7220.20.10	00 3	Of a width of 300 mm or more Of a width of less than 300 mm:	kg	10.1% <u>1</u> /	Free (E,IL)	29%
7220.20.60		Of a thickness exceeding 1.25 mm	kg	11.6% <u>2</u> /, <u>3</u> /	Free (E,IL)	34%
7220.20.70	00 0	Of a thickness exceeding 0.25 mm but not exceeding 1.25 mm	kg	10.6% <u>2</u> /	Free (E,IL)	34%
		Of a thickness not exceeding 0.25 mm:				
7220.20.80	00 8	Razor blade steel	kg	5.2%	Free (E,IL) 4.6% (CA)	34%
7220.20.90	00 6	Other	kg	8.1% <u>2</u> /	Free (E,IL)	34%
7220.90.00	00 0	Other		5.7%	Free (E,IL) 5.1% (CA)	46%

<sup>1/</sup> An additional duty may be imposed on certain flat-rolled products of stainless steel. See subheading 9903.72.01.
2/ An additional duty may be imposed on certain flat-rolled products of stainless steel. See subheading 9903.72.00.
3/ Certain flat-rolled products of stainless steel are subject to quota. See subheading 9903.72.12 or 9903.72.14.

7221.00.00	20 4 40 0	Bars and rods, hot-rolled, in irregularly wound coils, of stainless steel	kg	4.7% <u>1</u> /	Free (E,IL)	11%
	60 5 80 1	With a diameter of 19 mm or more Other				
7222 7222.10.00	00 5	Other bars and rods of stainless steel; angles, shapes and sections of stainless steel:  Bars and rods, not further worked than hot-rolled, hot-drawn or extruded	kg	10.6% <u>2</u> /	Free (E,IL)	29%
7222.20.00	30 7	Bars and rods, not further worked than cold- formed or cold-finished		10.6% <u>2</u> /	Free (E,IL)	29%
7222.30.00 7222.40 7222.40.30	60 0 00 1	With a maximum cross-sectional dimension of 18 mm or more	kg		Free (E,IL)	29%
	20 9 40 5	and not otherwise advanced	kg kg	2.1%	Free (E,IL) 1.8% (CA)	10%
7222.40.60	80 6	Other	kg	5.3%	Free (E,IL) 4.7% (CA)	28%
7223.00 7223.00.10	15 7 30 8	Wire of stainless steel: Round wire  With a diameter of less than 0.25 mm  With a diameter of 0.25 mm or more but less than 0.76 mm	kg	9.1% <u>4</u> /	Free (E,IL) 8.1% (CA)	34%
	45 1	With a diameter of 0.76 mm or more but less than 1.52 mm	kg			
	60 1	With a diameter of 1.52 mm or more but less than 5.1 mm	kg			
7223.00.50	75 4 00 5	With a diameter of 5.1 mm or more		3.3%	Free (E,IL) 2.9% (CA)	34%
7223.00.90	00 7	Other	kg	6.3%	Free (E,IL) 5.6% (CA)	34%

Certain stainless steel bars and rods are subject to quota. See subheading 9903.72.22 or 9903.72.24.
Certain stainless steel bars and rods are subject to quota. See subheading 9903.72.12 or 9903.72.14.
Certain stainless steel mold blocks from Canada subject to quota. See subheading 9903.72.42 or 9903.72.44.
Certain round wire products are subject to quota. See subheading 9903.72.32 or 9903.72.34.

# IV. OTHER ALLOY STEEL; HOLLOW DRILL BARS AND RODS, OF ALLOY OR NONALLOY STEEL

7224		Other alloy steel in ingots or other primary forms; semifinished products of other alloy steel:				
7224.10.00		Ingots and other primary forms		5.1%	Free (E,1	
7224.90.00	30 7 90 4	Of tool steelOther	kg	5.1%	Free (E,1	IL) 28%
	10 4	Of tool steel:  Of rectangular (including square)  cross section:  Having a width less than four				
		times the thickness	kg			
	20 2	Having a width at least four times the thickness				
	30 0	Other:	kg			
	40 8	Of rectangular (including square) cross section: Having a width less than four times the thickness	kg			
	50 5	Having a width at least four times the thickness	ka			
	60 3 70 1	Of circular cross sectionOther	kg			
7225		Flat-rolled products of other alloy steel, of a width of 600 mm or more:				
7225.10.00	00 2	Of silicon electrical steel	kg	5.8%	Free (E,1 5.2% (CA)	
7225.20.00 7225.30	00 0	Of high-speed steelOther, not further worked than hot-rolled, in coils:	kg	10.5% <u>1</u> /	Free (E,	
7225.30.10	00 6	Of a thickness of 4.75 mm or more: Of tool steel (other than high- speed steel)	kg	9.6% <u>1</u> /	Free (E,	IL) 29%
7225.30.30	00 2	Other	kg	3.8%	Free (E,1	
7225.30.50		Of a thickness of less than 4.75 mm: Of tool steel (other than high-			3.10 (611)	
	30 1 60 4	speed steel)	kg	9.6% <u>1</u> /	Free (E,	IL) 29%
7225.30.70		Other		9.5%	Free (E,1 8.5% (CA)	
7225.40		Other, not further worked than hot-rolled, not in coils:				
7225.40.10		Of a thickness of 4.75 mm or more: Of tool steel (other than high- speed steel)		9.6% 1/	Free (E,	IL) 29%
	15 7 90 5	Of ball-bearing steel Other	kg kg	<u> </u>	1100 (2)	230
7225.40.30	00 0	Other	kg	3.8%	Free (E, 3 3 . 4% (CA)	
7225.40.50		Of a thickness of less than 4.75 mm: Of tool steel (other than high-		0.50.4	- /-	
	30 9 60 2	speed steel)	kg	9.6% <u>1</u> /	Free (E,	IL) 29%
7225.40.70	00 1	Other		9.5%	Free (E,1 8.5% (CA)	

 $<sup>\</sup>underline{1}/$  Certain alloy tool steel products are subject to quota. See subheading 9903.72.32 or 9903.72.34.

7225 (con.)	Flat-rolled products of other alloy steel, of a width of 600 mm or more (con.):				
7225.50	Other, not further worked than cold-rolled (cold-reduced):				
7225.50.10	Of tool steel (other than high-speed steel)		10 12 1/	Free (E,IL)	29%
30 60	Of ball-bearing steel	kg	10.1% <u>1</u> /	riee (E,ID)	250
7225.50.60 00	* *****	kg	5.8%	Free (E,IL) 5.2% (CA)	28%
	Of a thickness of less than 4.75 mm:			3.20 (611)	
7225.50.70 00	Heat-resisting steel	kg	4.1%	Free (E,IL) 3.6% (CA)	29%
7225.50.80 00	Other	kg	4%	Free (E,IL) 3.6% (CA)	28%
7225.90.00 00	5 Other	kg	5.8%	Free (A,E,IL) 5.2% (CA)	28%
7226	Flat-rolled products of other alloy steel, of a width of less than 600 mm:				
7226.10 7226.10.10 00	Of silicon electrical steel: Of a width of 300 mm or more	kg	5.8%	Free (E,IL) 5.2% (CA)	28%
7226.10.50	Of a width of less than 300 mm		7%	Free (E,IL) 6.3% (CA)	33%
30	Of a thickness not exceeding 0.25 mm	kg		,,,	
60 7226.20.00 00			10 59 1/	Free (E,IL)	37%
7226.91	Other:  Not further worked than hot-rolled:	ку	12.3° <u>1</u> /	rice (E,IE)	378
7220.91	Of tool steel (other than high- speed steel):				
7226.91.10		kg	9.6% <u>1</u> /	Free (E,IL)	29%
7226.91.30	Of a width of less than				
30 60		kg	11.6% <u>1</u> /	Free (E,IL)	34%
7226.91.50 00	Other:	1-5			
7220.91.30 00	more	kg	3.8%	Free (E,IL) 3.4% (CA)	28%
	Of a thickness of less than				
7226.91.70 00	4.75 mm: Of a width of 300 mm or				
	more	kg	9.5%	Free (E,IL) 8.5% (CA)	28%
7226.91.80 00	Of a width of less than 300 mm	kg	6.3%	Free (E,IL)	33%
				5.6% (CA)	

 $<sup>\</sup>underline{1}/$  Certain alloy tool steel products are subject to quota. See subheading 9903.72.32 or 9903.72.34.

7226 (con.)	Flat-rolled products of other alloy steel, of a width of less than 600 mm (con.): Other (con.):				
7226.92	Not further worked than cold-rolled (cold-reduced):  Of tool steel (other than high-				
7226.92.10	speed steel): Of a width of 300 mm or more		10.1% <u>1</u> /	Free (E,IL)	0.4¢/kg +
29% 30 4 60 7 7226.92.30	Of ball-bearing steel Other Of a width of less than 300 mm	kg	10.6% <u>1</u> /	Free (E,IL)	34%
30 0 60 3	Of ball-bearing steel Other				
7226.92.50 00 1	Of a width of 300 mm or more	kg	4%	Free (E,IL) 3.6% (CA)	0.4¢/kg + 28%
7226.92.70 00 7	Of a width of less than 300 mm: Of a thickness not exceeding 0.25 mm	kg	5.1%	Free (E,IL) 4.5% (CA)	33%
7226.92.80 00 5	Of a thickness exceeding				
	0.25 mm	kg	6%	Free (E,IL) 5.4% (CA)	33%
7226.99.00 00 5	Other	kg	6.3%	Free (E,IL) 5.6% (CA)	33%
7227	Bars and rods, hot-rolled, in irregularly wound coils, of other alloy steel:				
7227.10.00 00 0 7227.20.00 00 8	Of high-speed steel Of silico-manganese steel			Free (E,IL) Free (E,IL) 4% (CA)	14% 10%
7227.90	Other: Of tool steel (other than high-speed steel):				
7227.90.10 30 5 60 8	Not tempered, not treated, and not partly manufactured	kg	2.1% <u>1</u> /	Free (E,IL)	12%
7227.90.20	Other Of ball-bearing steel	kg	4.2% <u>1</u> /	Free (E,IL)	11%
60 6 7227.90.60 00 0	Other		4.5%	Free (E,IL) 4% (CA)	10%
7228	Other bars and rods of other alloy steel; angles, shapes and sections, of other alloy steel; hollow drill bars and rods, of alloy or non-alloy steel:				
7228.10.00	Bars and rods, of high-speed steel  Not cold-formed  Cold-formed:		11.5% <u>1</u> /	Free (E,IL)	32%
30 3	With a maximum cross-sectional dimension of less than 18 mm	kg			
60 6	With a maximum cross-sectional dimension of 18 mm or more	kg			

7228 (con.)		Other bars and rods of other alloy steel; angles, shapes and sections, of other alloy steel; hollow drill bars and rods, of alloy or non-					
7228.20		alloy steel (con.):  Bars and rods, of silico-manganese steel:					
7228.20.10	00 5	Not cold-formed	kg	6%	Free	(E,IL) (CA)	28%
7228.20.50	00 6	Cold-formed	kg	7.5%		(E,IL)	28%
7228.30		Other bars and rods, not further worked than hot-rolled, hot-drawn or extruded:  Of tool steel (other than high-speed steel):					
7228.30.20	00 1	Of ball-bearing steel	kg	6.1%	Free 5.4%	(E,IL) (CA)	29%
7228.30.40	00 7	Of chipper knife steel, not					
		cold-formed	kg	Free			28%
7228.30.60	00 2	Other		10.6% <u>1</u> /	Free	(E,IL)	29%
7228.30.80		Other	kg	6% <u>-</u>	Free 5.4%	(E,IL) (CA)	28%
7228.40.00	00 3	Other bars and rods, not further worked	1	<i>c</i> 0		(= == )	000
		than forged	кд	6%	5.4%	(E,IL) (CA)	28%
7228.50		Other bars and rods, not further worked than cold-formed or cold-finished:					
7228.50.10		Of tool steel (other than high-speed steel)		10.6% <u>1</u> /	Free	(E,IL)	29%
	10 6	Of ball-bearing steel Other:	kg				
	20 4	With a maximum cross-sectional dimension of less than 18 mm: Of round or rectangular					
	20 4	cross section with sur- faces ground, milled or					
		polished	kg				
	40 0	Other other	kg				
	60 5	dimension of 18 mm or more: Of round or rectangular					
	00 5	cross section with surf-					
		aces ground, milled or					
		polished	ka				
		F	5				
	80 1	Other					
7228.50.50	00 9	Other	kg	7.5%		(E,IL)	28%
					6.7%	(CA)	
7228.60 7228.60.10		Other bars and rods: Of tool steel (other than high-speed		10.69.1/.0/		(D. TT.)	0.00
	30 0	steel) Of ball-bearing steel		10.6% <u>1</u> / <u>2</u> /	Free	(E,IL)	29%
	60 3	Other					
		Other:					
7228.60.60	00 5	Not cold-formed		6%	Free 5.4%	(E,IL) (CA)	28%
7228.60.80	00 1	Cold-formed	kg	7.5%	Free 6.7%	(E,IL) (CA)	28%
					3	\ <del></del> /	

<sup>1/</sup> Certain alloy tool steel products are subject to quota. See subheading 9903.72.32 or 9903.72.34.
2/ Certain alloy tool steel mold blocks from Canada are subject to quota. See subheading 9903.72.42 or 9903.72.44.

7228 (con.) 7228.70 7228.70.30	Other bars and rods of other alloy steel; angles, shapes and sections, of other alloy steel; hollow drill bars and rods, of alloy or non-alloy steel (con.):  Angles, shapes and sections:  Hot-rolled, not drilled, not punched				
7226.70.30	and not otherwise advanced		2.1%	Free (E,IL) 1.8% (CA)	10%
20 6	With a maximum cross-sectional dimension of 76 mm or more: Angles			1.00 (CA)	
40 2	OtherWith a maximum cross-sectional dimension of less than 76 mm:	кg			
60 7 80 3	AnglesOther.				
7228.70.60 00 3	Other		5.3%	Free (E,IL) 4.7% (CA)	28%
7228.80.00 00 4	Hollow drill bars and rods	kg	5.7%	Free (E,IL) 5.1% (CA)	30%
7229	Wire of other alloy steel:				
7229.10.00 00 8 7229.20.00 00 6	Of high-speed steel			Free (E,IL) Free (E,IL)	37% 33%
7229.90	Other:		<i>3</i>	IICC (B/IB)	
7229.90.10 00 9	Flat wire	kg	5.8%	Free (E,IL) 5.2% (CA)	33%
7229.90.50 15 3	Round wire  With a diameter of less than		9% <u>1</u> /	Free (E,IL)	33%
	1.0 mm	kg			
30 4	With a diameter of 1.0 mm or more but less than 1.5 mm	kg			
50 9 7229.90.90 00 2	With a diameter of 1.5 mm or more Other wire		6.2%	Free (E,IL) 5.5% (CA)	33%