CHAPTER 27

MINERAL FUELS, MINERAL OILS AND PRODUCTS OF THEIR DISTILLATION; BITUMINOUS SUBSTANCES; MINERAL WAXES

- Notes
- 1. This chapter does not cover:
 - (a) Separate chemically defined organic compounds, other than pure methane and propane which are to be classified in heading 2711;

V 27-1

- (b) Medicaments of heading 3003 or 3004; or
- (c) Mixed unsaturated hydrocarbons of heading 3301, 3302 or 3805.
- References in heading 2710 to "<u>petroleum oils and oils obtained from bituminous minerals</u>" include not only petroleum oils and oils obtained from bituminous minerals, but also similar oils, as well as those consisting mainly of mixed unsaturated hydrocarbons, obtained by any process, provided that the weight of the nonaromatic constituents exceeds that of the aromatic constituents.

However, the references do not include liquid synthetic polyolefins of which less than 60 percent by volume distills at 300°C, after conversion to 1,013 millibars when a reduced-pressure distillation method is used (chapter 39).

Subheading Notes

- 1. For the purposes of subheading 2701.11, "<u>anthracite</u>" means coal having a volatile matter limit (on a dry, mineral-matter-free basis) not exceeding 14 percent.
- For the purposes of subheading 2701.12, "<u>bituminous coal</u>" means coal having a volatile matter limit (on a dry, mineral-matter-free basis) exceeding 14 percent and a calorific value limit (on a moist, mineral-matter-free basis) equal to or greater than 5,833 kcal/kg.
- 3. For the purposes of subheadings 2707.10, 2707.20, 2707.30, 2707.40 and 2707.60, the terms "<u>benzene</u>," "<u>toluene</u>," "<u>xylene</u>," "<u>naphthalene</u>" and "<u>phenols</u>" apply to products which contain more than 50 percent by weight of benzene, toluene, xylene, naphthalene or phenols, respectively.

Additional U.S. Notes

- (a) Crude petroleum oils, crude oils obtained from bituminous minerals and reconstituted crude petroleum shall, if products of Canada, be admitted free of duty and any entry therefor shall be liquidated or reliquidated accordingly if, on or before the 180th day after the date of entry, documentation is filed with the customs officer concerned establishing that, pursuant to a commercial exchange agreement between the United States and Canadian refiners which has been approved by the Secretary of Energy--
 - (i) An import license for the products covered by such entry has been issued by the Secretary; and
 - (ii) An equivalent amount of domestic or duty-paid foreign crude petroleum oils, crude oils obtained from bituminous minerals or reconstituted crude petroleum have, pursuant to such commercial exchange agreement and to an export license issued by the Secretary of Commerce, been exported from the United States to Canada and have not previously been used to effect the duty-free entry of like Canadian products under this U.S. note.
 - (b) The Secretary of the Treasury, after consulting with the Secretary of Commerce and the Secretary of Energy, shall issue such rules or regulations as may be necessary governing the admission of Canadian products pursuant to the provisions of this U.S. note.
- 2. For the purposes of heading 2710, "petroleum oils" includes only products having:
 - (a) A Congealing Point (ASTM D 938) of less than 30°C; or
 - (b) If the Congealing Point is not less than 30°C:
 - (i) A density at 70°C of less than 0.942 and a Worked Cone Penetration (ASTM D 217) or a Cone Penetration (ASTM D 937) at 25°C of not less than 350; or
 - (ii) If the density at 70°C is not less than 0.942 having a Needle Penetration (ASTM D 5) at 25°C of not less than 400.
- For the purposes of subheading 2710.00.15, "motor fuel" is any product derived primarily from petroleum, shale or natural gas, whether or not containing additives, which is principally used as a fuel in internal-combustion or other engines.

⊜&f1y3X

V 27-2

- 4. For the purposes of subheading 2710.00.18, "motor fuel blending stock" means any product (except naphthas of subheading 2710.00.25) derived primarily from petroleum, shale oil or natural gas, whether or not containing additives, to be used for direct blending in the manufacture of motor fuel.
- 5. In determining the relative weights of components of the mixtures provided for in subheading 2710.00.45, naphtha and other petroleum derivatives which may be present in such mixtures as solvents shall be disregarded.
- 6. For the purposes of heading 2716:
 - (a) The term "electrical energy" does not include electrical energy transmitted as a medium of communication; and
 - (b) Electrical energy shall not be subject to the entry requirements for imported merchandise set forth in section 484 of the Tariff Act of 1930, as amended, (19 U.S.C. 1484), but shall be entered on a periodic basis in accordance with regulations to be prescribed by the Secretary of the Treasury.
- 7. For the purposes of this chapter, the term barrel (bbl) means a barrel of 158.98 liters measured at 15.6°C.

Statistical Note

1. For the purposes of statistical reporting number 2711.11.0000, the volume of liquid natural gas shall be reported on a gaseous equivalent volume basis.

2701	Coal, briquettes, ovoids and similar solid fuels manufactured from coal: Coal, whether or not pulverized, but not				
2701.11.00 00 5 2701.12.00 10 2	agglomerated: Anthracite Bituminous coal Metallurgical coal		Free Free		Free Free
50 3 2701.19.00 00 7 2701.20.00 00 4	Other Other coal Briquettes, ovoids and similar solid fuels		Free		Free
	manufactured from coal	t	Free		Free
2702	Lignite, whether or not agglomerated, excluding jet:				
2702.10.00 00 5	Lignite, whether or not pulverized, but not agglomerated	t	Free		Free
2702.20.00 00 3	Agglomerated lignite	t	Free		Free
2703.00.00 00 6	Peat (including peat litter), whether or not agglomerated	t	Free		Free
2704.00.00	Coke and semicoke of coal, of lignite or of peat, whether or not agglomerated; retort carbon Coke and semicoke of coal: Commercially suitable for use as fuel:		Free		Free
05 0 15 8	In briquettes Other				
20 1 50 4	Other	t			
2705.00.00 00 4		L			
2705.00.00 00 4	gases, other than petroleum gases and other gaseous hydrocarbons	thousand m ³	Free		Free
2706.00.00 00 3	Tar distilled from coal, from lignite or from peat, and other mineral tars, whether or not dehydrated or partially distilled, including reconstituted tars.	liters	Free		Free
2707	Oils and other products of the distillation of high temperature coal tar; similar products in which the weight of the aromatic constituents exceeds that of the nonaromatic constituents:	11001011			
2707.10.00 00 0 2707.20.00 00 8	Benzene		Free Free		Free Free
2707.30.00 10 4 20 2 30 0	Xylenes. m-Xylene. o-Xylene. p-Xylene. Other.	liters liters liters liters	Free		Free
40 8 2707.40.00 00 4 2707.50.00 00 1	Naphthalene. Other aromatic hydrocarbon mixtures of which 65 percent or more by volume (including losses) distills at 250°C by the ASTM D 86		Free		Free
	method		Free		Free
2707.60.00 00 9	Phenols	kg	2.9¢/kg + 12.5%	Free (A,E,IL) 1.1¢/kg + 5% (CA)	7.7¢/kg + 29.5%
2707.91.00 00 2 2707.99	Creosote oils Other:	liters	Free		Free
2707.99.10 00 2 2707.99.20 00 0 2707.99.30 00 8	Light oil Picolines Metacresol, orthocresol, para- cresol and metaparacresol, all				Free Free
	the foregoing having a purity of 75 percent or more by weight	kg	1.1¢/kg + 3.7%	Free (A,E,IL) 0.4¢/kg + 1.4% (CA)	15.4¢/kg + 42.5%
2707.99.40 00 6	Carbazole having a purity of 65 percent or more by weight	kg	1.8¢/kg + 6.1%	Free (A,E,IL) 0.7¢/kg + 2.4% (CA)	15.4¢/kg + 40%
2707.99.50 00 3	Other	kg	Free		Free

2708.10.00 00 9 Pitch Kg Free Free 2708.20.00 00 7 Pitch coke	
<pre>minerals, crude: Testing under 25 degrees A.P.I bbl 5.25¢/bbl Free (IL) 21¢/bbl 2709.00.20 00 6 Testing 25 degrees A.P.I. or more bbl 10.5¢/bbl Free (IL) 21¢/bbl 2710.00 Petroleum oils and oils obtained from bituminous minerals, other than crude; preparations not elsewhere specified or included, containing by weight 70 percent or more of petroleum oils or of oils obtained from bituminous minerals, these oils being the basic constituents of the prepa- rations: Distillate and residual fuel oils (includ- ing blended fuel oils): 2710.00.05 Testing under 25 degrees A.P.I 5.25¢/bbl Free (IL) 21¢/bbl 10 0 Having a Saybolt Universal vis- cosity at 37.8°C of 45 seconds (No. 4-type fuel oils) bbl</pre>	
2709.00.1000 8Testing under 25 degrees A.P.I.bbl5.25¢/bblFree (IL)21¢/bbl2709.00.2000 6Testing 25 degrees A.P.I. or more.bbl10.5¢/bblFree (IL)21¢/bbl2710.00Petroleum oils and oils obtained from bituminous minerals, other than crude; preparations not elsewhere specified or included, containing by weight 70 percent or more of petroleum oils or of oils obtained from bituminous minerals, these oils being the basic constituents of the prepa- rations:5.25¢/bblFree (IL)21¢/bbl2710.00.05Testing under 25 degrees A.P.I.5.25¢/bblFree (IL)21¢/bbl10 0Having a Saybolt Universal vis- cosity at 37.8°C of 45 seconds or more but not more than 125 seconds (No. 4-type fuel oils).5.25¢/bblFree (IL)21¢/bbl	
 4.2¢/bbl (CA) Petroleum oils and oils obtained from bituminous minerals, other than crude; preparations not elsewhere specified or included, containing by weight 70 percent or more of petroleum oils or of oils obtained from bituminous minerals, these oils being the basic constituents of the preparations: Distillate and residual fuel oils (including blended fuel oils): Testing under 25 degrees A.P.I	
<pre>minerals, other than crude; preparations not elsewhere specified or included, containing by weight 70 percent or more of petroleum oils or of oils obtained from bituminous minerals, these oils being the basic constituents of the prepa- rations: Distillate and residual fuel oils (includ- ing blended fuel oils): 2710.00.05 Testing under 25 degrees A.P.I</pre>	
2710.00.05 Testing under 25 degrees A.P.I	
10 0 Having a Saybolt Universal vis- cosity at 37.8°C of 45 seconds or more but not more than 125 seconds (No. 4-type fuel oils) bbl	
Maning a Carbalt Mainzanal and	
Having a Saybolt Universal vis- cosity at 37.8°C of more than 125 seconds (heavy fuel oils): 25 3 Fuel oil No. 5 bbl 30 6 Fuel oil No. 6 bbl 35 1 Other bbl 50 1 Other bbl 2710.00.10 Testing 25 degrees A.P.I. or more 10.5¢/bbl Free (IL) 21¢/bbl	
4.2¢/bbl (CA) Having a Saybolt Universal vis- cosity at 37.8°C of less than 45 seconds (light fuel oils): Fuel oils Nos. 2 and 3: Diesel oil bbl 03 2 0 Cher bbl 09 6 0 Other bbl 20 1 Having a Saybolt Universal vis- cosity at 37.8°C of 45 seconds or more but not more than 125 seconds (No. 4-type fuel oils) bbl 50 4 Having a Saybolt Universal vis-	
cosity at 37.8°C of more than 125 seconds (heavy fuel oils) bbl	
2710.00.15 Motor fuel	
Gasoline: 10 8 Leaded	
2710.00.18 00 7 Motor fuel blending stock bbl 52.5¢/bbl 1/ Free (IL) 1/ \$1.05/bbl 21¢/bbl (CA) 1/ 1/ 1/ 1/ 1/	
2710.00.20 00 3 Kerosene (except motor fuel or motor fuel blending stock) bbl 10.5¢/bbl Free (IL) 21¢/bbl 4.2¢/bbl (CA)	
2710.00.25 00 8 Naphthas (except motor fuel or motor fuel blending stock) bbl bbl 10.5¢/bbl Free (IL) 21¢/bbl 4.2¢/bbl (CA)	

 $\underline{1}/$ Imports of motor fuel containing ethyl alcohol are subject to additional duties. See heading 9901.00.50.

2710.00 (con.)	minera elsewh weight of oils oils be ration. Lu	eum oils and oils obtained from bituminous ls, other than crude; preparations not ere specified or included, containing by 70 percent or more of petroleum oils or s obtained from bituminous minerals, these eing the basic constituents of the prepa- s (con.): biricating oils and greases, with or ithout additives:				
2710.00.30		0ils		84¢/bbl	Free (IL) 33.6¢/bbl (CA)	\$1.68/bbl
	10 9 20 7	Aviation engine lubricating oils Automotive, diesel or marine engine lubricating oils			55.00/DD1 (CR)	
3	30 5	Turbine lubricating oil, including marine	bbl			
5	403 500 706 304	Automotive gear oils Steam cylinder oils Quenching or cutting oils Other	bbl bbl			
2710.00.35 0	00 6	Greases: Containing not over 10 percent by weight of salts of fatty acids of animal (including marine animal)				
		or vegetable origin	kg	5.8%	Free (A,IL) 2.3% (CA)	20%
2710.00.40 0	00 9	Other	kg	1.3¢/kg + 5.7%	Free (A,IL) 0.5¢/kg + 2.2% (CA)	4.4¢/kg + 20%
	Ot	cher:				
2710.00.45		Mixtures of hydrocarbons not elsewhere specified or included, which contain by weight not over 50 percent of any single hydrocarbon compound		10.5¢/bbl	Free (IL) 4.2¢/bbl (CA)	21¢/bbl
1	10 2	Condensate derived wholly from natural gas	bbl		1.21, 221 (01)	
4 4	30 8 40 6 45 1 90 5 00 4	White mineral oil: Medicinal grade Other Insulating or transformer oils Other Other.	bbl bbl bbl	7%	Free (E.IL)	25%
_,					2.8% (CA)	

●&f2y3X V 27-6

2711	Petroleum gases and other gaseous hydrocarbons:			
2711.11.00 00 3	Liquefied: Natural gas	thousand m ³	Free	Free
2711.12.00 10 0	Propane Propane with a minimum purity of 90 liquid volume percent		Free	Free
20 8 2711.13.00 10 9	Butanes		Free	Free
20 7 2711.14.00 00 0			Free	Free
2711.19.00 10 3 20 1		bbl	Free	Free
2711.21.00 00 1	5	thousand m ³	Free	Free
2711.29.00	OtherPropane:		Free	Free
10 1		bbl		
15 6	OtherButanes:	bbl		
20 9	Butanes with a purity of 90 liquid volume percent or more, but less than 95 liquid volume percent	bbl		
25 4	-			
60 0				
2712	Petroleum jelly; paraffin wax, microcrystalline petroleum wax, slack wax, ozokerite, lignite wax, peat wax, other mineral waxes and similar products obtained by synthesis or by other pro- cesses, whether or not colored:			
2712.10.00 00 3 2712.20.00 00 1		5	Free Free	Free 2.2¢/kg
2712.90 2712.90.10 00 4 2712.90.20 00 2			Free Free	Free 2.2¢/kg

2713	Petroleum coke, petroleum bitumen and other residues of petroleum oils or of oils obtained from bituminous minerals: Petroleum coke:	
2713.11.00 00 1	Not calcined free	Free
2713.12.00 00 0	Calcined 3% Free (A,CA,E,IL)	45%
2713.20.00 00 0 2713.90.00 00 5	Petroleum bitumen Free Other residues of petroleum oils or of oils	Free
	obtained from bituminous materials t Free	Free
2714	Bitumen and asphalt, natural; bituminous or oil shale and tar sands; asphaltites and asphaltic rocks:	
2714.10.00 00 1	Bituminous or oil shale and tar sands t Free	Free
2714.90.00 00 1	Other Free	Free
2/14.90.00 00 4	Other Free	rree
2715.00.00 00 2	Bituminous mixtures based on natural asphalt, on natural bitumen, on petroleum bitumen, on mineral tar or on mineral tar pitch (for example,	
	bituminous mastics, cut-backs) t free	Free
2716.00.00 00 1	Electrical energy Free	Free