CHAPTER 73

ARTICLES OF IRON OR STEEL

XV 73-1

Notes

- In this chapter the expression "cast iron" applies to products obtained by casting in which iron predominates by weight over each of the other elements and which do not comply with the chemical composition of steel as defined in Note 1(d) to chapter 72.
- 2. In this chapter the word "wire" means hot- or cold-formed products of any cross-sectional shape, of which no cross-sectional dimension exceeds 16 mm.

Additional U.S. Notes

- For the purposes of heading 7304 or 7306, the rate of duty "Free (C)" appearing in the "Special" subcolumn applies only to tubes and pipes with attached fittings, suitable for conducting gases or liquids.
- 2. For the purposes of subheading 7307.19.30, the expression "ductile fittings" refers to fittings which contain over 2.5 percent carbon and over 0.02 percent of magnesium or of magnesium and cerium, by weight.

7301	drille elemen	piling of iron or steel, ed, punched or made from nts; welded angles, shape on or steel:	assembled					
7301.10.00 00		Sheet piling		kg	0.8%	Free	(E,IL) (CA)	2%
7301.20 7301.20.10 00		Angles, shapes and section Of iron or nonalloy	ns: steel	kg	2.8%	Free	(E,IL) (CA)	20%
7301.20.50 00	6	Of alloy steel		kg	3.9%		(E,IL)	28%
7302.10	iron of and rapoint (cross sole pties a or fix	ay or tramway track constor steel, the following: ack rails, switch blades, rods and other crossing s-ties), fish-plates, chaplates (base plates), rai and other material speciating rails:	rails, check-rails crossing frogs, pieces, sleepers irs, chair wedges, l clips, bedplates,					
7302.10.10	_		steel		0.3%	Free	(E,IL) (CA)	1%
10	4		ard tee rails over	kg				
15	9		: Over 30 kg per meter	kg				
25	7	Heat treate		kg				
35	5		ard tee rails over per meter	kg				
		Other						
45	3		Over 30 kg per Meter	kg				
55	0	Used:	Other	kg				
65 75 7302.10.50	-	Other	ils for rerolling	kg	3.5%	Free 2.4%	(E,IL)	9%
20	3	New Used:		kg		2.10	(011)	
40 60			ils for rerolling					
7302.20.00 00	6 5	Sleepers (cross-ties)		kg	0.9%	Free	(E,IL) (CA)	2%
7302.30.00 00		Switch blades, crossing fand other crossing pieces		kg	5.7%		(A,CA,E,IL)	45%
7302.40.00 00	2 E	Fish-plates and sole plat	es	kg	0.9%	Free	(E,IL)	2%
7302.90.00 00	1 (Other		kg	5.7%		(A,CA,E,IL)	45%

7303.00.00		Tubes, pipes and hollow profiles, of cast iron		6.5%	Free	(A,E,IL)	33%
	30 3 60 6	Soil pipe Pressure pipe with an inside diameter of less	kg		1.50	(611)	
		than 356 mm	kg				
	90 0	Other	kg				
7304		Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel:					
7304.10		Line pipe of a kind used for oil or gas pipelines:					
7304.10.10		Of iron or nonalloy steel		8%	Free 5.6%	(E,IL)	25%
	20 0	Having an outside diameter not exceeding 114.3 mm	kg		3.00	(CA)	
	30 8	Having an outside diameter exceeding 114.3 mm but less than 215.9 mm	kg				
		Having an outside diameter of 215.9 mm or more but not exceeding 406.4 mm:					
	45 1	Having a wall thickness less than 12.7 mm	kg				
	60 1	Having a wall thickness of 12.7 mm or more	kg				
	80 7	Having an outside diameter exceeding 406.4 mm	kg				
7304.10.50		Of alloy steel		7.5%	Free 5.2%	(E,IL)	35%
	20 1	Having an outside diameter not exceeding 114.3 mm	kg		3.2%	(CA)	
	50 4	Having an outside diameter exceeding 114.3 mm but not exceeding 406.4 mm	kg				
	80 8	Having an outside diameter exceeding 406.4 mm	kg				

7304 (con.)		Tubes, pipes and hollow profiles, seamless, of					
7304.20		<pre>iron (other than cast iron) or steel (con.): Casing, tubing and drill pipe, of a kind used in drilling for oil or gas: Casing:</pre>					
7304.20.10		Of iron or nonalloy steel: Threaded or coupled		6%	Free 4.2%	(E,IL)	20%
	10 0	Having an outside diameter less than 215.9 mm: Having a wall thick- ness less than 12.7 mm	kg		1.20	(61)	
	20 8	Having a wall thick- ness of 12.7 mm or more Having an outside diameter of 215.9 mm or more but not exceeding 285.8 mm:	kg				
	30 6	Having a wall thick- ness less than 12.7 mm	kg				
	40 4	Having a wall thick- ness of 12.7 mm or more Having an outside diameter	kg				
	50 1	exceeding 285.8 mm but not exceeding 406.4 mm: Having a wall thickness less than 12.7 mm	kg				
	60 9	Having a wall thick- ness of 12.7 mm or					
	80 5	more Having an outside diameter	kg				
7304.20.20		exceeding 406.4 mm Other		0.5%	Free 0.3%	(E,IL) (CA)	1%
	10 8	Having an outside diameter less than 215.9 mm: Having a wall thick- ness less than 12.7 mm	kg				
	20 6	Having a wall thick- ness of 12.7 mm or more	kq				
	30 4	Having an outside diameter of 215.9 mm or more but not exceeding 285.8 mm: Having a wall thick- ness less than 12.7 mm	kg				
	40 2	Having a wall thick- ness of 12.7 mm or more Having an outside diameter	kg				
	50 9	exceeding 285.8 mm but not exceeding 406.4 mm: Having a wall thickness less than 12.7 mm	kg				
	60 7	Having a wall thick- ness of 12.7 mm or					
	80 3	more Having an outside diameter exceeding 406.4 mm					
		exceeding 400.4 mm	y				

7304 (con.) Tubes, pipes and hollow profiles, seamless, of	
iron (other than cast iron) or steel (con.): 7304.20 Casing, tubing and drill pipe, of a kind (con.) used in drilling for oil or gas (con.):	
Casing (con): Of alloy steel:	
7304.20.30 Threaded or coupled 6.2% Free (E,IL) 4.3% (CA)	28%
Having an outside diameter less than 215.9 mm:	
10 6 Having a wall thick- ness less than 12.7 mm kg	
20 4 Having a wall thick-	
ness of 12.7 mm or more kg	
Having an outside diameter of 215.9 mm or more but	
not exceeding 285.8 mm: 30 2 Having a wall thick-	
ness less than 12.7 mm kg	
40 0 Having a wall thick- ness of 12.7 mm or	
more	
exceeding 285.8 mm but not exceeding 406.4 mm:	
50 7 Having a wall thick- ness less than	
12.7 mm kg 60 5 Having a wall thick-	
ness of 12.7 mm or more kg	
80 1 Having an outside diameter exceeding 406.4 mm kg	
7304.20.40 Other	8.5%
Having an outside diameter less than 215.9 mm:	
10 4 Having a wall thick- ness less than 12.7 mm kg	
20 2 Having a wall thick-	
ness of 12.7 mm or more kg	
Having an outside diameter of 215.9 mm or more but	
not exceeding 285.8 mm: 30 0 Having a wall thick-	
ness less than 12.7 mm kg	
40 8 Having a wall thick- ness of 12.7 mm or	
morekg Having an outside diameter	
exceeding 285.8 mm but not exceeding 406.4 mm:	
50 5 Having a wall thick- ness less than	
12.7 mm kg 60 3 Having a wall thick-	
ness of 12.7 mm or more kg	
80 9 Having an outside diameter exceeding 406.4 mm kg	

7304 (con.)	Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel (con.):				
7304.20 (con.)	Casing, tubing and drill pipe, of a kind used in drilling for oil or gas (con.):				
7304.20.50	Tubing: Of iron or nonalloy steel		8%	Free (E,IL) 5.6% (CA)	25%
15 6	Having an outside diameter not exceeding 114.3 mm: Having a wall thickness not exceeding 9.5 mm	kg		,,,,	
30 7	Having a wall thickness exceeding 9.5 mm	ka			
45 0	Having an outside diameter exceeding 114.3 mm but less than 215.9 mm				
60 0	Having an outside diameter of 215.9 mm or more but not exceeding 406.4 mm	kg			
75 3 7304.20.60	Having an outside diameter exceeding 406.4 mm Of alloy steel		7.5%	Free (E,IL) 5.2% (CA)	35%
15 4	Having an outside diameter not exceeding 114.3 mm: Having a wall thickness not exceeding 9.5 mm	kg		3.2° (CA)	
30 5	Having a wall thickness exceeding 9.5 mm	ka			
45 8	Having an outside diameter exceeding 114.3 mm but less than 215.9 mm				
60 8	Having an outside diameter of 215.9 mm or more but not exceeding 406.4 mm	kg			
75 1	Having an outside diameter exceeding 406.4 mm	kg			
7304.20.70 00 9	Drill pipe: Of iron or nonalloy steel	kg	8%	Free (E,IL) 5.6% (CA)	25%
7304.20.80	Of alloy steel		7.5%	Free (E,IL) 5.2% (CA)	35%
30 1	Having an outside diameter not exceeding 168.3 mm: Having a wall thickness not exceeding 9.5 mm	kg			
45 4	Having a wall thickness exceeding 9.5 mm	kg			
60 4	Having an outside diameter exceeding 168.3 mm	kg			

7304 (con.)	Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel (con.): Other, of circular cross section, of iron or					
7304.31	<pre>nonalloy steel:</pre>					
7304.31.30 00 5	Hollow bars	kg	6.2%	Free (E, 4.3% (CA		22%
7304.31.60	Other		8%	Free (C 5.6% (CA	<u>1</u> /,E,IL)	25%
10 6	Suitable for use in boilers, superheaters, heat exchangers, condensers, refining furnaces and feedwater heaters	kg				
50 7 7304.39.00	Other		8%	Free (C	1 / E TI.)	25%
7304.39.00			0.9	5.6% (CA		25%
	Suitable for use in boilers, superheaters, heat exchangers, condensers, refining furnaces and feedwater heaters:					
02 1	Having an outside diameter less than 38.1 mm	kg				
04 9	Having an outside diameter of 38.1 mm or more but less than 190.5 mm	kg				
06 7	Having an outside diameter of 190.5 mm or more but not exceeding 285.8 mm	kg				
08 5	Having an outside diameter exceeding 285.8 mm	kg				
16 5	Other: Galvanized, having an outside diameter not exceeding 114.3 mm	ka				
	Other:	1-9				
20 9	Having an outside diameter less than 38.1 mm	kg				
24 5	Having an outside diameter of 38.1 mm or more but not exceeding 114.3 mm: Having a wall thick- ness less than					
	6.4 mm	kg				
28 1	Having a wall thick- ness of 6.4 mm or more but not exceed- ing 12.7 mm	ka				
32 5	Having a wall thick-	4.2				
32 5	ness exceeding 12.7 mm	kg				

7304 (con. 7304.39.00 (con.))	<pre>Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel (con.): Other, of circular cross section, of iron or nonalloy steel (con.): Other (con.): Other (con.): Other (con.):</pre>	
	36 1	Having an outside diameter exceeding 114.3 mm but less than 190.5 mm: Having a wall thickness less than 12.7 mm	kg
	40 5	Having a wall thick- ness of 12.7 mm or more but less than 19 mm	kg
	44 1	Having a wall thickness of 19 mm or more Having an outside diameter of 190.5 mm or more but not exceeding 285.8 mm:	kg
	48 7	Having a wall thick- ness less than 12.7 mm	kg
	52 0	Having a wall thick- ness of 12.7 mm or more but less than 19 mm	kg
	56 6	Having a wall thick- ness of 19 mm or more Having an outside diameter exceeding 285.8 mm but not	kg
	62 8	exceeding 406.4 mm: Having a wall thick- ness less than 12.7 mm	kg
	68 2	Having a wall thick- ness of 12.7 mm or more but less than 19 mm	kg
	72 6	Having a wall thick- ness of 19 mm or more Having an outside diameter	kg
	76 2	exceeding 406.4 mm: Having a wall thick- ness less than 19 mm	kg
	80 6	Having a wall thick- ness of 19 mm or more	kg

7304 (con.)	Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel (con.): Other, of circular cross section, of stainless steel:				
7304.41.00	Cold-drawn or cold-rolled (cold-reduced)		7.6%		36%
10 7	Suitable for use in boilers, superheaters, heat exchangers, condensers, refining furnaces and feedwater heaters	kg		5.3% (CA)	
50 8 7304.49.00	Other		7.6%	Free (C <u>1</u> /,E,IL) 3 5.3% (CA)	36%
10 9	Hollow bars	kg		3.3% (CA)	
30 5	Suitable for use in boilers, superheaters, heat exchangers, condensers, refining furnaces and feedwater heaters	kg			
50 0	Other Other, of circular cross section, of other alloy steel:	kg			
7304.51	Cold-drawn or cold-rolled (cold-reduced):				
7304.51.10 00 4	Suitable for use in the manu- facture of ball or roller bearings	kg	6.8%	Free (E,IL) 3	34%
7304.51.50	Other		7.5%	Free (C <u>1</u> /,E,IL) 3 5.2% (CA)	35%
30 9 50 4 90 6	Suitable for use in boilers, superheaters, heat exchangers, condensers, refining furnaces and feedwater heaters: Of heat resisting steel Other	kg			

7304 (con.)	Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel (con.): Other, of circular cross section, of other				
7304.59	alloy steel (con.): Other:				
7304.59.10 00 6	Suitable for use in the manufacture				
	of ball or roller bearings	. kg	6.8%	Free (E,IL) 4.7% (CA)	34%
	Other:				
7304.59.20	Suitable for use in boilers, superheaters, heat exchangers,				
	condensers, refining furnaces and feedwater heaters		7.5%	Free (C 1/,E,IL)	35%
	and reedwater heaters		7.5%	5.2% (CA)	33%
30 8	Of heat resisting steel Other:	. kg			
40 6	Having an outside				
	diameter less than	le ce			
	38.1 mm	. ку			
45 1	Having an outside				
	diameter of 38.1 mm or more but not ex-				
	ceeding 114.3 mm	. ka			
		3			
55 8	Having an outside diameter exceeding				
	114.3 mm but less				
	than 190.5 mm	. kg			
60 1	Transian an autoida				
60 I	Having an outside diameter of 190.5 mm				
	or more but not ex-				
	ceeding 285.8 mm	. kg			
70 9	Having an outside				
	diameter exceeding				
	285.8 mm but not ex-	1			
	ceeding 406.4 mm	. кд			
80 7	Having an outside				
	diameter exceeding	1			
	406.4 mm	. кд			

7304 (con.)	Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel (con.): Other, of circular cross section, of other alloy steel (con.): Other (con.):				
(con.)	Other (con.): Other (con.): Other:				
7304.59.60 00 5	Of heat-resisting steel	kg	7.6%	Free (C $\underline{1}$ /,E,IL) 5.3% (CA)	36%
7304.59.80	Other		7.5%	Free (C <u>1</u> /,E,IL) 5.2% (CA)	35%
10 9	Having an outside diameter less than 38.1 mm	kg			
	Having an outside diameter of 38.1 mm or more but not ex-				
15 4	ceeding 114.3 mm: Having a wall thickness less than 6.4 mm	kg			
20 7	Having a wall thickness of 6.4 mm or more but not exceeding 12.7 mm	kg			
25 2	Having a wall thickness exceeding 12.7 mm Having an outside diameter exceeding 114.3 mm but less than 190.5 mm:	kg			
30 5	Having a wall thickness less than 12.7 mm	kg			
35 0	Having a wall thickness of 12.7 mm or more but less than 19 mm	kg			
40 3	Having a wall thickness of 19 mm or more	kg			

7304 (con.)	Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel (con.):				
	Other, of circular cross section, of other				
7304.59	alloy steel (con.): Other (con.):				
(con.)	Other (con.):				
	Other (con.):				
7304.59.80 (con.)	Other (con.) Having an outside				
(COII.)	diameter of 190.5 mm				
	or more but not ex-				
	ceeding 285.8 mm:				
45 8	Having a wall				
	thickness less than 12.7 mm	ka			
		5			
50 0	Having a wall				
	thickness of				
	12.7 mm or more but less than				
	19 mm	ka			
		5			
55 5	Having a wall				
	thickness of	le or			
	19 mm or more Having an outside	kg			
	diameter exceeding				
	285.8 mm but not ex-				
	ceeding 406.4 mm:				
60 8	Having a wall				
	thickness less than 12.7 mm	ka			
	CHAIL 12.7 mm	r.a			
65 3	Having a wall				
	thickness of				
	12.7 mm or more but less than				
	19 mm	ka			
		3			
70 6	Having a wall				
	thickness of 19 mm or more	ka			
80 4	Having an outside	хg			
00 1	diameter exceeding				
	406.4 mm	kg			
7304.90	Other:				
7304.90.10 00 7	Having a wall thickness of 4 mm or more: Of iron or nonalloy steel	ka	0.5%	Free (C 1/,E,IL)	1%
7501.50.10 00 7	of from of monarroy becci	g	0.50	0.3% (CA)	
7304.90.30 00 3	Of alloy steel	kg	3.3%	Free (C $\underline{1}$ /,E,IL)	8.5%
	Having a wall thickness of less than 4 mm:			2.3% (CA)	
7304.90.50 00 8	Of iron or nonalloy steel	kg	8%	Free (C 1/,E,IL)	25%
				5.6% (CA)	
7304.90.70 00 4	Of alloy steel	kg	7.5%	Free (C $\frac{1}{2}$ /,E,IL)	35%
				5.2% (CA)	

7305	Other tubes and pipes (for example, welded, riveted or similarly closed), having internal and external circular cross sections, the external diameter of which exceeds 406.4 mm, of iron or steel: Line pipe of a kind used for oil or gas pipelines:					
7305.11 7305.11.10	Longitudinally submerged arc welded: Of iron or nonalloy steel		. 1.9%		(E,IL) (CA)	5.5%
30	With an external diameter exceeding 406.4 mm but not exceeding 609.6 mm	kg		1.50	(31)	
7305.11.50 00	ceeding 609.6 mm	kg kg	4.9%		(E,IL)	10%
7305.12 7305.12.10	Other, longitudinally welded: Of iron or nonalloy steel		1.9%		(CA) (E,IL)	5.5%
30	With an external diameter exceeding 406.4 mm but not exceeding 609.6 mm	kg		1.3%	(CA)	
60	With an external diameter exceeding 609.6 mm	ka				
7305.12.50 00 7305.19			4.9%	Free 3.4%	(E,IL) (CA)	10%
7305.19	Of iron or nonalloy steel		1.9%		(E,IL)	5.5%
30	With an external diameter exceeding 406.4 mm but not exceeding 609.6 mm	kg		1.3%	(CA)	
60	With an external diameter exceeding 609.6 mm	ka				
7305.19.50 00			4.9%		(E,IL) (CA)	10%
7305.20	Casing of a kind used in drilling for oil or gas:			3.40	(CA)	
7305.20.20 00	Of iron or nonalloy steel: 9 Threaded or coupled	kg	6%		(E,IL)	20%
7305.20.40 00		kg	0.5%	Free	(CA) (E,IL) (CA)	1%
7305.20.60 00	Of alloy steel: Threaded or coupled	kg	6.2%		(E,IL)	28%
7305.20.80 00	6 Other	kg	3.3%	Free	(CA) (E,IL) (CA)	8.5%
7305.31 7305.31.20 00	principally used as parts of il-					
	luminating articles	kg	7.6%		(A,E,IL) (CA)	45%
7305.31.40 00	Other: Of iron or nonalloy steel	kg	1.9%		(E,IL)	5.5%
7305.31.60 00	•	kg	4.9%	Free	(CA) (E,IL) (CA)	10%
7305.39 7305.39.10 00	Other: Of iron or nonalloy steel	kg	1.9%		(E,IL)	5.5%
7305.39.50 00	Of alloy steel	kg	4.9%	Free	(CA) (E,IL) (CA)	10%
7305.90 7305.90.10 00	Other: 6 Of iron or nonalloy steel	ka	1.9%		(E,IL)	5.5%
7305.90.50 00			4.9%	1.3% Free	(CA) (E,IL)	10%
				3.4%	(CA)	

7306.10		Other tubes, pipes and hollow profiles (for example, open seamed or welded, riveted or similarly closed), of iron or steel: Line pipe of a kind used for oil or					
7306.10.10		gas pipelines: Of iron or nonalloy steel		1.9%	Free	(E,IL)	5.5%
	10 0	With an outside diameter not exceeding 114.3 mm	kg		1.50	(CA)	
7306.10.50	50 1	With an outside diameter exceeding 114.3 mm		4.9%	Free	(E,IL)	10%
	10 1	With an outside diameter not exceeding 114.3 mm	kg			(/	
7306.20	50 2	With an outside diameter exceeding 114.3 mm	kg				
7306.20.10		Of iron or nonalloy steel: Threaded or coupled		6%	Free	(E,IL) (CA)	20%
	30 4 90 1	Imported with coupling Other	kg				
7306.20.20	00 8	Other	kg	0.5%	Free 0.3%	(E,IL) (CA)	1%
7306.20.30	00 6	Of alloy steel: Threaded or coupled	kg	6.2%	Free 4.3%	(E,IL)	28%
7306.20.40	00 4	Other	kg	3.3%		(E,IL)	8.5%
7306.20.60		Tubing: Of iron or nonalloy steel		1.9%	Free	(E,IL) (CA)	5.5%
7306.20.80	10 7 50 8	Imported with coupling Other Of alloy steel	kg	4.9%	Free	(E,IL)	10%
	10 3 50 4	Imported with coupling				7	

Other	7306 (con.)	Other tubes, pipes and hollow profiles (for example, open seamed or welded, riveted or similarly closed), of iron or steel (con.):				
1.65 mm. kg. 8% Free (C 1/,E,IL) 25%	7306.30					
Tapered steel pipes and tubes principally used as parts of illuminating articles	7306.30.10 00 8		kg	8%		25%
Cipally used as parts of illuminating articles						
	7306.30.30 00 4					
10 7 Suitable for use in boilers, superheaters, heat exchangers, condensers, refining furnaces and feedwater heaters, whether or not cold drawn		ing articles	kg	7.6%		45%
Suitable for use in boilers, superheaters, heat exchangers, condensers, refining furnaces and feedwater heaters, whether or not cold drawn	7306.30.50	Other		1.9%		5.5%
or not cold drawn	10 7	superheaters, heat exchangers, condensers, refining furnaces				
Other, cold-rolled (cold-reduced) with a wall thickness not exceeding 2.54 mm			kg			
duced) with a wall thickness not exceeding 2.54 mm	15 2	Other, cold-drawn	kg			
With an outside diameter not exceeding 114.3 mm: Galvanized: Imported with coupling	20 5	duced) with a wall thickness	kg			
coupling kg Internally coated or lined with a non-electrically insulating material, suitable for use as electrical conduit kg Other kg Other: Tube and pipe hollows for redrawing kg 40 1 Other, imported with coupling kg With an outside diameter exceeding 114.3 mm but not exceeding 406.4 mm: Galvanized kg		With an outside diameter not exceeding 114.3 mm:				
ed or lined with a non-electri- cally insulating material, suit- able for use as electrical con- duit	25 0		kg			
duit	28 7	ed or lined with a non-electri- cally insulating material, suit- able for use as				
Other: Tube and pipe hollows for re- drawing kg 40 1 Other, imported with coupling kg Other kg With an outside diameter exceeding 114.3 mm but not exceeding 406.4 mm: Galvanized kg			kg			
Tube and pipe hollows for re- drawing kg 40 1 Other, imported with coupling kg 55 3 Other kg With an outside diameter exceeding 114.3 mm but not exceeding 406.4 mm: 65 7 Galvanized kg	32 1		kg			
with coupling kg Other kg With an outside diameter exceeding 114.3 mm but not exceeding 406.4 mm: 85 7 Galvanized kg	35 8	Tube and pipe hollows for re-	kg			
With an outside diameter exceeding 114.3 mm but not exceeding 406.4 mm: 85 7 Galvanizedkg	40 1		kg			
85 7 Galvanized kg	55 3	With an outside diameter exceeding 114.3 mm but not	kg			
		Galvanized				

 $[\]underline{1}/$ See additional U.S. note 1.

7306 (con.)		Other tubes, pipes and hollow profiles (for example, open seamed or welded, riveted or similarly closed), of iron or steel (con.):					
7306.40		Other, welded, of circular cross section, of stainless steel:					
7306.40.10	00 6	Having a wall thickness of less than 1.65 mm	kg	7.6%		(C <u>1</u> /,E,IL) (CA)	36%
7306.40.50		Having a wall thickness of 1.65 mm or more		5%		(C <u>1</u> /,E,IL) (CA)	11%
	10 5	Suitable for use in boilers, super- heaters, heat exchangers, condens- ers, refining furnaces and feedwater heaters, whether or not cold-drawn	kg				
	30 1	Other, cold-drawn or cold-rolled (cold-reduced)	kg				
	50 6	Other: With an outside diameter not exceeding 114.3 mm	kg				
	70 2	With an outside diameter exceeding 114.3 mm but not exceeding 406.4 mm	kg				
7306.50 7306.50.10	00.2	Other, welded, of circular cross section, of other alloy steel: Having a wall thickness of less than					
7300.30.10	00 3	1.65 mm	kg	7.5%	Free 5.2%	(C <u>1</u> /,E,IL) (CA)	35%
		Having a wall thickness of 1.65 mm or more:					
7306.50.30	00 9	Tapered pipes and tubes of steel principally used as parts of illuminating articles	l- a	7.6%	Exac	(A,E,IL)	45%
		minating afticles	ку	7.00	5.3%	(CA)	45%
7306.50.50		Other		4.9%	Free	(C <u>1</u> /,E,IL) (CA)	10%
	10 2	Suitable for use in boilers, superheaters, heat exchangers, condensers, refining furnaces and feedwater heaters, whether or not cold-drawn	kg				
	30 8	Other, cold-drawn or cold-rolled (cold-reduced)	kg				
	50 3	Other: With an outside diameter not exceeding 114.3 mm	kg				
	70 9	With an outside diameter exceeding 114.3 mm but not exceeding 406.4 mm	kg				

7306 (con.)		Other tubes, pipes and hollow profiles (for example, open seamed or welded, riveted or similarly closed), of iron or steel (con.):					
7306.60		Other, welded, of noncircular cross section: Having a wall thickness of 4 mm or more:					
7306.60.10	00 1	Of iron or nonalloy steel	kg	0.5%	Free 0.3%	(C <u>1</u> /,E,IL)	1%
7306.60.30	00 7	Of alloy steel	kg	4.5%		$(C \underline{1}/,E,IL)$	28%
		Having a wall thickness of less than 4 mm:					
7306.60.50	00 2	Of iron or nonalloy steel	kg	8%	Free 5.6%	(C <u>1</u> /,E,IL) (CA)	25%
7306.60.70	00 8	Of alloy steel	kg	7.5%	Free 5.2%	(C <u>1</u> /,E,IL) (CA)	35%
7306.90 7306.90.10	00 5	Of iron or nonalloy steel	kg	1.9%	Free 1.3%	(E,IL) (CA)	5.5%
7306.90.50	00 6	Of alloy steel	kg	4.9%	Free 3.4%	(E,IL) (CA)	10%
7307		Tube or pipe fittings (for example, couplings, elbows, sleeves), of iron or steel: Cast fittings:					
7307.11.00		Of nonmalleable cast iron		4.8%	Free 3.3%	(A,E,IL)	25%
	30 6	For threaded pipeOther:	kg			(/	
7307.19	45 9 60 9	For cast-iron soil pipe Other:					
7307.19	00 8	Ductile fittings	kg	6.2%	Free 4.3%	(A,E,IL)	45%
7307.19.90		Other		6.2%		(E,IL)	45%
	30 9 90 6	Unions				(/	
7307.21 7307.21.10	00 8	Flanges: Not machined, not tooled and not otherwise processed after forging	kg	4.1%	Free 2.8%	(A,E,IL) (CA)	34%
7307.21.50	00 9	Other	kg	6.2%	Free 4.3%	(A*,B,E,IL)	45%
7307.22 7307.22.10	00 7	Threaded elbows, bends and sleeves: Sleeves (couplings)	kg	6.2%		(A,B,E,IL)	45%
7307.22.50	00 8	Other	kg	6.2%		(A,B,E,IL)	45%
7307.23.00	00 8	Butt welding fittings	kg	6.2%		(A,B,E,IL)	45%
7307.29.00	00 2	Other	kg	6.2%	4.3% Free 4.3%	(A,B,E,IL)	45%

 $[\]underline{1}/$ See additional U.S. note 1.

7307 (con.)	Tube or pipe fittings (for example couplings, elbows, sleeves), of iron or steel (con.): Other:				
7307.91	Flanges: Not machined, not tooled and not otherwise processed after forging:				
7307.91.10 00 3	Of iron or nonalloy steel	kg	4.2%	Free (A,E,IL) 2.9% (CA) 1/	25%
7307.91.30 00 9	Of alloy steel (except stain- less steel)	kg	4%	Free (A,E,IL) 2.8% (CA) <u>1</u> /	33%
7307.91.50	Other		6.2%	Free (A*,B,E,IL) 4.3% (CA) 1/	45%
10 2	With an inside diameter of less than 360 mm: Of iron or nonalloy steel	kg			
30 8	Of alloy steel (except stainless steel) With an inside diameter of	kg			
50 3	360 mm or more: Of iron or nonalloy steel	kg			
70 9 7307.92	Of alloy steel (except stainless steel) Threaded elbows, bends and sleeves:				
7307.92.30	Sleeves (couplings)		6.2%	Free (A,B,E,IL) 4.3% (CA) <u>1</u> /	45%
10 6 30 2	Of iron or nonalloy steel Of alloy steel (except stain- less)	_			
7307.92.90 00 5	Other	kg	6.2%	Free (A,B,E,IL) 4.3% (CA) <u>1</u> /	45%
7307.93	Butt welding fittings: With an inside diameter of less than 360 mm;				
7307.93.30 00 7	Of iron or nonalloy steel	kg	6.2%	Free (B,E,IL) 4.3% (CA)	45%
7307.93.60 00 0	Of alloy steel (except stain- less steel)	kg	6.2%	Free (A,B,E,IL) 4.3% (CA)	45%
7307.93.90	With an inside diameter of 360 mm or more		6.2%	Free (A,B,E,IL) 4.3% (CA)	45%
30 8 60 1	Of iron or nonalloy steel Of alloy steel (except stain- less steel)			4.3% (CA)	
7307.99	Other: Not machined, not tooled and not				
7307.99.10 00 5	otherwise processed after forging: Of iron or nonalloy steel	kg	4.2%	Free (A,E,IL) 2.9% (CA) 1/	25%
7307.99.30 00 1	Of alloy steel (except stain-less steel)	kg	4%	Free (A,E,IL)	33%
7307.99.50	Other		6.2%	2.8% (CA) <u>1</u> / Free (A,B,E,IL)	45%
30 0 60 3	Of iron or nonalloy steel Of alloy steel (except stain- less steel)	_		4.3% (CA) <u>1</u> /	
		-			

^{1/} Equipment, originating in the territory of Canada, intended for use in the repair or maintenance of certain motor vehicles subject to accelerated staged rate reductions. See heading 9905.

7308		Structures (excluding prefabricated buildings of heading 9406) and parts of structures (for example, bridges and bridge sections, lock gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and					
		<pre>columns) of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel:</pre>					
7308.10.00	00 2	Bridges and bridge sections	kg	5.7%	Free	(A,E,IL)	45%
7308.20.00	00 0	Towers and lattice masts	kg	5.7%		(A,E,IL)	45%
7308.30		Doors, windows and their frames and thresholds for doors:				,	
7308.30.10	00 6	Of stainless steel	kg	3.4%	Free 2.3%	(A,E,IL)	35%
7308.30.50		Other		2.4%		(A,E,IL)	25%
7308.40.00	15 0 25 8 50 6	Windows and their frames Thresholds for doors Other Props and similar equipment for scaffolding,	kg			(/	
7306.40.00	00 6	shuttering or pit-propping	kg	5.7%	Free 3.9%	(A,E,IL) (CA)	45%
7308.90		Other: Columns, pillars, posts, beams, girders					
7308.90.30	00 9	and similar structural units: Not in part of alloy steel	kg	2.8%		(E,IL)	20%
7308.90.60	00 2	Other	kg	3.9%		(E,IL)	30%
7308.90.90		Other		5.7%	2.7% Free 3.9%	(A,E,IL)	45%
	30 0	Sheet-metal roofing, siding, floor-ing and roof drainage equipment	kg		3.30	(CII)	
	60 3	Other: Architectural and ornamental					
		work	_				
	90 7	Other	kg				
7309.00.00		Reservoirs, tanks, vats and similar containers for any material (other than compressed or liquefied gas), of iron or steel, of a capacity exceeding 300 liters, whether or not lined or heat insulated, but not fitted with mechanical or				()	
		thermal equipment		2.6%	free 1.8%	(A,E,IL) (CA)	45%
	30 7	Tanks	kg				
	90 4	Other	No. v kg				

7310		Tanks, casks, drums, cans, boxes and similar containers, for any material (other than compressed or liquefied gas), of iron or steel, of a capacity not exceeding 300 liters, whether or not lined or heat insulated, but not fitted with mechanical or thermal equipment:				
7310.10.00	10 6	Of a capacity of 50 liters or more Empty steel drums and barrels		Free		25%
7310.21.00	50 7	Other Of a capacity of less than 50 liters: Cans which are to be closed by solder- ing or crimping		Free		25%
	25 6	Containers, of circular cross section, of a volume capacity between 11.4 liters and 26.6 liters, of a kind used for the conveyance of goods	No.	rice		236
	50 4	Other	No.			
7310.29.00	25 8	Other		Free		25%
	50 6	Other	No.			
7311.00.00		Containers for compressed or liquefied gas, of iron or steel		5%	Free (A,E,IL) 3.5% (CA)	25%
	30 3	Certified prior to exportation to have been made in accordance with the safety requirements of sections 178.36 through 178.68 of title 49 CFR or under a specific exemption to those requirements: Seamless steel containers not over-			3.30 (cii)	
		wrapped, marked DOT 3A, 3AX, 3AA, 3AAX, 3B, 3E, 3HT, 3T or DOT-E followed by a specific exemption number	No. v			
	60 6	Other				
	90 0	Other				
7312		Stranded wire, ropes, cables, plaited bands, slings and the like, of iron or steel, not electrically insulated:				
7312.10		Stranded wire, ropes and cables: Stranded wire: Of stainless steel:				
7312.10.05	00 1	Fitted with fittings or made up into articles	kg	5.7% 1/	Free (A,B,C,E,IL)	45%
			3	_,	3.9% (CA)	
7312.10.10		Other		5.8% <u>1</u> /	Free (A,E,IL) 4% (CA)	45%
	30 8 50 3	Tire cord				
	70 9	Other	kg			
7312.10.20	00 2	Other: Fitted with fittings or made up into articles	kg	5.7% <u>1</u> /	Free (A,B,C,E,IL) 3.9% (CA)	45%
					* *	

 $[\]underline{1}/\text{ Duty on certain inner wire for caliper and cantilever bicycle brakes temporarily suspended}. See subheading 9902.73.12.$

7312 (con.)		Stranded wire, ropes, cables, plaited bands, slings and the like, of iron or steel, not electrically			
7312.10 (con.)		insulated (con.): Stranded wire, ropes and cables (con.): Stranded wire (con.):			
7312.10.30		Other (con): Other		4.9% <u>1</u> /	Free (E,IL) 35%
	05 5	Tire cord For prestressing concrete:	kg		3.4% (CA)
	10 8	Covered with textile or other nonmetallic material	kg		
	12 6 20 6	Other Other, stranded wire having a lay or twist of not	kg		
		more than 1 revolution for a length equal to the strand diameter multiplied by 8.5	kg		
	45 7	Other: Of brass plated wire	kg		
		Other:			
	65 2	Galvanized: ACSR core strand	kg		
		Other:			
	70 5	Cover- ed			
		with tex-			
		tile			
		or other			
		nonme- tallic			
		mate- rial	kg		
	74 1	Other.	kg		
	80 3	Other Ropes, cables and cordage other than stranded wire:			
		Of stainless steel:			
7312.10.50	00 5	Fitted with fittings or made up into articles	kg	5.7% <u>2/3</u> /	Free (B,C,E,IL) 45%
					3.9% (CA)
7312.10.60	00 3	Other	kg	4.4% <u>2/3</u> /	Free (E,IL) 45% 3% (CA)
7312.10.70	00 1	Other:			(/
7312.10.70	00 1	Fitted with fittings or made up into articles	kg	5.7% <u>2/3</u> /	Free (B,C,E,IL) 45% 3.9% (CA)
E210 10 00	00.0	Other:	1	4.0	T (3 T TT) 250
7312.10.80	00 9	Of brass plated wire			Free (A,E,IL) 35% 2.8% (CA)
7312.10.90		Other		4% <u>2/3</u> /	Free (E,IL) 35% 2.8% (CA)
	30 1	Galvanized: With a diameter not exceeding 9.5 mm	kg		
	60 4	With a diameter exceeding	1		
	90 8	9.5 mm Other	kg kg		
7312.90.00	00 9	Other	kg	5.7%	Free (A,B,C,E,IL) 45% 2.2% (CA) <u>4</u> /

^{1/} Duty on certain inner wire for caliper and cantilever bicycle brakes temporarily suspended. See subheading 9902.73.12

2/ Duty on cable for caliper and cantilever bicycle brakes temporarily suspended. See subheading 9902.73.12.

3/ Duty on cables for derailleurs temporarily suspended. See subheading 9902.87.14.

4/ Equipment, originating in the territory of Canada, intended for use in the repair or maintenance of certain motor vehicles subject to accelerated staged rate reductions. See heading 9905.

7313.00.00	00 7	Barbed wire of iron or steel; twisted hoop or single flat wire, barbed or not, and loosely twisted double wire, of a kind used for fencing, of iron or steel	kg	Free		Free
7314		Cloth (including endless bands), grill, netting and fencing, of iron or steel wire; expanded metal of iron or steel: Woven products:				
7314.11 7314.11.10	00 1	Of stainless steel: With meshes not finer than 12				
		wires to the lineal centimeter in	2	4 00	F (3 D F TI)	250
		warp or filling	mv kg	4.9%	Free (A,B,E,IL) 3.4% (CA)	35%
7314.11.20	00 9	With meshes finer than 12 but not finer than 36 wires to the lineal centimeter in warp or				
		filling	m²v kq	4.9%	Free (A,B,E,IL) 3.4% (CA)	50%
		With meshes finer than 36 wires to the lineal centimeter in warp or filling:	5		, , , , , , , , , , , , , , , , , , ,	
		Fourdrinier wires, seamed or not seamed, suitable for use in papermaking machines:				
7314.11.30	00 7	With 94 or more wires to				
		the lineal centimeter	m²v kq	Free		75%
7314.11.60	00 0	Other	m ² v	10%	Free (A,E,IL)	75%
7314.11.90	00 4	Other		7.2%	7% (CA) Free (A,B,E,IL)	60%
7314.19.00	00 5	Other	kg m²v	4.9%	5% (CA) Free (A*,B,E,IL)	60%
7314.20.00	00.2	Grill, netting and fencing, welded at the	kg		3.4% (CA)	
7311.20.00	00 2	intersection, of wire with a maximum cross-				
		sectional dimension of 3 mm or more and having a mesh size of 100 cm ² or more	kg	5.7%	Free (A,E,IL) 3.9% (CA)	45%
7314.30		Other grill, netting and fencing, welded at the intersection:				
7314.30.10	00 8	Wire fencing coated or plated with zinc,				
		whether or not covered with plastic material	kg	0.2¢/kg	Free (E,IL)	1.1¢/kg
7314.30.50	00 9	Other	kq	5.7%	0.1¢/kg (CA) Free (A,E,IL)	45%
		Other grill, netting and fencing:	3		3.9% (CA)	
7314.41.00		Plated or coated with zinc		0.2¢/kg	Free (E,IL) 0.1¢/kg (CA)	1.1¢/kg
	30 1 60 4	Chain link fencing			, , , , , , , , , , , , , , , , , , ,	
7314.42.00	60 4	Other Coated with plastics		0.2¢/kg	Free (E,IL)	1.1¢/kg
	30 0	Chain link fencing	kg		0.1¢/kg (CA)	
7314.49	60 3	Other:	kg			
7314.49.30	00 3	Not cut to shape	kg	5.7%	Free (A,E,IL)	45%
7314.49.60	00 6	Cut to shape	kg	4.7%	3.9% (CA) Free (A,B,E,IL)	35%
7314.50.00	00 5	Expanded metal	m²v kg	3.8%	3.2% (CA) Free (A,E,IL) 1.5% (CA)	45%

7315		Chain and parts thereof, of iron or steel: Articulated link chain and parts thereof:				
7315.11.00		Roller chain		4.2% <u>1</u> /	Free (A,B,CA,E,IL)	40%
	10 0 20 8 50 1	Bicycle chainsOther	kg			
7315.12.00	50 I	Other chain		4.2%	Free (A,B,E,IL) 2.9% (CA)	40%
	20 7	Of not over 50 mm pitch and containing more than 3 parts per pitch	kg			
		Other:				
	40 3 60 8 80 4	Welded steel chain	kg			
7315.19.00 7315.20		PartsSkid chain:		4.2%	Free (A,B,CA,E,IL)	40%
7315.20.10	00 9	Not over 8 mm in diameter	kg	1.5%	Free (A,B,E,IL) 1% (CA)	10%
7315.20.50	00 0	Over 8 mm in diameter	kg	Free		2.5¢/kg
7315.81.00 7315.82	00 7	Stud link	kg	Free		4.4¢/kg
7315.82.10	00 4	Not over 10 mm in diameter	kg	1.5%	Free (A,B,E,IL)	10%
7315.82.30	00 0	Over 10 mm in diameter	kg	Free	1% (CA)	10%
7315.82.50	00 5	Of iron or nonalloy steel: Not over 10 mm in diameter	kg	1.5%	Free (A,B,E,IL) 1% (CA)	10%
7315.82.70 7315.89	00 1	Over 10 mm in diameter	kg	Free	1% (CA)	10%
7525.03		With links of essentially round cross sections:				
7315.89.10	00 7	Not over 8 mm in diameter	kg	1.5%	Free (A,B,E,IL) 1% (CA)	10%
7315.89.30 7315.89.50		Over 8 mm in diameter		Free 5.7%	Free (A,B,E,IL)	4.7¢/kg 45%
7315.90.00	00 6	Other parts	kg	5.7%	3.9% (CA) Free (A,B,E,IL)	45%
					3.9% (CA)	
7316.00.00	00 4	Anchors, graphels and parts thereof, of iron or steel	X	4.2%	Free (A,E,IL) 2.9% (CA)	25%
7317.00		Nails, tacks, drawing pins, corrugated nails, staples (other than those of heading 8305) and similar articles, of iron or steel, whether or not with heads of other material, but excluding				
7317.00.10	00 1	such articles with heads of copper: Thumb tacks	kg	1.4%	Free (A,E,IL) 0.9% (CA)	4%
		Other, suitable for use in powder-actuated handtools:				
7317.00.20 7317.00.30		Not threadedThreaded		Free 4.9%	Free (A,E,IL) 3.4% (CA)	1.5¢/kg 45%

 $[\]underline{1}/$ Duty on bicycle chains temporarily suspended. See subheading 9902.73.15.

7317.00 (con.)		Nails, tacks, drawing pins, corrugated nails, staples (other than those of heading 8305) and similar articles, of iron or steel, whether or not with heads of other material, but excluding such articles with heads of copper (con.): Other: Of one piece construction:					
7317.00.55		Made of round wire		0.5%		(E,IL) (CA)	3.5%
	05 2	Collated nails	kg		0.3%	(CA)	
	10 5	With a length of less than 25.4 mm and a with a dia- meter of less than 1.65 mm	ha				
			va				
	20 3	Other: Smooth shank: Not coated,					
	20 3	plated or paint-					
		ed	kg				
		Coated, plated or painted:					
	30 1	Galvan- ized	ka				
		12eu	va				
	40 9	Vinyl, resin or cement					
		coated	kg				
	50 6	Other:	kg				
	60 4	Not coated,					
		plated or painted	kq				
		Coated, plated					
		or painted:					
	70 2	Galvan- ized	kg				
	80 0	Vinyl, resin or cement					
		coated	kg				
	90 8	Other	ka				
7317.00.65	- 0 0	Other		3.2%		(A,E,IL) (CA)	5.5%
	30 9	Cut	kg		2.26	(CA)	
7317.00.75	60 2 00 3	Other Of two or more pieces		2.3%		(A,E,IL)	8%
					1.6%	(CA)	

7318		Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers (including spring washers) and similar articles, of iron or steel:				
7318.11.00	00 9	Threaded articles: Coach screws	kg	12.5%	Free (B,E,IL)	25%
7318.12.00		Other wood screws			8.7% (CA) <u>1</u> / Free (A,B,E,IL)	25%
7318.13.00		Screw hooks and screw rings			8.7% (CA) <u>1</u> / Free (A,B,E,IL)	45%
	30 1	Having shanks or threads with a di-			3.9% (CA)	
		ameter of less than 6 mm	kg			
7318.14	60 4	Having shanks or threads with a di- meter of 6 mm or more Self-tapping screws:	kg			
7318.14.10	00 4	Having shanks or threads with a di- ameter of less than 6 mm	ka	6 28	Free (B,E,IL)	45%
		ameter of less than 6 mm	лу	0.2%	4.3% (CA) <u>1</u> /	43%
7318.14.50	00 5	Having shanks or threads with a diameter of 6 mm or more	kg	9.5%	Free (B,E,IL)	45%
7318.15		Other screws and bolts, whether or			6.6% (CA) <u>1</u> /	
7318.15.20		not with their nuts or washers: Bolts and bolts and their nuts or				
		washers entered or exported in the same shipment		0.7%	Free (B,E,IL)	3.5%
	10 9	Having shanks or threads with a diameter of less than 6 mm	kg		0.4% (CA) <u>1</u> /	
		Having shanks or threads with a diameter of 6 mm or more:				
	20 7 30 5	Track bolts Structural bolts				
	40 3	Bent bolts Other:				
	50 0 60 8	With round heads With hexagonal heads				
	90 2	Other	kg			
7318.15.40	00 7	Machine screws 9.5 mm or more in length and 3.2 mm or more in di-				
		ameter (not including cap screws)	kg	1¢/kg	Free (B,E,IL) 0.7¢/kg (CA) <u>1</u> /	2.2¢/kg
7318.15.50	00 4	Studs	kg	4.7%	Free (A,B,E,IL) 3.2% (CA) 1/	45%
7318.15.60	00 2	Other: Having shanks or threads with				
		a diameter of less than 6 mm	kg	6.2%	Free (B,E,IL) 4.3% (CA) <u>1</u> /	45%
7318.15.80		Having shanks or threads with a diameter of 6 mm or more		9.5%	Free (B,E,IL)	45%
	20 4	Set screws	kg		6.6% (CA) <u>1</u> /	
	40 0	Other: Socket screws	_			
	60 5	Other: With hexagonal				
		heads				
7318.16.00	80 1 00 4	Other Nuts		0.2%	Free (B,E,IL)	0.5%
7318.19.00	00 1	Other	_	5.7%	0.1% (CA) <u>1</u> / Free (A,B,E,IL)	45%
			<u> </u>		3.9% (CA) <u>1</u> /	

^{1/} Equipment, originating in the territory of Canada, intended for use in the repair or maintenance of certain motor vehicles subject to accelerated staged rate reductions. See heading 9905.

7318 (con.)	rivets, cotte spring washer steel (con.):	s, nuts, coach screws, screw hooks, ers, cotter pins, washers (including es) and similar articles, of iron or eaded articles:				
7318.21.00 00		ing washers and other lock washers	kg	5.8%	Free (A,B,E,IL) 4% (CA) <u>1</u> /	35%
7318.22.00 00 7318.23.00 00		er washersets		Free 0.4¢/kg	Free (A,B,E,IL) 0.2¢/kg (CA) 1/	1.3¢/kg 2.2¢/kg
7318.24.00 00	4 Cot	ters and cotter pins	kg	5.7%	Free (A,B,E,IL) 3.9% (CA) 1/	45%
7318.29.00 00	9 Oth	er	kg	5.7%	Free (A,B, \overline{E} ,IL) 3.9% (CA) $\underline{1}$ /	45%
7319	hooks, embroi for use in th	es, knitting needles, bodkins, crochet dery stilettos and similar articles he hand, of iron or steel; safety pins is of iron or steel, not elsewhere included:				
7319.10.00 00 7319.20.00		darning or embroidery needlesins		Free 9%	Free (A,E,IL) 6.3% (CA)	Free 35%
10 50 7319.30		cardserer.				
7319.30.10 00		ssmakers' or common pins	kg	8.2%	Free (A,E,IL) 5.7% (CA)	35%
7319.30.50		er		3.4%	Free (A,E,IL) 2.3% (CA)	35%
10 50 7319.90.00 00	3	Push pins. Other.	kg	5.8%	Free (A,E,IL) 4% (CA)	45%
7320 7320.10.00		eaves for springs, of iron or steel: ings and leaves therefor		4%	Free (A,B,E,IL) 2.8% (CA) 1/	25%
15	wit	f springs having individual leaves h a thickness of 1.6 mm or more and ves therefor	kg		_	
60	3 Oth	er	kg			
7320.20 7320.20.10 00		springs: table for motor-vehicle suspension	kg	4%	Free (A,B,E,IL) 2.8% (CA) 1/	25%
7320.20.50	Oth	er		5.7%	Free (A,B,E,IL) 3.9% (CA) 1/	45%
15	6	Helical springs, of wire having a cross-sectional dimension of less than 5.1 mm	kg		3.7° (CA) <u>1</u> /	
45	0	Helical springs, of wire having a cross-sectional dimension of 5.1 mm or more but less than 12.7 mm	kg			
7320.90	Other:	Other	kg			
7320.90		rsprings	kg	3.7%	Free (A,B,E,IL) 2.5% (CA) 1/	65%
7320.90.50	Oth	er		5.7%	Free (A,B,E,IL) 3.9% (CA) 1/	45%
30 60	-	Of wire			5.50 (GA) <u>1</u> /	

^{1/} Equipment, originating in the territory of Canada, intended for use in the repair or maintenance of certain motor vehicles subject to accelerated staged rate reductions. See heading 9905.

7321		Stoves, ranges, grates, cookers (including those with subsidiary boilers for central heating), barbecues, braziers, gas rings, plate warmers and similar nonelectric domestic appliances, and parts thereof, of iron or steel:					
7321.11		Cooking appliances and plate warmers: For gas fuel or for both gas and other fuels:					
7321.11.10	00 2	Portable	No	5.7%		(A,E,IL) (CA)	45%
		Other:			_		•
7321.11.30 7321.11.60		Stoves or ranges Other		4.2% 4.2%		(A,CA,E,IL) (A,E,IL)	45% 45%
7321.12.00	00 3	For liquid fuel	No	4.2%		(A,E,IL)	45%
7321.13.00		For solid fuel		4.2%		(A,E,IL)	45%
		Portable:			2.50	(011)	
	20 8	Hibachis					
	40 4	Other	No.				
	60 9	Other: Of cast iron	No				
	80 5	Other					
	00 5	Other appliances:	110.				
7321.81		For gas fuel or for both gas and other fuels:					
7321.81.10		Portable	No	5.7%	3.9%	(A,E,IL) (CA)	45%
7321.81.50	00 8	Other	No	4.2%		(A,E,IL) (CA)	45%
7321.82	00 6	For liquid fuel:	37 -	E 80		(3 E TT)	4 = 0
7321.82.10	00 6	Portable	NO	5.7%		(A,E,IL) (CA)	45%
7321.82.50	00 7	Other	No	4.2%	Free	(A,E,IL) (CA)	45%
7321.83.00		For solid fuel		4.2%	Free	(A,E,IL) (CA)	45%
	10 5 50 6	Fireplace grates of cast iron Other					
7321.90	00 0	Parts:	37	4 00	П	/a ca E II \	4 - 0.
7321.90.30 7321.90.60	00 2	Of articles in subheading 7321.11.30 Other			Free	(A,CA,E,IL) (A,E,IL) (CA)	45% 45%
	30 9	Of cooking appliances and plate			2.50	(CA)	
		warmers	X				
	90 6	Other	X				
7322		Radiators for central heating, not electrically heated, and parts thereof, of iron or steel; air heaters and hot air distributors (including distributors which can also distribute fresh or conditioned air), not electrically heated, incorporating a motor-driven fan or blower, and parts thereof, of iron or steel:					
7322.11.00	00 3	Radiators and parts thereof:	v	4 2%	Exac	(A F TT)	45%
		Of cast iron			2.9%	(A,E,IL) (CA)	
7322.19.00	00 5	Other	X	4.2%	2.9%	(A,E,IL) (CA)	45%
7322.90.00		Other, including parts		4.2%		(A,C,E,IL) (CA) <u>1</u> /	45%
	15 0	Air heaters, not electrically heated, incorporating a motor-driven fan or blower	X			_	
	30 1	Hot air distributors, not electrically heated, incorporating a motor-driven fan or blower	X				
	45 4	Parts of air heaters and hot air distributors	Х				

 $[\]underline{1}/$ Railway track switch heaters, originating in the territory of Canada, are free of duty. See subheading 9905.73.05.

7323	00 3	Table, kitchen or other household articles and parts thereof, of iron or steel; iron or steel wool; pot scourers and scouring or polishing pads, gloves and the like, of iron or steel: Iron or steel wool; pot scourers and scouring or polishing pads, gloves and					
		the like	kg	2.2¢/kg + 2.5%	1.5¢	(A,E,IL) /kg + % (CA)	22¢/kg + 30%
		Other:					
7323.91 7323.91.10	00 3	Of cast iron, not enameled: Coated or plated with precious metal	X	Free			20%
7323.91.50	00 4	Other	Y	5.3%	Free	(A,CA,E,IL)	40%
7323.92.00		Of cast iron, enameled			Free	(A,E,IL) (CA)	35.5%
7323.93.00		Of stainless steel		3.4%		(A,E,IL) (CA)	40%
	15 6	Cooking and kitchen ware: Teakettles	No. v				
		Other:					
	30 7	Cooking ware	kg				
	60 0	Kitchen ware	No. v ka				
	80 6	Other	No. v				
7323.94.00		Of iron (other than cast iron) or steel, enameled		2.7%	Free	(A*,CA,E,IL)	35.5%
	10 0	Teakettles	No. v kg				
	20 8	Other: Cooking ware	No v				
	20 6	COOKING Wate	kg v				
	30 6	Kitchen ware	kg				
	40 4	Other	No. v kq				
	80 5	Other					
7323.99		Other: Coated or plated with precious metal:					
7323.99.10	00 5	Coated or plated with silver	х	4%		(A,E,IL)	50%
7323.99.30	00 1	Other	X	8.2%	Free	(CA) (A,E,IL) (CA)	65%
		Not coated or plated with precious metal:			5./%	(CA)	
7323.99.50	00 6	Of tinplate	X	3.1%		(A,E,IL) (CA)	40%
7222 00 70	00 0	Other:	No -		Ence	(A E II)	40%
7323.99.70	00 2	Cookingware	kg			(A,E,IL) (CA)	40%
7323.99.90	00 8	Other	X	3.4%		(A,E,IL) (CA)	40%

7324 7324.10.00	00 2	Sanitary ware and parts therof, of iron or steel: Sinks and wash basins, of stainless steel	No	3.4%	Free 2.3%	(A,C,E,IL) (CA)	40%
7324.21 7324.21.10	00 7	Baths: Of cast iron, whether or not enamelled: Coated or plated with precious					
		metal	No	Free			20%
7324.21.50	00 8	Other	No	3.1%	Free 2.1%	(A,E,IL)	40%
7324.29.00	00 1	Other	No	3.4%		(A,E,IL)	40%
7324.90.00	00 5	Other, including parts	X	3.4%		(C,E,IL)	40%
7325		Other cast articles of iron or steel:		_			
7325.10.00	10 9 50 0	Of nonmalleable cast iron	kg	Free			10%
7325.91.00	00 3	Grinding balls and similar articles for	,		_	(2 = ==)	. = 0
7325.99		mills Other:	kg	5.7%	Free 2.2%	(A,E,IL) (CA)	45%
7325.99.10	00 3	Of cast iron	kg	3.1%		(A,B,E,IL) (CA) <u>1</u> /	20%
7325.99.50	00 4	Other	kg	5.7%	Free	(A,B,E,IL) (CA) <u>1</u> /	45%
7326		Other articles of iron or steel: Forged or stamped, but not further worked:					
7326.11.00	00 9	Grinding balls and similar articles for mills	kg	4.2%	Free	(A,E,IL)	27.5%
			J		1.6%		
7326.19.00	00 1	Other	kg	5.7%		(A,B,E,IL) (CA) 1/	45%
7326.20.00)	Articles of iron or steel wire		5.7%	Free	(A,B,\overline{C},E,IL) (CA) 2/	45%
7326.90	10 6 50 7	Belts and belting Other				_	
7326.90.10	00 1	Of tinplate	х	2.4%		(A,B,E,IL) (CA) <u>1</u> /	45%
7326.90.30	00 7	Other: Containers of a kind normally				_	
		carried on the person, in the pocket or in the handbag	doz	7.8%	Free 5.4%	(E,IL) (CA)	110%
7326.90.45	00 0	Horse and mule shoes	kg	Free			10%
7326.90.60	00 0	Coated or plated with		0.50	_	(2 = ==)	
		precious metal	х	8.6%		(A,E,IL) CA) <u>1</u> /	65%
7326.90.90)	Other		5.7% <u>3</u> /		(A,B,E,IL) (CA) <u>1/4</u> /	45%
	30 8	Hangers and similar supports for tubes and pipes	kg			- -	
	45 1	Barbed tape					
	60 1 75 4 90 5	LaddersPaint roller frames Other	No.				

^{1/} Equipment, originating in the territory of Canada, intended for use in the repair or maintenance of certain motor vehicles subject to accelerated staged rate reductions. See heading 9905.
2/ Treeball baskets, originating in the territory of Canada, are free of duty. See subheading 9905.73.10. 3/ Duty on certain caliper and cantilever bicycle brake parts temporarily suspended. See subheading 9902.73.12. 4/ Flush floor and duct systems, originating in the territory of Canada, are free of duty. See subheading 9905.73.15.