



## **INSTRUCTION BOOKLET**

### **GENERAL INFORMATION, INSTRUCTIONS, AND DEFINITIONS FOR COMMISSION FOREIGN PRODUCER/EXPORTER QUESTIONNAIRES**

**CIRCULAR WELDED CARBON-QUALITY STEEL PIPE FROM INDIA,  
OMAN, UNITED ARAB EMIRATES, AND VIETNAM  
Investigation Nos. 701-TA-482-485 and 731-TA-1191-1194 (Final)**

*Further information.--If you have any questions concerning the enclosed questionnaire(s) or other matters related to this proceeding, you may contact the following member of the Commission's staff (Fax 202-205-3205):*

*Keysha Martinez, investigator (202-205-2136; E-mail [keysha.martinez@USITC.GOV](mailto:keysha.martinez@USITC.GOV))*

## **GENERAL INFORMATION**

**Background.**--This proceeding was instituted in response to a petition filed on October 26, 2011, by Allied Tube and Conduit, Harvey, IL; JMC Steel Group, Chicago, IL; Wheatland Tube, Sharon, PA; and United States Steel Corporation, Pittsburgh, PA. Countervailing and antidumping duties may be assessed on the subject imports as a result of this proceeding if the Commission makes an affirmative determination of injury, threat, or material retardation, and if the U.S. Department of Commerce makes an affirmative determination of subsidization and/or dumping.

Questionnaires and other information pertinent to this proceeding are available at [http://www.usitc.gov/trade\\_remedy/731\\_ad\\_701\\_cvd/investigations/2012/circular\\_welded\\_pipe\\_from\\_4\\_countries\\_final/finalphase.htm](http://www.usitc.gov/trade_remedy/731_ad_701_cvd/investigations/2012/circular_welded_pipe_from_4_countries_final/finalphase.htm). Address all correspondence to the United States International Trade Commission, 500 E Street, SW, Washington, DC 20436. Hearing-impaired individuals can obtain information regarding this proceeding via the Commission's TDD terminal (202-205-1810).

**Due date of questionnaire(s).**--Please submit the completed questionnaire(s) to the United States International Trade Commission so as to be received by **no later than August 13, 2012**. Because Commission staff might contact you with questions during the course of the proceeding, save the final version of the document(s) and retain all files and worksheets associated with the completed questionnaire(s). Please also retain a copy of any paper original document that you submit.

**Service of questionnaire response(s).**--In the event that your firm is a party to this proceeding, you are required to serve a copy of the questionnaire(s), once completed, on parties to the proceeding that are subject to administrative protective order (see 19 CFR § 207.7). A list of such parties is maintained by the Commission's Secretary and may be obtained by calling 202-205-1803. A certificate of service must accompany the copy of the completed questionnaire(s) you submit (see 19 CFR § 207.7).

**Confidentiality.**--The commercial and financial data furnished in response to the enclosed questionnaire(s) that reveal the individual operations of your firm will be treated as confidential by the Commission to the extent that such data are not otherwise available to the public and will not be disclosed except as may be required by law (see 19 U.S.C. § 1677f). Such confidential information will not be published in a manner that will reveal the individual operations of your firm; however, nonnumerical characterizations of numerical business proprietary information (such as discussion of trends) will be treated as confidential business information only at the request of the submitter for good cause shown.

**Verification.**--**The information submitted in the enclosed questionnaire(s) is subject to audit and verification by the Commission. To facilitate possible verification of data, please keep all your workpapers and supporting documents used in the preparation of the questionnaire response(s).**

## **GENERAL INFORMATION--Continued**

**Release of information.**--The information provided by your firm in response to the questionnaire(s), as well as any other business proprietary information submitted by your firm to the Commission in connection with the proceeding, may become subject to, and released under, the administrative protective order provisions of the Tariff Act of 1930 (19 U.S.C. § 1677f) and section 207.7 of the Commission's Rules of Practice and Procedure (19 CFR § 207.7). This means that certain lawyers and other authorized individuals may temporarily be given access to the information for use in connection with this proceeding or other import-injury proceedings conducted by the Commission on the same or similar merchandise; those individuals would be subject to severe penalties if the information were divulged to unauthorized individuals.

## **INSTRUCTIONS**

**Answer all questions.**--Do not leave any question or section blank unless a questionnaire expressly directs you to skip over certain questions or sections. If the answer to any question is "none," write "none." **If information is not readily available from your records in exactly the form requested, furnish carefully prepared estimates--designated as such by the letter "E"--and explain the basis of your estimates.** Answers to questions and any necessary comments or explanations should be supplied in the space provided or on separate sheets attached to the appropriate page of the questionnaire(s). If your firm is completing more than one questionnaire in connection with this proceeding (i.e., a producer, importer, purchaser, and/or foreign producer questionnaire), you need not respond to duplicated questions in the questionnaires.

**Consolidate all establishments in India, Oman, United Arab Emirates, or Vietnam.**--Report the requested data for your establishment(s) located in India, Oman, United Arab Emirates, or Vietnam. **Firms operating more than one establishment should combine the data for all establishments into a single report.**

**Filing instructions.**—Questionnaires may be filed either in paper form or electronically.

**Electronic completion.**--Your firm is encouraged to complete the questionnaire electronically in MS Word format. The MS Word versions of all the questionnaires in this proceeding are available online at the ITC web page or may be obtained directly from the Commission's Investigator, Keysha Martinez (keysha.martinez@usitc.gov, or 202-205-2136).

**Electronic submission.**--To the degree that it is possible and not overly burdensome, the Commission requests that responding firms submit their questionnaire responses electronically in MS Word format. The submission of questionnaire responses in the MS Word format allows the Commission to compile, assess, and analyze submitted data more promptly. There are three electronic submissions options detailed below. Paper submissions are also accepted.

## INSTRUCTIONS--Continued

### OPTIONS FOR FILING

This questionnaire is available as a “fillable” form in MS Word format on the Commission’s website

[http://www.usitc.gov/trade\\_remedy/731\\_ad\\_701\\_cvd/investigations/2012/circular\\_welded\\_pipe\\_from\\_4\\_countries\\_final/finalphase.htm](http://www.usitc.gov/trade_remedy/731_ad_701_cvd/investigations/2012/circular_welded_pipe_from_4_countries_final/finalphase.htm). *Please do not attempt to modify the format or permissions of the questionnaire document.* You may complete the questionnaire and submit it, electronically, or you may print it out and submit it in paper form, as described below:

- **Upload via Secure Drop Box.**—Upload the completed questionnaire in MS Word format along with a scanned copy of the signed certification page (page 1) through the Commission’s secure upload facility:

*Web address:* <https://dropbox.usitc.gov/oinv/> *Pin:* cwpipe

- **E-mail.**—E-mail your questionnaire to the investigator identified on page 1 of the Instruction Booklet; include a scanned PDF of the signed certification page (page 1). Type the following in the e-mail subject line: **BPI Questionnaire, INV. NOS. 701-TA-482-485 and 731-TA-1191-1194 (Final)**. *Please note that submitting your questionnaire by e-mail may subject your firm’s business proprietary information to transmission over an unsecure environment and to possible disclosure. If you choose this option, the Commission warns you that any risk involving possible disclosure of such information is assumed by the submitter and not by the Commission.*

- **Compact disc (CD).**—Copy your questionnaire onto a CD, include a signed certification page (page 1) (either in paper form or scanned PDF copied onto CD), and mail to the address above. *It is strongly recommended that you use an **overnight mail service**. U.S. mail sent to government offices undergoes additional processing which not only results in substantial delays in delivery but may also damage CDs.*

- **Fax.**—Fax to 202.205.3205.

- **Overnight mail service.**—Mail to the following address:

**United States International Trade Commission  
Office of Investigations, Room 615  
500 E Street SW  
Washington, DC 20024**

- **U.S. mail.**—Mail to the address above, but use zip code 20436. *This option is not recommended. U.S. mail sent to government offices undergoes additional processing to screen for hazardous materials; this additional processing results in substantial delays in delivery.*

Note: If you are a party to the proceeding, and service of the questionnaire is required, such service should be made in paper form.

## **DEFINITIONS**

***Circular Welded Carbon-Quality Steel Pipe (“Circular Welded Pipe”)***— Welded carbon quality steel pipes and tube, of circular cross-section, with an outside diameter (“O.D.”) not more than 16 inches (406.4mm), regardless of wall thickness, surface finish (black, galvanized, or painted), end finish (plain end, beveled end, grooved, threaded, or threaded and coupled), or industry specification (e.g. American Society for Testing and Materials International (“ASTM”), proprietary, or other) generally known as standard pipe, fence pipe and tube, sprinkler pipe, and structural pipe (although they may also be referred to as mechanical tubing). Specifically, the term, “carbon quality” includes products in which: (a) iron predominates, by weight, over each of the other contained elements; (b) the carbon content is 2 percent or less, by weight; and (c) none of the elements listed below exceeds the quantity, by weight, as indicated: (i) 1.80 percent of manganese; (ii) 2.25 percent of silicon; (iii) 1.00 percent of copper; (iv) 0.50 percent of aluminum; (v) 1.25 percent of chromium; (vi) 0.30 percent of cobalt; (vii) 0.40 percent of lead; (viii) 1.25 percent of nickel; (ix) 0.30 percent of tungsten; (x) 0.15 percent of molybdenum; (xi) 0.10 percent of niobium; (xii) 0.41 percent of titanium; (xiii) 0.15 percent of vanadium; (xiv) 0.15 percent of zirconium.

Subject pipe is ordinarily made to ASTM specifications A53, A135, and A795, but can also be made to other specifications. Structural pipe is made primarily to ASTM specifications A252 and A500. Standard and structural pipe may also be produced to proprietary specifications rather than to industry specifications. Fence tubing is included in the scope regardless of certification to a specification listed in the exclusions below, and can also be made to include the ASTM A513 specification. Sprinkler pipe is designed for sprinkler fire suppression systems and may be made to industry specifications such as ASTM A53 or to proprietary specifications. These products are generally made to standard O.D. and wall thickness combinations. Pipe multi-stenciled to a standard and/or structural specification and to other specifications, such as American Petroleum Institute (“API”) API-5L specification, is also covered by the scope of this investigation when it meets the physical description set forth above, and also has one or more of the following characteristics: is 32 feet in length or less; is less than 2.0 inches (50mm) in outside diameter; has a galvanized and/or painted (e.g. polyester coated) surface finish; or has a threaded and/or coupled end finish.

The scope of these investigations does not include: (a) pipe suitable for use in boilers, superheaters, heat exchangers, refining furnaces and feedwater heaters, whether or not cold drawn; (b) finished electrical conduit; (c) finished scaffolding;<sup>1</sup> (d) tube and pipe hollows for redrawing; (e) oil country tubular goods produced to API specifications; (f) line pipe produced to only API specifications; and (g) mechanical tubing, whether or not cold-drawn. However, products certified to ASTM mechanical tubing specifications are not excluded as mechanical tubing if they otherwise meet the standard sizes (e.g., outside diameter and wall thickness) of standard, structural, fence and sprinkler pipe. Also, products made to the following outside diameter and wall thickness combinations, which are recognized by the industry as typical for fence tubing, would not be excluded from the scope based solely on their being certified to ASTM mechanical tubing specifications: *(Please see the attachment at the end of this booklet).*

---

<sup>1</sup> Finished scaffolding is defined as component parts of a final, finished scaffolding that enters the United States unassembled as a “kit.” A “kit” is understood to mean a packaged combination of component parts that contain, at the time of importation, all the necessary component parts to fully assemble a final, finished scaffolding.

## **DEFINITIONS--Continued**

The pipe subject to this proceeding are currently imported under the following HTSUS statistical reporting numbers:

Standard/structural/fence/sprinkler tubular products-- 7306.30.1000, 7306.30.5025, 7306.30.5032, 7306.30.5040, 7306.30.5055, 7306.30.5085, 7306.30.5090.

Under certain circumstances, “circular welded pipe” as defined above might also enter the United States under HTS statistical reporting numbers that cover a broader range of tubular products:

1. API-stenciled tubular products (generally line pipe) that are multiple-stenciled to standard/structural specifications and meet the physical descriptions provided above-- 7306.19.1010, 7306.19.1050, 7306.19.5110, 7306.19.5150
2. “Micro-alloy” standard/structural/fence/sprinkler tubular products (i.e., those that exceed the chemistry specifications for non-alloy pipe but do not exceed the chemistry specifications provided above)-- 7306.50.1000, 7306.50.5050, and 7306.50.5070.

However, the product description, and not the harmonized tariff schedule of the United States (“HTSUS”) classification, is dispositive of whether the merchandise imported into the United States falls within the scope of the investigation.

**Firm**--An individual proprietorship, partnership, joint venture, association, corporation (including any subsidiary corporation), business trust, cooperative, trustee in bankruptcy, or receiver under decree of any court.

**Related firm**--A firm that your firm solely or jointly owned, managed, or otherwise controlled; a firm that solely or jointly owned, managed, or otherwise controlled your firm; and/or a firm that was solely or jointly owned, managed, or otherwise controlled by a firm that also solely or jointly owned, managed, or otherwise controlled your firm.

**Establishment**--Each facility of a firm in India, Oman, United Arab Emirates, or Vietnam involved in the production of circular welded pipe (as defined above), including auxiliary facilities operated in conjunction with (whether or not physically separate from) such facilities.

**United States**--For purposes of this proceeding, the 50 States, Puerto Rico, the U.S. Virgin Islands, and the District of Columbia.

**Importer**--Any person or firm engaged, either directly or through a parent company or subsidiary, in importing circular welded pipe (as defined above) into the United States from a foreign manufacturer or through its selling agent.

**Average production capacity**--The level of production that your establishment(s) could reasonably have expected to attain during the specified periods. Assume normal operating conditions (i.e., using equipment and machinery in place and ready to operate; normal operating levels (hours per week/weeks per year) and time for downtime, maintenance, repair, and cleanup; and a typical or representative product mix).

**DEFINITIONS**—*Continued*

**Production**.--All production in your establishment(s) in India, Oman, United Arab Emirates, or Vietnam, including production consumed internally within your firm.

**Shipments**.--Shipments of products produced in your establishment(s) in India, Oman, United Arab Emirates, or Vietnam. Quantities reported should be net of returns.

**Home market commercial shipments**.--Shipments, other than internal consumption and transfers to related firms, within India, Oman, United Arab Emirates, or Vietnam.

**Home market internal consumption/transfers to related firms**.--Shipments made to related firms in India, Oman, United Arab Emirates, or Vietnam, including product consumed internally by your firm.

**Export shipments**.--Shipments to destinations outside India, Oman, United Arab Emirates, or Vietnam, including shipments to related firms.

**Inventories**.--Finished goods inventory, not raw materials or work-in-progress.

...Products made to the following outside diameter and wall thickness combinations, which are recognized by the industry as typical for fence tubing, would not be excluded from the scope based solely on their being certified to ASTM mechanical tubing specifications:

- 1.315 inch O.D. and 0.035 inch wall thickness (gage 20);
- 1.315 inch O.D. and 0.047 inch wall thickness (gage 18);
- 1.315 inch O.D. and 0.055 inch wall thickness (gage 17);
- 1.315 inch O.D. and 0.065 inch wall thickness (gage 16);
- 1.315 inch O.D. and 0.072 inch wall thickness (gage 15);
- 1.315 inch O.D. and 0.083 inch wall thickness (gage 14);
- 1.315 inch O.D. and 0.095 inch wall thickness (gage 13);
- 1.660 inch O.D. and 0.047 inch wall thickness (gage 18);
- 1.660 inch O.D. and 0.055 inch wall thickness (gage 17);
- 1.660 inch O.D. and 0.065 inch wall thickness (gage 16);
- 1.660 inch O.D. and 0.072 inch wall thickness (gage 15);
- 1.660 inch O.D. and 0.083 inch wall thickness (gage 14);
- 1.660 inch O.D. and 0.095 inch wall thickness (gage 13);
- 1.660 inch O.D. and 0.109 inch wall thickness (gage 12);
- 1.900 inch O.D. and 0.047 inch wall thickness (gage 18);
- 1.900 inch O.D. and 0.055 inch wall thickness (gage 17);
- 1.900 inch O.D. and 0.065 inch wall thickness (gage 16);
- 1.900 inch O.D. and 0.072 inch wall thickness (gage 15);
- 1.900 inch O.D. and 0.095 inch wall thickness (gage 13);
- 1.900 inch O.D. and 0.109 inch wall thickness (gage 12);
- 2.375 inch O.D. and 0.047 inch wall thickness (gage 18);
- 2.375 inch O.D. and 0.055 inch wall thickness (gage 17);
- 2.375 inch O.D. and 0.065 inch wall thickness (gage 16);
- 2.375 inch O.D. and 0.072 inch wall thickness (gage 15);
- 2.375 inch O.D. and 0.095 inch wall thickness (gage 13);
- 2.375 inch O.D. and 0.109 inch wall thickness (gage 12);
- 2.375 inch O.D. and 0.120 inch wall thickness (gage 11);
- 2.875 inch O.D. and 0.109 inch wall thickness (gage 12);
- 2.875 inch O.D. and 0.134 inch wall thickness (gage 10);
- 2.875 inch O.D. and 0.165 inch wall thickness (gage 8);
- 3.500 inch O.D. and 0.109 inch wall thickness (gage 12);
- 3.500 inch O.D. and 0.148 inch wall thickness (gage 9);
- 3.500 inch O.D. and 0.165 inch wall thickness (gage 8);
- 4.000 inch O.D. and 0.148 inch wall thickness (gage 9);
- 4.000 inch O.D. and 0.165 inch wall thickness (gage 8);
- 4.500 inch O.D. and 0.203 inch wall thickness (gage 7).

Fence Division

OD	20	18	17	16	15	14	13	12	11	10	9	8	7
Rounds	0.035	0.047	0.055	0.065	0.072	0.083	0.095	0.109	0.120	0.134	0.148	0.165	0.203
1.315 x	x	x	x	x	x	x							
1.660	x	x	x	x	x	x	x						
1.900	x	x	x	x	x	x	x						
2.375	x	x	x	x		x	x	x					
2.875									x				
3.500										x			
4.000										x			
4.500										x			x