CHAPTER 72

IRON AND STEEL

XV 72-1

Notes

- 1. In this chapter and, in the case of notes (d), (e) and (f) below throughout the tariff schedule, the following expressions have the meanings hereby assigned to them:
 - (a) <u>Pig iron</u>

Iron-carbon alloys not usefully malleable, containing more than 2 percent by weight of carbon and which may contain by weight one or more other elements within the following limits:

- not more than 10 percent of chromium
- not more than 6 percent of manganese
- not more than 3 percent of phosphorus
- not more than 8 percent of silicon
- a total of not more than 10 percent of other elements.
- (b) Spiegeleisen

Iron-carbon alloys containing by weight more than 6 percent but not more than 30 percent of manganese and otherwise conforming to the specification at (a) above.

(c) <u>Ferroalloys</u>

Alloys in pigs, blocks, lumps or similar primary forms, in forms obtained by continuous casting and also in granular or powder forms, whether or not agglomerated, commonly used as an additive in the manufacture of other alloys or as deoxidants, desulfurizing agents or for similar uses in ferrous metallurgy and generally not usefully malleable, containing by weight 4 percent or more of the element iron and one or more of the following:

- more than 10 percent of chromium
- more than 30 percent of manganese
- more than 3 percent of phosphorus
- more than 8 percent of silicon
- a total of more than 10 percent of other elements, excluding carbon, subject to a maximum content of 10 percent in the case of copper.
- (d) <u>Steel</u>

Ferrous materials other than those of heading 7203 which (with the exception of certain types produced in the form of castings) are usefully malleable and which contain by weight 2 percent or less of carbon. However, chromium steels may contain higher proportions of carbon.

(e) <u>Stainless steel</u>

Alloy steels containing, by weight 1.2 percent or less of carbon and 10.5 percent or more of chromium, with or without other elements.

XV 72-2

(f) Other alloy steel

Steels not complying with the definition of stainless steel and containing by weight one or more of the following elements in the proportion shown:

- 0.3 percent or more of aluminum
- 0.0008 percent or more of boron
- 0.3 percent or more of chromium
- 0.3 percent or more of cobalt
- 0.4 percent or more of copper
- 0.4 percent or more of lead
- 1.65 percent or more of manganese
- 0.08 percent or more of molybdenum
- 0.3 percent or more of nickel
- 0.06 percent or more of niobium
- 0.6 percent or more of silicon.
- 0.05 percent or more of titanium
- 0.3 percent or more of tungsten (wolfram)
- 0.1 percent or more of vanadium
- 0.05 percent or more of zirconium

- 0.1 percent or more of other elements (except sulfur, phosphorus, carbon and nitrogen), taken separately.

(g) Remelting scrap ingots of iron or steel

Products roughly cast in the form of ingots without feeder-heads or hot tops, or of pigs, having obvious surface faults and not complying with the chemical composition of pig iron, spiegeleisen or ferroalloys.

(h) Granules

Products of which less than 90 percent by weight passes through a sieve with a mesh aperture of 1 mm and of which 90 percent or more by weight passes through a sieve with a mesh aperture of 5 mm.

(ij) Semifinished products

Continuous cast products of solid section, whether or not subjected to primary hot-rolling; and

Other products of solid section, which have not been further worked than subjected to primary hot-rolling or roughly shaped by forging, including blanks for angles, shapes or sections.

These products are not presented in coils.

(k) Flat-rolled products

Rolled products of solid rectangular (other than square) cross section, which do not conform to the definition at (ij) above in the form of:

- coils of successively superimposed layers, or
- straight lengths, which if of a thickness less than 4.75 mm are of a width measuring at least 10 times the thickness or if of a thickness of 4.75 mm or more are of a width which exceeds 150 mm and measures at least twice the thickness.

Flat-rolled products include those with patterns in relief derived directly from rolling (for example, grooves, ribs, checkers, tears, buttons, lozenges) and those which have been perforated, corrugated or polished, provided that they do not thereby assume the character of articles or products of other headings.

Flat-rolled products of a shape other than rectangular or square, of any size, are to be classified as products of a width of 600 mm or more, provided that they do not assume the character of articles or products of other headings.

(1) Bars and rods, hot-rolled, in irregularly wound coils

Hot-rolled products in irregularly wound coils, which have a solid cross section in the shape of circles, segments of circles, ovals, rectangles (including squares), triangles or other convex polygons. These products may have indentations, ribs, grooves or other deformations produced during the rolling process (reinforcing bars and rods).

(m) Other bars and rods

Products which do not conform to any of the definitions at (ij), (k) or (l) above or to the definition of wire, which have a uniform solid cross section along their whole length in the shape of circles, segments of circles, ovals, rectangles (including squares), triangles or other convex polygons. These products may:

- have indentations, ribs, grooves or other deformations produced during the rolling process (reinforcing bars and rods);

- be twisted after rolling.
- (n) Angles, shapes and sections

Products having a uniform solid cross section along their whole length which do not conform to any of the definitions at (ij), (k), (1) or (m) above or to the definition of wire.

Chapter 72 does not include products of heading 7301 or 7302.

(o) <u>Wire</u>

Cold-formed products in coils, of any uniform solid cross section along their whole length, which do not conform to the definition of flat-rolled products.

(p) Hollow drill bars and rods

Hollow bars and rods of any cross section, suitable for drills, of which the greatest external dimension of the cross section exceeds 15 mm but does not exceed 52 mm, and of which the greatest internal dimension does not exceed one half of the greatest external dimension. Hollow bars and rods of iron or steel not conforming to this definition are to be classified in heading 7304.

- 2. Ferrous metals clad with another ferrous metal are to be classified as products of the ferrous metal predominating by weight.
- Iron or steel products obtained by electrolytic deposition, by pressure casting or by sintering are to be classified according to their form, their composition and their appearance, in the headings of this chapter appropriate to similar hot-rolled products.

Subheading Notes

- 1. In this chapter the following expressions have the meanings hereby assigned to them:
 - (a) Alloy pig iron

Pig iron containing, by weight, one or more of the following elements in the specified proportions:

- more than 0.2 percent of chromium
- more than 0.3 percent of copper
- more than 0.3 percent of nickel
- more than 0.1 percent of any of the following elements: aluminum, molybdenum, titanium, tungsten (wolfram), vanadium.
- (b) <u>Nonalloy free-cutting steel</u>

Nonalloy steel containing by weight one or more of the following elements in the specified proportions:

- 0.08 percent or more of sulfur
- 0.1 percent or more of lead
- more than 0.05 percent of selenium
- more than 0.01 percent of tellurium
- more than 0.05 percent of bismuth.

XV 72-4

(c) Silicon electrical steel

Alloy steels containing by weight at least 0.6 percent but not more than 6 percent of silicon and not more than 0.08 percent of carbon. They may also contain by weight not more than 1 percent of aluminum but no other element in a proportion that would give the steel the characteristics of another alloy steel.

(d) <u>High-speed steel</u>

Alloy steels containing, with or without other elements, at least two of the three elements molybdenum, tungsten and vanadium with a combined content by weight of 7 percent or more, 0.6 percent or more of carbon and 3 to 6 percent of chromium.

(e) <u>Silico-manganese steel</u>

Alloy steels containing by weight:

- 0.35 percent or more but not more than 0.7 percent of carbon
- 0.5 percent or more but not more than 1.2 percent of manganese, and
- 0.6 percent or more but not more than 2.3 percent of silicon, but not containing any other element in a proportion that would give the steel the characteristics of another alloy steel.
- 2. For the classification of ferroalloys in the subheadings of heading 7202 the following rule should be observed:

A ferroalloy is considered as binary and classified under the relevant subheading (if it exists) if only one of the alloy elements exceeds the minimum percentage laid down in chapter note 1(c); by analogy, it is considered respectively as ternary or quaternary if two or three alloy elements exceed the minimum percentage.

For the application of this rule, the unspecified "other elements" referred to in chapter note l(c) must each exceed 10 percent by weight.

Additional U.S. Notes

- 1. For the purposes of the tariff schedule the following expressions have the meanings hereby assigned to them:
 - (a) <u>High-strength steel</u>

Flat-rolled products of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa.

(b) Universal mill plate

Flat-rolled products rolled on four faces or in a closed box pass, of a width exceeding 150 mm but not exceeding 1,250 mm and of thickness of not less than 4 mm, not in coils and without patterns in relief.

(c) Concrete reinforcing bars and rods

Hot-rolled bars and rods containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling.

(d) Razor blade steel

Flat-rolled products of stainless steel not over 0.25 mm in thickness and not over 23 mm in width, and containing by weight not over 14.7 percent of chromium, certified at the time of entry to be used in the manufacture of razor blades.

(e) <u>Tool steel</u>

Alloy steels which contain the following combinations of elements in the quantity by weight respectively indicated:

- (i) more than 1.2 percent carbon and more than 10.5 percent chromium; or
- (ii) not less than 0.3 percent carbon and 1.25 percent or more but less than 10.5 percent chromium; or
- (iii) not less than 0.85 percent carbon and 1 percent to 1.8 percent, inclusive, manganese; or
- (iv) 0.9 percent to 1.2 percent, inclusive, chromium and 0.9 percent to 1.4 percent, inclusive, molybdenum; or
- (v) not less than 0.5 percent carbon and not less than 3.5 percent molybdenum; or
- (vi) not less than 0.5 percent carbon and not less than 5.5 percent tungsten.

(f) Chipper knife steel

Alloy tool steels which contain, in addition to iron, each of the following elements by weight in the amount specified:

- (i) not less than 0.48 nor more than 0.55 percent of carbon;
- (ii) not less than 0.2 nor more than 0.5 percent of manganese;
- (iii) not less than 0.75 nor more than 1.05 percent of silicon;
- (iv) not less than 7.25 nor more than 8.75 percent of chromium;
- (v) not less than 1.25 nor more than 1.75 percent of molybdenum;
- (vi) none, or not more than 1.75 percent of tungsten; and
- (vii) not less than 0.2 nor more than 0.55 percent of vanadium.

(g) <u>Heat-resisting steel</u>

Alloy steels containing by weight less than 0.3 percent of carbon and 4 percent or more but less than 10.5 percent of chromium.

(h) Ball-bearing steel

- Alloy tool steels which contain, in addition to iron, each of the following elements by weight in the amount specified:
- (i) not less than 0.95 nor more than 1.13 percent of carbon;
- (ii) not less than 0.22 nor more than 0.48 percent of manganese;
- (iii) none, or not more than 0.03 percent of sulfur;
- (iv) none, or not more than 0.03 percent of phosphorus;
- (v) not less than 0.18 nor more than 0.37 percent of silicon;
- (vi) not less than 1.25 nor more than 1.65 percent of chromium;
- (vii) none, or not more than 0.28 percent of nickel;
- (viii) none, or not more than 0.38 percent of copper; and
 - (ix) none, or not more than 0.09 percent of molybdenum.
- 2. For the purposes of this chapter, unless the context provides otherwise, the term "<u>further worked</u>" refers to products subjected to any of the following surface treatments: polishing and burnishing; artificial oxidation; chemical surface treatments such as phosphatizing, oxalating and borating; coating with metal; coating with nonmetallic substances (e.g., enameling, varnishing, lacquering, painting, coating with plastics materials); or cladding.
- 3. No allowance or reduction of duties for partial damage or loss in consequence of discoloration or rust occurring before entry shall be made upon iron or steel or upon any article of iron or steel.

XV 72-6

/2-0

Statistical Notes

- For the purposes of subheading 7204.10, <u>waste and scrap of cast iron</u> includes but is not necessarily limited to: cupola cast (ISRI number 252); charging box cast (ISRI number 253); heavy breakable cast (ISRI number 254); hammer blocks or bases (ISRI number 255); burnt iron (ISRI number 256); mixed cast (ISRI number 257); stove plate, clean cast iron stove (ISRI number 258); clean auto cast (ISRI numbers 259, 262 and 263); motor blocks (ISRI number 260); drop broken machinery cast (ISRI number 261); malleable (ISRI number 264); ingot molds and stools (ISRI numbers 265 and 266); and railroad ferrous scrap consisting of cast iron No. 1, No. 2, No.3 and No. 4, cast iron brake shoes and No. 1 wheels.
- 2. For the purposes of subheading 7204.41 or 7204.49 the expression:
 - (a) No. 1 heavy melting includes, but is not necessarily limited to:

No. 1 heavy melting steel (ISRI numbers 200, 201 and 202); bundled No. 1 steel (ISRI number 217); cast steel (ISRI number 233); springs and crankshafts (ISRI number 244); ship scrap; and railroad ferrous scrap consisting of cast steel No. 1 and No. 2, railroad No.1 melting steel, spring steel, destroyed steel cars, destroyed steel car sides and box car roofs (note: other types of railroad ferrous scrap are included in some of the grades listed below);

(b) <u>No. 2 heavy melting</u> includes, but is not necessarily limited to:

No. 2 heavy melting steel (ISRI numbers 203, 204, 205 and 206); bundled No. 2 steel (ISRI number 218); foundary steel (ISRI numbers 242 and 243); and hard steel cut 76 cm and under (ISRI number 248);

(c) <u>No. 1 bundles</u> includes, but is not necessarily limited to:

No. 1 busheling (ISRI number 207); new black sheet clippings (ISRI number 207A); No. 1 bundles (ISRI number 208); electric furnace bundles (ISRI number 235); silicon-bearing steel busheling, clippings, and bundles (ISRI numbers 239, 240 and 250); No. 1 railroad ferrous sheet scrap; and car clips;

(d) No. 2 bundles includes, but is not necessarily limited to:

No. 2 bundles (ISRI number 209); No. 3 bundles (ISRI number 214); incinerator bundles (ISRI number 215); terne plate bundles (ISRI number 216); and auto slabs (ISRI numbers 224 and 225);

(e) <u>Borings, shovelings and turnings</u> includes, but it not necessarily limited to:

Machine shop turnings, shoveling turnings and iron borings (ISRI numbers 219, 220, 221, 222 and 223); briquetted iron borings (ISRI number 226); briquetted steel turnings (ISRI number 227); alloy free turnings (ISRI numbers 245, 246 and 247); heavy turnings (ISRI number 251); chemical borings, No. 1 and No. 2 (ISRI numbers 267 and 271); malleable borings (ISRI number 270); steel shavings; and railroad ferrous scrap consisting of No. 1 turnings and No. 2 turnings, drillings and/or borings;

(f) <u>Shredded scrap</u> includes, but is not necessarily limited to:

Shredded clippings (ISRI number 212); and shredded automobile scrap (ISRI numbers 210 and 211);

(g) <u>Cut plate and structural</u> includes but is not necessarily limited to:

Billet, bloom and forge crops (ISRI number 229); bar crops, punchings and plate scrap (ISRI numbers 230 and 234); plate and structural (ISRI numbers 231, 232, 236, 237 and 238); chargeable ingots and ingot butts (ISRI number 241); and chargeable slab crops (ISRI number 249).

	I.	PRIMARY MATERIALS; PRODUCTS IN GRANULAR OR POWDER FORM					
7201		g iron and spiegeleisen in pigs, blocks or other imary forms:					
7201.10.00 00		Nonalloy pig iron containing by weight 0.5 percent or less of phosphorus	t	Free			\$1.11/t
7201.20.00 00	8	Nonalloy pig iron containing by weight more than 0.5 percent of phosphorus	t	Free			\$1.11/t
7201.30.00 00 7201.40.00 00		Alloy pig iron Spiegeleisen	t t	Free 0.2%	Free	(CA,E,IL)	\$1.11/t 0.5%
7202	Fe	rroalloys:					
7202.11		Ferromanganese: Containing by weight more than 2 percent of carbon:					
7202.11.10 00	6	Containing by weight more than 2 percent but not more than 4 percent					
7202.11.50 00	7	of carbonmanganese content Containing by weight more than 4		1.4%	Free	(A*,CA,E,IL)	6.5%
	,	percent of carbonmanganese content		1.5%	Free	(CA,E,IL)	10.5%
7202.19 7202.19.10 00	8	Other: Containing by weight not more than					
/202.19.10 00	0	1 percent of carbon		2.3%	Free	(A,CA,E,IL)	22%
7202.19.50 00	9	manganese content Containing by weight more than 1 percent but not more than 2	kg				
		percent of carbonmanganese content		1.4%	Free	(A*,CA,E,IL)	6.5%
7202.21		Ferrosilicon: Containing by weight more than 55 percent of silicon: Containing by weight more					
7202.21.10 00	4	than 55 percent but not more than 80 percent of silicon: Containing by weight more					
7202.21.10 00	-	than 3 percent of calcium silicon content	kgv kq	1.1%	Free	(A*,CA,E,IL)	11.5%
7202.21.50 00	5	Othersilicon content	kgv	1.5%	Free	(A*,CA,E,IL)	11.5%
7202.21.75 00	6	Containing by weight more than 80 percent but not more than 90					
		percent of siliconsilicon content		1.9%	Free	(CA,E,IL)	9%
7202.21.90 00	7	Containing by weight more than 90 percent of siliconsilicon content	kgv	5.8%	Free	(CA,E,IL)	40%
7202.29.00		Other		Free			4.4¢/kg on silicon
10	6	Containing by weight over 2 percent of magnesiumsilicon content					content
50	7	Other	kg v				
7202.30.00 00	5	silicon content Ferrosilicon manganese	kgv	3.9%	Free	(A*,CA,E,IL)	23%
7202.41.00 00	2	manganese content Ferrochromium: Containing by weight more than 4 percent	<i>v</i> .A				
,202.41.00 00	2	of carbon		1.9%	Free	(CA,E,IL)	7.5%

7202 (con.)		Ferroalloys (con.): Ferrochromium (con.):				
7202.49 7202.49.10	00 2	Other: Containing by weight more than 3				
		percent of carbonchromium content		1.9%	Free (CA,E,IL)	7.5%
7202.49.50	00 3	Otherchromium content	kgv kq	3.1%	Free (CA,E,IL)	30%
7202.50.00	00 0	Ferrosilicon chromiumchromium content		10%	Free (CA,E,IL)	25%
7202.60.00	00 8	Ferronickelnickel content	kgv	Free		6.6¢/kg
7202.70.00	00 6	Ferromolybdenummolybdenum content	kgv	4.5%	Free (E,IL) 1.8% (CA)	31.5%
7202.80.00	00 4	Ferrotungsten and ferrosilicon tungsten tungsten content	kgv	5.6%	Free (A,E,IL) 2.2% (CA)	35%
7202.91.00	00 1	Other: Ferrotitanium and ferrosilicon titanium	-	3.7%	Free (E,IL)	25%
7202.92.00	00 0	Ferrovanadium		4.2%	1.4% (CA) Free (E,IL)	25%
7202.93.00	00 9	vanadium content Ferroniobium		5%	1.6% (CA) Free (E,IL)	25%
7202.99		Other:			2% (CA)	
7202.99.10	00 1	Ferrozirconium	kg	4.2%	Free (E,IL) 1.6% (CA)	25%
7202.99.50	20 8 40 4	Other Ferrophosphorus Other	kg	5%	Free (CA,E,IL)	25%
7203		Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99.94 percent, in				
7203.10.00	00 8	lumps, pellets or similar forms: Ferrous products obtained by direct reduction of iron ore	t	Free		\$2.21/t
7203.90.00	00 1	Other	t	Free		\$2.21/t
7204		Ferrous waste and scrap; remelting scrap ingots of iron or steel:				
7204.10.00	00 7	Waste and scrap of cast iron	t	Free		74¢/t
7204.21.00		Of stainless steel		Free Free		74¢/t 74¢/t
7204.29.00 7204.30.00		Other Waste and scrap of tinned iron or steel		Free		Free Free
7204.41.00		Other waste and scrap: Turnings, shavings, chips, milling waste, sawdust, fillings, trimmings and stampings, whether or not in				
	20 6 40 2 60 7 80 3	bundles No. 1 bundles No. 2 bundles Borings, shovelings and turnings	t t	Free		74¢/t
7204.49.00		Other Other		Free		74¢/t
	20 8 40 4	No. 1 heavy melting No. 2 heavy melting Other:	t			
	60 9 70 7	Cut plate and structural Shredded				
7204.50.00	80 5 00 8	OtherRemelting scrap ingots	t	Free		74¢/t
7205		Granules and powders, of pig iron, spiegeleisen,				
7205.10.00	00 6	iron or steel: Granules	kg	1%	Free (A,E,IL) 0.7% (CA)	3%
7205.21.00	00 3	Powders: Of alloy steel	kg	4%	Free (A,E,IL)	45%
7205.29.00		Other	-	Free	2.8% (CA)	\$2.21/t

	II. IRON AND NONALLOY STEEL				
7206	Iron and nonalloy steel in ingots or other pri- mary forms (excluding iron of heading 7203):				
7206.10.00 00 5	Ingots	. kg	4.2%	Free (E,IL) 2.9% (CA)	20%
7206.90.00 00 8	Other	. kg	4.2%	Free (A,E,IL) 2.9% (CA)	20%
7207	Semifinished products of iron or nonalloy steel: Containing by weight less than 0.25 percent of carbon:				
7207.11.00 00 3	Of rectangular (including square) cross section, the width measuring less than twice the thickness	. kg	4.2%	Free (E,IL) 2.9% (CA)	20%
7207.12.00	Other, of rectangular (other than square) cross section		4.2%	Free (E,IL) 2.9% (CA)	20%
10 0	Having a width measuring less than four times the thickness	. kg		2.56 (01)	
50 1	Having a width measuring at least four times the thickness	. kg			
7207.19.00	Other		4.2%	Free (E,IL) 2.9% (CA)	20%
30 9 90 6	Of circular cross section Other			2.50 (01)	
7207.20.00	Containing by weight 0.25 percent or more of carbon		4.2%	Free (E,IL) 2.9% (CA)	20%
	Of rectangular (including square) cross section:				
25 3	Having a width measuring less than four times the thickness	. kg			
45 9	Having a width measuring at least four times the thickness	. ka			
75 2 90 3	Of circular cross section Other	. kg			
7208	Flat-rolled products of iron or nonalloy steel, of a width of 600 mm or more, hot-rolled, not clad, plated or coated: In coils, not further worked than hot-				
7208.11.00 00 2	rolled, of high-strength steel: Of a thickness exceeding 10 mm	. kg	6%	Free (E,IL) 4.2% (CA)	20%
7208.12.00 00 1	Of a thickness of 4.75 mm or more but not exceeding 10 mm	. kg	6%	Free (E,IL) 4.2% (CA)	20%
7208.13	Of a thickness of 3 mm or more but less than 4.75 mm:			(,	
7208.13.10 00 8	Pickled	. kg	5.1%	Free (E,IL) 3.5% (CA)	0.4¢/kg + 20%
7208.13.50 00 9	Other	. kg	4.9%	5.5% (CA) Free (E,IL) 3.4% (CA)	20%
7208.14 7208.14.10 00 7	Of a thickness of less than 3 mm: Pickled	. kg	5.1%	Free (E,IL)	0.4¢/kg +
7208.14.50 00 8	0ther	. kg	4.9%	3.5% (CA) Free (E,IL) 3.4% (CA)	20% 20%

7208 (con.)	Flat-rolled products of iron or nonalloy steel, of a width of 600 mm or more, hot-rolled, not clad, plated or coated (con.): Other, in coils, not further worked than hot-				
7208.21	rolled:				
7208.21 7208.21.10 00 8	Of a thickness exceeding 10 mm: Pickled	kg	5.1%	Free (E,IL) 3.5% (CA)	0.4¢/kg + 20%
7208.21.50 00 9	Other	kg	6%	5.5% (CA) Free (E,IL) 4.2% (CA)	20%
7208.22	Of a thickness of 4.75 mm or more but not exceeding 10 mm:			4.2% (CA)	
7208.22.10 00 7	Pickled	kg	5.1%	Free (E,IL) 3.5% (CA)	0.4¢/kg + 20%
7208.22.50 00 8	Other	kg	6%	Free (E,IL) 4.2% (CA)	20%
7208.23	Of a thickness of 3 mm or more but less than 4.75 mm:			(,	
7208.23.10 00 6	Pickled	kg	5.1%	Free (E,IL) 3.5% (CA)	0.4¢/kg + 20%
7208.23.50	Other		4.9%	Free (E,IL) 3.4% (CA)	20%
30 1 90 8 7208.24	With untrimmed edges Other Of a thickness of less than 3 mm:				
7208.24.10 00 5	Pickled	kg	5.1%	Free (E,IL) 3.5% (CA)	0.4¢/kg + 20%
7208.24.50	Other		4.9%	Free (E,IL) 3.4% (CA)	20%
30 0 90 7	With untrimmed edges Other Not in coils, not further worked than hot- rolled, of high-strength steel:				
7208.31.00 00 8	Universal mill plate	kg	6%	Free (E,IL) 4.2% (CA)	20%
7208.32.00 00 7	Other, of a thickness exceeding 10 mm	kg	6%	Free (E,IL) 4.2% (CA)	20%
7208.33	Other, of a thickness of 4.75 mm or more but not exceeding 10 mm:				
7208.33.10 00 4	Pickled	kg	5.1%	Free (E,IL) 3.5% (CA)	0.4¢/kg + 20%
7208.33.50 00 5	0ther	kg	6%	Free (E,IL) 4.2% (CA)	20%
7208.34	Other, of a thickness of 3 mm or more but less than 4.75 mm:				
7208.34.10 00 3	Pickled	kg	5.1%	Free (E,IL) 3.5% (CA)	0.4¢/kg + 20%
7208.34.50 00 4	0ther	kg	4.9%	Free (E,IL) 3.4% (CA)	20%
7208.35 7208.35.10 00 2	Other, of a thickness of less than 3 mm: Pickled	kg	5.1%	Free (E,IL)	0.4¢/kg +
7208.35.50 00 3	Other	kg	4.9%	3.5% (CA) Free (E,IL)	20% 20%
	Other, not in coils, not further worked than			3.4% (CA)	
7208.41.00 00 6	hot-rolled: Universal mill plate	kg	6%	Free (E,IL)	20%
7208.42.00 00 5	Other, of a thickness exceeding 10 mm	kg	6%	4.2% (CA) Free (E,IL)	20%
7208.43.00 00 4	Other, of a thickness of 4.75 mm or	1	C 1	4.2% (CA)	0.04
	more but not exceeding 10 mm	кд	6%	Free (E,IL) 4.2% (CA)	20%
7208.44.00 00 3	Other, of a thickness of 3 mm or more but less than 4.75 mm	kg	4.9%	Free (E,IL) 3.4% (CA)	20%
7208.45.00 00 2	Other, of a thickness of less than				
	3 mm	kg	4.9%	Free (E,IL) 3.4% (CA)	20%
7208.90.00 00 6	Other	kg	5%	Free (E,IL) 3.5% (CA)	20%

7209	Flat-rolled products of iron or nonalloy steel, of a width of 600 mm or more, cold-rolled (cold-				
	reduced), not clad, plated or coated:				
	In coils, not further worked than cold-rolled (cold-reduced), of high-strength steel:				
7209.11.00 00 1	Of a thickness of 3 mm or more	kg	5.1%	Free (E,IL)	0.4¢/kg +
7200 12 00				3.5% (CA)	20%
7209.12.00	Of a thickness exceeding 1 mm but less than 3 mm		5.1%	Free (E,IL)	0.4¢/kg +
				3.5% (CA)	20%
30 4 90 1	Annealed				
7209.13.00	Of a thickness of 0.5 mm or more but	2			
	not exceeding 1 mm		5.1%	Free (E,IL) 3.5% (CA)	0.4¢/kg + 20%
30 3	Annealed			5.50 (01)	200
90 0 7209.14.00	Other Of a thickness of less than 0.5 mm		5.1%	Free (E,IL)	0.4¢/kg +
7209.14.00	OF a CHICKNESS OF TESS CHAIR 0.5 MM		5.10	3.5% (CA)	20%
30 2	Annealed				
90 9	OtherOther worked than	кg			
	cold-rolled (cold-reduced):				/ .
7209.21.00 00 9	Of a thickness of 3 mm or more	kg	5.1%	Free (E,IL) 3.5% (CA)	0.4¢/kg + 20%
7209.22.00 00 8	Of a thickness exceeding 1 mm but less				
	than 3 mm	kg	5.1%	Free (E,IL) 3.5% (CA)	0.4¢/kg + 20%
7209.23.00 00 7	Of a thickness of 0.5 mm or more but			5.5% (CA)	20%
	not exceeding 1 mm	kg	5.1%	Free (E,IL) 3.5% (CA)	0.4¢/kg +
7209.24	Of a thickness of less than 0.5 mm:			3.5% (CA)	20%
7209.24.10 00 4	Of a thickness of less than	1	2 04		0.04
	0.361 mm (blackplate)	кg	3.28	Free (E,IL) 2.2% (CA)	20%
7209.24.50 00 5	Other	kg	5.1%	Free (E,IL) 3.5% (CA)	0.4¢/kg + 20%
	Not in coils, not further worked than			3.5% (CA)	20%
	cold-rolled (cold-reduced), of high-				
7209.31.00 00 7	strength steel: Of a thickness of 3 mm or more	kg	5.1%	Free (E,IL)	0.4¢/kg +
E000 00 00 00 C				3.5% (CA)	20%
7209.32.00 00 6	Of a thickness exceeding 1 mm but less than 3 mm	kg	5.1%	Free (E,IL)	0.4¢/kg +
				3.5% (CA)	20%
7209.33.00 00 5	Of a thickness of 0.5 mm or more but not exceeding 1 mm	kα	5.1%	Free (E,IL)	0.4¢/kq +
			5.20	3.5% (CA)	20%
7209.34.00 00 4	Of a thickness of less than 0.5 mm	ka	5 18	Free (E,IL)	0.4¢/kq +
/209.91.00 00 1			5.10	3.5% (CA)	20%
	Other, not in coils, not further worked than				
	cold-rolled (cold-reduced):				
7209.41.00 00 5	Of a thickness of 3 mm or more	kg	5.1%	Free (E,IL)	0.4¢/kg + 20%
7209.42.00 00 4	Of a thickness exceeding 1 mm but less			3.5% (CA)	208
	than 3 mm	kg	5.1%	Free (E,IL)	0.4¢/kg +
7209.43.00 00 3	Of a thickness of 0.5 mm or more but			3.5% (CA)	20%
	not exceeding 1 mm	kg	5.1%	Free (E,IL)	0.4¢/kg +
				3.5% (CA)	20%
7209.44.00 00 2	Of a thickness of less than 0.5 mm	kg	5.1%	Free (E,IL)	0.4¢/kg +
7209.90.00 00 5	Other	ka	5.1%	3.5% (CA) Free (E,IL)	20% 0.4¢/kq +
.200.0000000			5.10	3.5% (CA)	20%

7210	Flat-rolled products of iron or nonalloy steel, of a width of 600 mm or more, clad, plated or coated:				
	Plated or coated with tin:				
7210.11.00 00 8	Of a thickness of 0.5 mm or more	kg	3.5%	Free (E,IL) 2.4% (CA)	6%
7210.12.00 00 '	Of a thickness of less than 0.5 mm	kg	3.5%	Free (E,IL) 2.4% (CA)	6%
7210.20.00 00 '	Plated or coated with lead, including terne-				
	plate	kg	4%	Free (E,IL) 2.8% (CA)	6%
	Electrolytically plated or coated with zinc:				
7210.31.00 00 4	Of high-strength steel	kg	6.5%	Free (E,IL) 4.5% (CA)	21.5%
7210.39.00 00 0	Other	kg	6.5%	Free (E,IL) 4.5% (CA)	21.5%
	Otherwise plated or coated with zinc:				
7210.41.00 00 2	Corrugated	kg	6.5%	Free (E,IL) 4.5% (CA)	21.5%
7210.49.00	Other		6.5%	Free (E,IL) 4.5% (CA)	21.5%
30 8	Of high-strength steel				
90 5	Other	kg			
7210.50.00 00 (Plated or coated with chromium oxides or with chromium and chromium oxides	le a	5.7%	Free (E,IL)	45%
		ку	5.7%	3.9% (CA)	40%
7210.60.00 00 8	Plated or coated with aluminum	kg	6.5%	Free (E,IL) 4.5% (CA)	21.5%
7210.70	Painted, varnished or coated with plastics:				
7210.70.30 00 (Not coated or plated with metal and not			_ / \	
	clad	kg	5.1%	Free (E,IL) 3.5% (CA)	0.4¢/kg + 20%
7210.70.60	Other		6.5%	5.5% (CA) Free (E,IL) 4.5% (CA)	21.5%
	Zinc coated or plated:			1.50 (611)	
30 '	Electrolytically coated or				
	plated	kg			
60 (Other	ka			
90 4					
7210.90	Other:	5			
7210.90.10 00 (Clad	kg	6.5%	Free (E,IL) 4.5% (CA)	30%
	Other:				
7210.90.60 00 9	Electrolytically coated or plated with base metal	le a	E 7%	Erroo (E II)	45%
	WILLI DASE MELAI	rg	5.7%	Free (E,IL) 3.9% (CA)	400
7210.90.90 00 3	Other	kg	6.5%	Free (E,IL)	21.5%
				4.5% (CA)	

7211	Flat-rolled products of iron or nonalloy steel, of a width of less than 600 mm, not clad, plated or coated:				
	Not further worked than hot-rolled, of				
7211.11.00 00 7	high-strength steel: Universal mill plate	kg	6%	Free (E,IL)	20%
7211.12.00 00 6	Other, of a thickness of 4.75 mm or			4.2% (CA)	
	more	kg	6%	Free (E,IL) 4.2% (CA)	20%
7211.19	Other:			- ()	0.54
7211.19.10 00 7	Of a width of less than 300 mm	kg	5.7%	Free (E,IL) 3.9% (CA)	25%
7211.19.50 00 8	Other	kg	4.9%	Free (E,IL) 3.4% (CA)	20%
E011 01 00 00 E	Other, not further worked than hot-rolled:	1	C 0		0.04
7211.21.00 00 5	Universal mill plate	кд	6%	Free (E,IL) 4.2% (CA)	20%
7211.22.00	Other, of a thickness of 4.75 mm or				
	more		6%	Free (E,IL) 4.2% (CA)	20%
45 1 90 5 7211.29	Not in coils Other Other:				
/211.29	Of a width of less than 300 mm:				
7211.29.10 00 5	Of a thickness exceeding	1	F B ⁰		0.5.4
	1.25 mm	кд	5.7%	Free (E,IL) 3.9% (CA)	25%
7211.29.30 00 1	0ther	kg	3.4%	Free (E,IL) 2.3% (CA)	25%
	Other:			- ()	0 1 1 /1
7211.29.50 00 6	Pickled	kg	5.1%	Free (E,IL) 3.5% (CA)	0.4¢/kg + 20%
7211.29.70	Other		4.9%	Free (E,IL) 3.4% (CA)	20%
	In coils:				
30 6	With untrimmed edges	kg			
60 9	Other	kg			
90 3	Other	kg			
7211.30	Not further worked than cold-rolled (cold- reduced), of high-strength steel: Of a width of less than 300 mm:				
7211.30.10	Of a thickness exceeding				
	0.25 mm		3.4%	Free (E,IL) 2.3% (CA)	25%
30 6	Of a width less than 51 mm, in			2.30 (CA)	
	coils	kg			
90 3	Other				
7211.30.30 00 8	Other	kg	2.4%	Free (E,IL)	25%
7211.30.50 00 3	Other	kg	5.1%	1.6% (CA) Free (E,IL)	0.4¢/kg +
		3		3.5% (CA)	20%

7211 (con.) Plat-rolled products of iron or nonalloy steel, of a winded or or out clad, plated or or out clad, plated or or out clad, plated or other, not further worked than cold-rolled (cold-reduced): 7211.41 Other, not further worked than cold-rolled (cold-reduced): 7211.41 Other, not further worked than cold-rolled (cold-reduced): 7211.41.10 00 9 0 a thickness exceeding 3.98 (CA) 7211.41.30 Of a thickness exceeding 0.25 mm. 3.48 90 6 Other. 1.25 mm. kg 7211.41.50 Of a thickness exceeding 0.25 mm. kg 7211.41.70 Other. 1.25 mm. kg 7211.41.70 Other. 30 0 Of a thickness not exceeding 0.25 mm. kg 60 3 Of a thickness exceeding 1.25 mm. kg 90 7 Of a thickness exceeding 0.25 mm. kg 90 7 Of a thickness exceeding 0.25 mm. kg 90 7 Of a thickness exceeding 0.25 mm. kg 7211.49.10 Of a thickness exceeding								
$\begin{array}{c cccccc} coated (con.): \\ coller, not further worked than coll-rolled (coll-rolled (coll-rolled (coll-rolled): \\ (coll-reduced): \\ percent of carbon: \\ of a width of less than 0.25 \\ percent of carbon: \\ of a thickness exceeding \\ 1.25 mm$	7211 (con.)		Flat-rolled products of iron or nonalloy steel, of					
7211.41 (cold-reduced): Containing by weight less than 0.25 percent of carbon: Old a width of less than 300 mm: of a thickness exceeding 0.25 mm.but not exceeding 1.25 mm. kg5.7% Free (E,IL) 2.3% (CA) 25% 7211.41.00 00 9 of a thickness exceeding 0.25 mm.but not exceeding 0.25 mm. 3.4% Pree (E,IL) 2.3% (CA) 25% 7211.41.50 of a thickness exceeding 0.25 mm.								
7211.41 Containing by weight less than 0.25 percent of carbon: Of a width of less than 300 mm: 7211.41.10 00 9 0 7 Of a thickness exceeding 1.25 mm. 3.4% 90 6 Of a thickness exceeding 211.41.50 00 0 0 6 Of a thickness exceeding 1.25 mm. kg 211.41.50 00 0 0 7 Of a thickness exceeding 0.25 mm. kg 7211.41.50 00 0 0 7 Other 0.25 mm. kg 7211.41.50 00 0 0 7 Other 0 7 Other 0 7 Of a thickness exceeding 0.25 mm. kg 90 7 Of a thickness exceeding 0.25 mm. kg 90 7 Of a thickness exceeding 0.25 mm. 3.4% 90 7 Of a thickness exceeding 0.25 mm. 3.4% 90 7 Of a thickness exceeding 0.25 mm. 3.4% 90 7 Other: <								
percent of carbon. Of a width of less than 300 mm: Of a thickness exceeding 0.25 mm	7211 41							
7211.41.10 00 9 0 f a thickness exceeding 0.25 mm but not exceeding 0.25 mm. 3.4% Free (E, IL) 2.3\% (CA) 25% 30 9 0 f a width lees than 0.25 mm. 3.4% Free (E, IL) 1.6\% (CA) 25% 90 6 0 ther. kg 2.4% Free (E, IL) 1.6\% (CA) 25% 7211.41.50 00 0 0 ther. 5.1% Free (E, IL) 1.6\% (CA) 25% 7211.41.70 0 ther. 5.1% Free (E, IL) 1.6\% (CA) 25% 30 0 0 f a thickness exceeding 0.25 mm but not exceeding 1.25 mm. 3.4% Free (E, IL) 2.3\% (CA) 25% 7211.49.10 0 ther. $6f$ a thickness exceeding 0.25 mm. 3.4% Free (E, IL) 2.3\% (CA) 25% 7211.49.10 0 f a thickness exceeding 1.25 mm. 3.4% Free (E, IL) 2.3\% (CA) 25% 7211.49.10 0 f a thickness exceeding 1.25 mm. 5.1% Free (E, IL) 2.5\% (CA) <	/211.11							
$\begin{array}{cccccccccccccccccccccccccccccccccccc$								
7211.41.30 Of a thickness exceeding 0.25 mm but not exceeding 1.25 mm	7211.41.10	00 9		l. a	E 7%	Erroo	(F. T.T.)	25%
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$			1.25 mm	ку	5./6			2010
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	7211.41.30							
$\begin{array}{cccccccccccccccccccccccccccccccccccc$					2 4 8		(0.5.9
30 9 Of a width less than 51 mm, in coils			1.25 mm		3.48			253
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		30 9						
7211.41.50 00 0 0 f a thickness not exceeding No 7211.41.70 0 ther			51 mm, in coils	kg				
7211.41.50 00 0 0 f a thickness not exceeding No 7211.41.70 0 ther		90 G	Other	kα				
7211.41.70 Other			Of a thickness not exceeding	-				
7211.41.70 Other			0.25 mm	kg	2.4%			25%
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	7211 41 70		Other		5 18		(-)	0.4¢/ka +
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			00101		5.10			
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		30 0						
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			1.25 mm	kg				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		60 3	Of a thickness exceeding					
90 7 Of a thickness not exceeding 0.25 mm				,				
0.25 mm			1.25 mm	kg				
7211.49 Other: Of a width of less than 300 mm: Of a thickness exceeding 0.25 mm		90 7	Of a thickness not exceeding					
7211.49.10 Of a width of less than 300 mm: Of a thickness exceeding 0.25 mm				kg				
7211.49.10 Of a thickness exceeding 0.25 mm	7211.49							
30 5 Of a width less than 51 mm, in coils kg 2.3% (CA) 90 2 Other kg 7211.49.30 00 7 Other kg 7211.49.50 Other	7211.49.10							
30 5 Of a width less than 51 mm, in coils kg 90 2 Other kg 7211.49.30 00 7 Other kg 7211.49.50 Other kg 30 6 Of a thickness exceeding 1.25 mm kg 60 9 Of a thickness exceeding 0.25 mm but not exceeding 1.25 mm kg 90 3 Of a thickness not exceeding 0.25 mm kg 7211.90.00 00 1 Other kg			0.25 mm		3.4%			25%
51 mm, in coils kg 90 2 Other kg 7211.49.30 00 7 Other kg 7211.49.50 Other kg 30 6 Of a thickness exceeding 1.6% (CA) 0.4¢/kg + 30 6 Of a thickness exceeding 1.25 mm		20 E	Of a width logg than			2.3%	(CA)	
7211.49.30 00 7 Other		30 5		kq				
7211.49.30 00 7 Other								
7211.49.50 Other					2 18	Froo	(F TT)	25%
30 6 Of a thickness exceeding 3.5% (CA) 20% 30 6 Of a thickness exceeding 1.25 mm	7211.49.30	00 /	Other	<i>к</i> у	2.40			20%
30 6 Of a thickness exceeding 60 9 Of a thickness exceeding 0.25 mm but not exceeding 1.25 mm	7211.49.50		Other		5.1%			
1.25 mm		20 C	Of a thicknood exceeding			3.5%	(CA)	20%
60 9 Of a thickness exceeding 0.25 mm but not exceeding 1.25 mm		30 0		ka				
0.25 mm but not exceeding 1.25 mm kg 90 3 Of a thickness not exceeding 0.25 mm kg 7211.90.00 00 1 Other kg 5.1% Free (E,IL) 20%				5				
1.25 mm		60 9						
90 3 Of a thickness not exceeding 0.25 mm				ka				
0.25 mm kg 7211.90.00 00 1 Other				Ċ.				
7211.90.00 00 1 Other kg kg 5.1% Free (E,IL) 20%		90 3		la es				
	7211.90.00	00 1			5.1%	Free	(E,IL)	20%
				·····	= -			

7212	Flat-rolled products of iron or nonalloy steel, of a width of less than 600 mm, clad, plated or coated:					
7212.10.00 00 7		kg	3.5%	Free (E,I) 2.4% (CA)	L)	6%
7212.21.00 00 4	Electrolytically plated or coated with zinc: Of high-strength steel	kg	6.5%	Free (E,I 4.5% (CA)	L)	21.5%
7212.29.00 00 6	Other	kg	6.5%	Free (E,I 4.5% (CA)	С)	21.5%
7212.30	Otherwise plated or coated with zinc: Of a width of less than 300 mm:					
7212.30.10	Of a thickness exceeding 0.25 mm or more		3.4%	Free (E,I	L)	25%
30 5	Of a width less than 51 mm,	,		2.3% (CA)		
	in coils					
90 2 7212.30.30 00 7	Other		2.4%	Free (E,I 1.6% (CA)	L)	25%
7212.30.50 00 2	Other	kg	6.5%	1.6% (CA) Free (E,I 4.5% (CA)	L)	21.5%
7212.40 7212.40.10 00 9	Painted, varnished or coated with plastics: Of a width of less than 300 mm	ka	3.4%	Free (E,II	L)	25%
7212.40.50 00 0	Other	-	5.1%	2.3% (CA) Free (E,I		0.4¢/kg +
7212.50.00 00 8	Otherwise plated or coated	kg	6.5%	3.5% (CA) Free (E,I	L)	20% 21.5%
7212.60.00 00 6	Clad	kg	6.5%	4.5% (CA) Free (E,I 4.5% (CA)	L)	30%
7213	Bars and rods, hot-rolled, in irregularly wound coils, of iron or nonalloy steel:					
7213.10.00 00 6	Concrete reinforcing bars and rods			Free (E,I 3.4% (CA)	L)	20%
7213.20.00 00 4	Of free-cutting steel	kg	1.9%	Free (E,I 1.3% (CA)	L)	5.5%
	Other, containing by weight less than 0.25 percent of carbon:					
7213.31	Of circular cross section measuring less than 14 mm in diameter:					
7213.31.30 00 5	Not tempered, not treated and not partly manufactured	kg	1.9%	Free (E,I	L)	5.5%
7213.31.60 00 8	0ther	kg	2.3%	1.3% (CA) Free (E,I) 1.6% (CA)	L)	6%
7213.39.00	Other		1.9%	Free (E,I) 1.3% (CA)	L)	5.5%
30 7	Of circular cross section: With a diameter of 14 mm or more but less than 19 mm	kg				
60 0	With a diameter of 19 mm or more	ka				
90 4	Other					

7213 (con.)		Bars and rods, hot-rolled, in irregularly wound				
		<pre>coils, of iron or nonalloy steel (con.): Other, containing by weight 0.25 percent or more but less than 0.6 percent of carbon:</pre>				
7213.41		Of circular cross section measuring less than 14 mm in diameter:				
7213.41.30	00 3	Not tempered, not treated and not partly manufactured	kg	1.9%	Free (E,IL)	5.5%
7213.41.60	00 6	0ther		2.3%	1.3% (CA) Free (E,IL)	6%
7213.49.00		Other		1.9%	1.6% (CA) Free (E,IL)	5.5%
		Of circular cross section:			1.3% (CA)	
	30 5	With a diameter of 14 mm or more but less than 19 mm	kg			
	60 8	With a diameter of 19 mm or				
7213.50.00	90 2	more Other				
/213.50.00		Other, containing by weight 0.6 percent or more of carbon		1.9%	Free (E,IL) 1.3% (CA)	5.5%
	20 3	Of circular cross section: With a diameter of less than 14 mm	kg		1.3° (CA)	
	40 9	With a diameter of 14 mm or more but less than 19 mm	kg			
	60 4 80 0	With a diameter of 19 mm or more Other				
7214		Other bars and rods of iron or nonalloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but including those twisted after rolling:				
7214.10.00	00 5	Forged	kg	4.7%	Free (E,IL) 3.2% (CA)	20%
7214.20.00	00 3	Concrete reinforcing bars and rods	kg	4.9%	Free (E,IL) 3.4% (CA)	20%
7214.30.00	00 1	Of free-cutting steel	kg	4.7%	Free (E,IL) 3.2% (CA)	20%
7214.40.00		Other, containing by weight less than 0.25 percent of carbon		4.7%	Free (E,IL)	20%
7214.50.00	10 7 30 3 50 8	Flats Rounds Other. Other, containing by weight 0.25 percent or	kg		3.2% (CA)	
		more but less than 0.6 percent of carbon		4.7%	Free (E,IL) 3.2% (CA)	20%
7214.60.00	10 4 30 0 50 5	Flats Rounds Other Other, containing by weight 0.6 percent or	kg			
		or more of carbon		4.7%	Free (E,IL) 3.2% (CA)	20%
	10 2 30 8 50 3	Flats Rounds Other	kg			

7215 7215.10.00	00 4	Other bars and rods of iron or nonalloy steel: Of free-cutting steel, not further worked than cold-formed or cold-finished	kg	7.5%	Free (E,IL)	0.3¢/kg +
7215.20.00	00 2	Other, not further worked than cold-formed or cold-finished, containing by weight less than 0.25 percent of carbon	kg	7.5%	5.2% (CA) Free (E,IL)	20% 0.3¢/kg +
7215.30.00	00 0	Other, not further worked than cold-formed or cold-finished, containing by weight 0.25	5		5.2% (CA)	20%
7015 40 00	00.9	percent or more but less than 0.6 percent of carbon	kg	7.5%	Free (E,IL) 5.2% (CA)	0.3¢/kg + 20%
7215.40.00	00 8	Other, not further worked than cold-formed or cold-finished, containing by weight 0.6 percent or more of carbon	kg	7.5%	Free (E,IL) 5.2% (CA)	0.3¢/kg + 20%
7215.90		Other:				
7215.90.10	00 5	Plated or coated with metal: Not cold-formed	kg	3.2%	Free (E,IL)	0.4¢/kg +
7215.90.30	00 1	Cold-formed	kg	7.5%	2.2% (CA) Free (E,IL) 5.2% (CA)	20% 0.3¢/kg + 20%
7215.90.50	00 6	Other	kg	7.5%	5.2% (CA) 5.2% (CA)	0.3¢/kg + 20%
7216		Angles, shapes and sections of iron or nonalloy steel:				
7216.10.00		U, I or H sections, not further worked than				
		hot-rolled, hot-drawn or extruded, of a height of less than 80 mm		0.9%	Free (E,IL) 0.6% (CA)	2%
	10 1	U sections			0.0% (CA)	
	50 2	OtherL or T sections, not further worked than hot-	kg			
		rolled, hot-drawn or extruded, of a height				
7216.21.00	00 0	of less than 80 mm: L sections	ka	0.9%	Free (E,IL)	2%
/210.21.00	00 0		5	0.9%	0.6% (CA)	2 '0
7216.22.00	00 9	T sections	kg	0.9%	Free (E,IL) 0.6% (CA)	2%
		U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more:			0.00 (en)	
7216.31.00	00 8	U sections	kg	0.9%	Free (E,IL)	2%
7216.32.00	00 7	I sections (standard beams)	kg	0.9%	0.6% (CA) Free (E,IL) 0.6% (CA)	2%
7216.33.00		H sections		0.9%	Free (E,IL) 0.6% (CA)	2%
	30 0	Weighing not more than 11.3 kg per 30.5 cm, with a web depth measuring 102 mm to 356 mm	kg			
	60 3	Weighing more than 11.3 kg but not more than 27.2 kg per 30.5 cm, with a web depth measuring 203 mm to 457 mm	kg			
7216.40.00	90 7	Other L or T sections, not further worked than hot- rolled, hot-drawn or extruded, of a height	-	0.0%	Erco (E. II)	2%
		of 80 mm or more		0.20	Free (E,IL) 0.6% (CA)	2.0
7216.50.00	10 5 50 6 00 4	L sections Other Other angles, shapes and sections, not further worked than hot-rolled, hot-drawn				
		or extruded	kg	0.9%	Free (E,IL) 0.6% (CA)	2%
7216.60.00	00 2	Angles, shapes and sections, not further worked than cold-formed or cold-finished	kg	4.9%	Free (A,E,IL)	20%
7216.90.00	00 6	Other	kg	4.4%	3.4% (CA) Free (E,IL) 3% (CA)	20%

7217	Wire of iron or nonalloy steel: Containing by weight less than 0.25 percent				
7217.11	of carbon: Not plated or coated, whether or not polished: Flat wire:				
7217.11.10 00 9	Of a thickness not exceeding 0.25 mm	kg	4.2%	Free (E,IL) 2.9% (CA)	25%
7217.11.20 00 7	Of a thickness exceeding 0.25 mm but not exceeding 1.25 mm	kg	3.2%	Free (E,IL) 2.2% (CA)	25%
7217.11.30 00 5	Of a thickness exceeding 1.25 mm	kg	5.1%	Free (E,IL) 3.5% (CA)	25%
7217.11.50	Round wire: With a diameter of less than 1.5 mm		5.3%	Free (E,IL) 3.7% (CA)	25%
20 6	Heat treated: With a diameter of less than 1.0 mm	kg		5.7° (CR)	
40 2	With a diameter of 1.0 mm or more but less than 1.5 mm	ka			
60 7	Other: With a diameter of less than 1.0 mm				
80 3	With a diameter of 1.0 mm or more but less than 1.5 mm	ka			
7217.11.70	With a diameter of 1.5 mm or more		1.5%	Free (E,IL) 1% (CA)	7%
30 0 90 7 7217.11.90 00 2	Heat treated Other Other wire	kg	5.5%	Free (E,IL) 3.8% (CA)	25%
7217.12 7217.12.10 00 8	Plated or coated with zinc: Flat wire	kg	5.2%	Free (E,IL) 3.6% (CA)	26%
7217.12.30	Round wire: With a diameter of less than 1.5 mm		5.3%	Free (E,IL) 3.7% (CA)	25%
30 8	With a diameter of less than 1.0 mm	kg			
60 1 7217.12.50 00 9	With a diameter of 1.0 mm or more but less than 1.5 mm With a diameter of 1.5 mm or	kg			
	more	-		Free (E,IL) 1% (CA)	7%
7217.12.70 00 5 7217.13	Other wire Plated or coated with other base metals:	kg	5.6%	Free (E,IL) 3.9% (CA)	25%
7217.13.10 00 7	Flat wire	kg	5.2%	Free (E,IL) 3.6% (CA)	26%
7217.13.30	Round wire: With a diameter of less than 1.5 mm		5.3%	Free (E,IL) 3.7% (CA)	25%
30 7	With a diameter of less than 1.0 mm	kg			
60 0	With a diameter of 1.0 mm or more but less than 1.5 mm	kg			
7217.13.50 00 8	With a diameter of 1.5 mm or more	kg	1.5%	Free (E,IL) 1% (CA)	7%
7217.13.70 00 4	Other wire	kg	5.6%	Free (E,IL) 3.9% (CA)	25%

7217 (con.) 7217.19		Wire of iron or nonalloy steel (con.): Containing by weight less than 0.25 percent of carbon (con.):				
7217.19	00 1	Other: Coated with plastics	kg	0.9%	Free (E,IL) 0.6% (CA)	2%
7217.19.50	00 2	Other	kg	5.3%	Free (E,IL) 3.7% (CA)	35%
7217.21		Containing by weight 0.25 percent or more but less than 0.6 percent of carbon: Not plated or coated, whether or not polished:				
7217.21.10	00 7	Flat wire	kg	3.2%	Free (E,IL) 2.2% (CA)	25%
7217.21.30		Round wire		5.3%	Free (E,IL) 3.7% (CA)	25%
	15 6	Heat treated: With a diameter of less than 1.0 mm	kg			
	30 7	With a diameter of 1.0 mm or more but less than 1.5 mm	kg			
	45 0	With a diameter of 1.5 mm	le a			
	60 0	or more Other: With a diameter of less than 1.0 mm	kg kg			
	75 3	With a diameter of 1.0 mm or more but less than 1.5 mm	kg			
	90 4	With a diameter of 1.5 mm or more	ka			
7217.21.50	00 8	Other	kg kg	5.5%	Free (E,IL) 3.8% (CA)	25%
7217.22 7217.22.10		Plated or coated with zinc: Round wire		5.3%	Free (E,IL) 3.7% (CA)	25%
	15 9	With a diameter of less than 1.0 mm	kg			
	30 0	With a diameter of 1.0 mm or more but less than 1.5 mm	kg			
	50 5	With a diameter of 1.5 mm or more	kq			
7217.22.50	00 7	Other		5.2%	Free (E,IL) 3.6% (CA)	26%
7217.23 7217.23.10		Plated or coated with other base metals: Round wire		5.3%	Free (E,IL) 3.7% (CA)	25%
	15 8	With a diameter of less than 1.0 mm	kg			
	30 9	With a diameter of 1.0 mm or more but less than 1.5 mm	kg			
	50 4	With a diameter of 1.5 mm or more	ka			
7217.23.50	00 6	Other		5.2%	Free (E,IL) 3.6% (CA)	26%
7217.29 7217.29.10	00 9	Other: Coated with plastics	kg	0.9%	Free (E,IL)	2%
7217.29.50		Other	-	5.3%	0.6% (CA) Free (E,IL)	35%
					3.7% (CA)	

7217 (con.)	Wire of iron or nonalloy steel (con.): Containing by weight 0.6 percent or more of			
7217.31	carbon: Not plated or coated, whether or not polished:			
7217.31.10 00 5	Flat wire	kg	3.2%	Free (E,IL) 25% 2.2% (CA)
7217.31.30	Round wire		5.3%	Free (E,IL) 25% 3.7% (CA)
15 4	Heat treated: With a diameter of less than 1.0 mm	kg		2
30 5	With a diameter of 1.0 mm or more but less than 1.5 mm	kg		
45 8	With a diameter of 1.5 mm or more Other:	kg		
60 8	With a diameter of less than 1.0 mm	kg		
75 1	With a diameter of 1.0 mm or more but less than 1.5 mm	kg		
90 2	With a diameter of 1.5 mm or more	ka		
7217.31.50 00 6	Other		5.5%	Free (E,IL) 25% 3.8% (CA)
7217.32 7217.32.10	Plated or coated with zinc: Round wire		5.3%	Free (E,IL) 25% 3.7% (CA)
15 7	With a diameter of less than 1.0 mm	kg		
30 8	With a diameter of 1.0 mm or more but less than 1.5 mm	kg		
50 3	With a diameter of 1.5 mm or more	ka		
7217.32.50 00 5	Other		5.2%	Free (E,IL) 25% 3.6% (CA)
7217.33 7217.33.10	Plated or coated with other base metals: Round wire		5.3%	Free (E,IL) 25% 3.7% (CA)
15 6	With a diameter of less than 1.0 mm	kg		
30 7	With a diameter of 1.0 mm or more but less than 1.5 mm	kg		
50 2	With a diameter of 1.5 mm or more	ka		
7217.33.50 00 4	Other		5.2%	Free (E,IL) 26% 3.6% (CA)
7217.39 7217.39.10 00 7	Other: Coated with plastics	kg	0.9%	Free (E,IL) 2%
7217.39.50 00 8	0ther	-	5.3%	0.6% (CA) Free (E,IL) 35% 3.7% (CA)

III. STAINLESS STEEL

7218		Stainless steel in ingots or other primary forms; semifinished products of stainless steel:				
7218.10.00	00 1	Ingots and other primary forms	kg	5.2%	Free (E,IL) 3.6% (CA)	29%
7218.90.00		Other		5.2%	Free (E,IL) 3.6% (CA)	29%
		Of rectangular (including square) cross section:			5.0% (CA)	
		Having a width less than four times the thickness:				
	10 2	Having a cross-sectional area of 19.4 cm² or more, but less				
		than 232 cm^2	kg			
	20 0	Having a cross-sectional area of 232 cm ² or more	kg			
	30 8	Other	kg			
	35 3	Having a width at least four times the thickness	kg			
	45 1	Of circular cross section: Having a cross-sectional area of				
		19.4 cm ² or more, but less than 232 cm ²	ka			
	55 8	Having a cross-sectional area of	5			
	55 0	232 cm^2 or more	kg			
	65 6	Other	kg			
	70 9	Having a cross-sectional area of 19.4 cm² or more, but less than				
		232 cm ²	kg			
	80 7	Having a cross-sectional area of 232 cm² or more	kg			
	90 5	Other	kg			
7219		Flat-rolled products of stainless steel, of a width of 600 mm or more: Not further worked than hot-rolled, in				
7219.11.00	00 9	coils: Of a thickness exceeding 10 mm	ka	10.1%	Free (E,IL)	29%
7219.12.00		Of a thickness of 4.75 mm or more but not			7% (CA)	
7219.12.00		exceeding 10 mm		10.1%	Free (E,IL) 7% (CA)	29%
	30 2	Of a width of 1370 mm or more: Of a thickness exceeding 6.8 mm	kg			
	60 5	0ther	kq			
7219.13.00	80 1	Other Of a thickness of 3 mm or more but less				
,219.19.00		than 4.75 mm		10.1%	Free (E,IL) 7% (CA)	29%
	30 1	Of a width of 1370 mm or more			/ 0 (CA)	
7219.14.00	60 4	Other Of a thickness of less than 3 mm		10.1%	Free (E,IL)	29%
	30 0 60 3	Of a width of 1370 mm or more Other			7% (CA)	
	50 5	VCHC1				

7219 (con.)		<pre>Flat-rolled products of stainless steel, of a width of 600 mm or more (con.): Not further worked than hot-rolled, not in coils:</pre>				
7219.21.00	00 7	Of a thickness exceeding 10 mm	kg	9.6%	Free (E,IL) 6.7% (CA)	29%
7219.22.00	00 6	Of a thickness of 4.75 mm or more but not exceeding 10 mm	kg	9.6%	Free (E,IL) 6.7% (CA)	29%
7219.23.00		Of a thickness of 3 mm or more but less than 4.75 mm		10.1%	Free (E,IL) 7% (CA)	29%
7219.24.00	30 9 60 2	Of a width of 1370 mm or more Other Of a thickness of less than 3 mm	kg	10.1%	Free (E,IL) 7% (CA)	29%
	30 8 60 1	Of a width of 1370 mm or more Other Not further worked than cold-rolled (cold- reduced):			/ • (CA)	
7219.31.00		Of a thickness of 4.75 mm or more		10.1%	Free (E,IL) 7% (CA)	29%
7219.32.00	10 3 50 4	In coils Not in coils Of a thickness of 3 mm or more but less than 4.75 mm	kg	10.1%	Free (E,IL)	29%
		In coils:			7% (CA)	
	15 7 30 8	Of a width of 1370 mm or more Other Not in coils:	kg			
7219.33.00	45 1 60 1	Of a width of 1370 mm or more Other Of a thickness exceeding 1 mm but less than 3 mm	kg	10.1%	Free (E,IL)	29%
	15 6	In coils: Of a width of 1370 mm or more		10.10	7% (CA)	298
	30 7 45 0	Other Not in coils: Of a width of 1370 mm or more	kg			
7219.34.00	60 0	Other Of a thickness of 0.5 mm or more but not exceeding 1 mm	5	10.1%	Free (E,IL) 7% (CA)	29%
	10 0 50 1	In coils Not in coils	kg			
7219.35.00	10 9	Of a thickness of less than 0.5 mm In coils		10.1%	Free (E,IL) 7% (CA)	29%
7219.90.00	50 0	Not in coils Other	kg	5.9%	Free (E,IL)	29%
7220		Flat-rolled products of stainless steel, of a width of less than 600 mm:			4.1% (CA)	
7220.11.00	00 6	Not further worked than hot-rolled: Of a thickness of 4.75 mm or more	kg	10.6%	Free (E,IL) 7.4% (CA)	29%
7220.12 7220.12.10	00 3	Of a thickness of less than 4.75 mm: Of a width of 300 mm or more	kg	10.1%	Free (E,IL) 7% (CA)	29%
7220.12.50	00 4	Of a width of less than 300 mm	kg	11.6%	7% (CA) Free (E,IL) 8.1% (CA)	34%
7220.20		Not further worked than cold-rolled (cold- reduced):			0.10 (01)	
7220.20.10	00 3	Of a width of 300 mm or more	kg	10.1%	Free (E,IL) 7% (CA)	29%
7220.20.60	00 2	Of a width of less than 300 mm: Of a thickness exceeding 1.25 mm	kg	11.6%	Free (E,IL) 8.1% (CA)	34%
7220.20.70	00 0	Of a thickness exceeding 0.25 mm but not exceeding 1.25 mm	kg	10.6%	Free (E,IL) 7.4% (CA)	34%

7220 (con.) 7220.20		Flat-rolled products of stainless steel, of a width of less than 600 mm (con.): Not further worked than cold-rolled (cold-				
(con.)		reduced) (con.): Of a width of less than 300 mm (con.):				
		Of a thickness not exceeding 0.25 mm:				
7220.20.80		Razor blade steel		5.2%	Free (E,IL) 3.6% (CA)	34%
7220.20.90	00 6	0ther	kg	8.1%	Free (E,IL) 5.6% (CA)	34%
7220.90.00	00 0	Other	kg	5.7%	Free (E,IL) 3.9% (CA)	46%
7221.00.00		Bars and rods, hot-rolled, in irregularly wound coils, of stainless steel		4.7%	Free (E,IL) 3.2% (CA)	11%
	20 4	Of circular cross section: With a diameter of less than 14 mm	kq		5.2.0 (CR)	
	40 0	With a diameter of 14 mm or more but less than 19 mm				
	60 5	With a diameter of 19 mm or more	ka			
	80 1	Other				
7222		Other bars and rods of stainless steel; angles, shapes and sections of stainless steel:				
7222.10.00	00 5	Bars and rods, not further worked than				
		hot-rolled, hot-drawn or extruded	kg	10.6%	Free (E,IL) 7.4% (CA)	29%
7222.20.00		Bars and rods, not further worked than cold-			- ()	
		formed or cold-finished		10.6%	Free (E,IL) 7.4% (CA)	29%
	30 7	With a maximum cross-sectional dimension of less than 18 mm	kg			
	60 0	With a maximum cross-sectional dimension				
7222.30.00	00 1	of 18 mm or more	kg ka	10.6%	Free (E,IL)	29%
	00 1			10.00	7.4% (CA)	250
7222.40 7222.40.30		Angles, shapes and sections: Hot-rolled, not drilled, not punched				
		and not otherwise advanced		2.1%	Free (E,IL) 1.4% (CA)	10%
		With a maximum cross-sectional dimension of 76 mm or more:				
	20 9 40 5	Angles Other	kg ka			
	40 5	With a maximum cross-sectional dimension of less than 76 mm;	79			
	60 0	Angles				
7222.40.60	80 6 00 6	0ther0ther		5.3%	Free (E,IL)	28%
					3.7% (CA)	
7223.00		Wire of stainless steel:				
7223.00.10		Round wire		9.1%	Free (E,IL) 6.3% (CA)	34%
	15 7	With a diameter of less than 0.25 mm	kg			
	30 8	With a diameter of 0.25 mm or more but less than 0.76 mm	kg			
	45 1	With a diameter of 0.76 mm or more but				
	15 1	less than 1.52 mm	kg			
	60 1	With a diameter of 1.52 mm or more but less than 5.1 mm	kg			
	75 4	With a diameter of 5.1 mm or more				
7223.00.50	00 5	Flat wire	kg	3.3%	Free (E,IL) 2.3% (CA)	34%
7223.00.90	00 7	Other	kg	6.3%	Free (E,IL) 4.4% (CA)	34%

		IV. <u>OTHER ALLOY STEEL; HOLLOW DRILL BARS AND</u> RODS, OF ALLOY OR NONALLOY STEEL				
7224		Other alloy steel in ingots or other primary forms; semifinished products of other alloy				
7224.10.00		steel: Ingots and other primary forms		5.1%	Free (E,IL)	28%
	30 7	Of tool steel			3.5% (CA)	
7224.90.00	90 4	OtherOther		5.1%	Free (E,IL)	28%
		Of tool steel: Of rectangular (including square) cross section:			3.5% (CA)	
	10 4	Having a width less than four times the thickness	kg			
	20 2	Having a width at least four times the thickness	ka			
	30 0	Other:				
		Of rectangular (including square) cross section:				
	40 8	Having a width less than four times the thickness	kg			
	50 5	Having a width at least four times the thickness	ka			
	60 3 70 1	Of circular cross section Other	kg			
7225		Flat-rolled products of other alloy steel, of a				
7225.10.00	00 2	width of 600 mm or more: Of silicon electrical steel	kg	5.8%	Free (E,IL)	28%
7225.20.00	00 0	Of high-speed steel	kg	10.5%	4% (CA) Free (E,IL)	32%
7225.30		Other, not further worked than hot-rolled, in coils:			7.3% (CA)	
7225.30.10	00 6	Of a thickness of 4.75 mm or more: Of tool steel (other than high-				
		speed steel)	kg	9.6%	Free (E,IL) 6.7% (CA)	29%
7225.30.30	00 2	Other	kg	3.8%	Free (E,IL) 2.6% (CA)	28%
7225.30.50		Of a thickness of less than 4.75 mm: Of tool steel (other than high-				
		speed steel)		9.6%	Free (E,IL) 6.7% (CA)	29%
	30 1 60 4	Of ball-bearing steel Other	kq			
7225.30.70	00 3	Other	kg	9.5%	Free (E,IL) 6.6% (CA)	28%
7225.40		Other, not further worked than hot-rolled, not in coils:				
7225.40.10		Of a thickness of 4.75 mm or more: Of tool steel (other than high-				
		speed steel)		9.6%	Free (E,IL) 6.7% (CA)	29%
	15 7 90 5	Of ball-bearing steel Other Other	kg kg			
7225.40.30	00 0		kg	3.8%	Free (E,IL) 2.6% (CA)	28%
7225.40.50		Of a thickness of less than 4.75 mm: Of tool steel (other than high-		o		
	20.5	speed steel)		9.6%	Free (E,IL) 6.7% (CA)	29%
	30 9 60 2	Of ball-bearing steel Other	kg	0.51		
7225.40.70	00 1	Other	kg	9.5%	Free (E,IL) 6.6% (CA)	28%

7225 (con.)		Flat-rolled products of other alloy steel, of a width of 600 mm or more (con.):				
7225.50		Other, not further worked than cold-rolled (cold-reduced):				
7225.50.10		Of tool steel (other than high-speed steel)		10 18	Free (E,IL)	29%
				10.1%	7% (CA)	29%
	30 5 60 8	Of ball-bearing steel Other				
7225.50.60	00 0	Other: Of a thickness of 4.75 mm or				
		more	kg	5.8%	Free (E,IL) 4% (CA)	28%
		Of a thickness of less than 4.75 mm:			4% (CA)	
7225.50.70	00 8	Heat-resisting steel	kg	4.1%	Free (E,IL) 2.8% (CA)	29%
7225.50.80	00 6	Other	kg	4%	Free (E,IL) 2.8% (CA)	28%
7225.90.00	00 5	Other	kg	5.8%	2.8% (CA) Free (A,E,IL) 4% (CA)	28%
7226		Flat-rolled products of other alloy steel, of a width of less than 600 mm:				
7226.10 7226.10.10	00 9	Of silicon electrical steel: Of a width of 300 mm or more	kq	5.8%	Free (E,IL)	28%
7226.10.50		Of a width of less than 300 mm	-	7%	4% (CA) Free (E,IL)	33%
/220.10.50	20.4			/ 8	4.9% (CA)	558
	30 4	Of a thickness not exceeding 0.25 mm	kg			
7226.20.00	60 7 00 9	Of a thickness exceeding 0.25 mm Of high-speed steel		12.5%	Free (E,IL) 8.7% (CA)	37%
		Other:			0.78 (CA)	
7226.91		Not further worked than hot-rolled: Of tool steel (other than high-				
7226.91.05	00 8	speed steel): Of chipper knife steel	kg	Free		34%
7226.91.15		Other: Of a width of 300 mm or				
		more		9.6%	Free (E,IL) 6.7% (CA)	29%
	30 0	Of ball-bearing steel	l.a			
7226.91.25	60 3	Other Of a width of less than	kg			
		300 mm		11.6%	Free (E,IL) 8.1% (CA)	34%
	30 8	Of ball-bearing	l.a		0.10 (01)	
		steel	-			
	60 1	OtherOther.	kg			
7226.91.50	00 2	Of a thickness of 4.75 mm or more	ka	3.8%	Free (E,IL)	28%
			5		2.6% (CA)	
		Of a thickness of less than				
7226.91.70	00 8	4.75 mm: Of a width of 300 mm or				
		more	kg	9.5%	Free (E,IL) 6.6% (CA)	28%
7226.91.80	00 C	Of a width of less than			/	
/220.91.80	0 0	300 mm	kg	6.3%	Free (E,IL)	33%
					4.4% (CA)	

7226 (con.)	Flat-rolled products of other alloy steel, of a width of less than 600 mm (con.):				
7226.92	Other (con.): Not further worked than cold-rolled (cold-reduced):				
7226.92.10	Of tool steel (other than high- speed steel): Of a width of 300 mm or more		10.1%	Free (E,IL) 7% (CA)	0.4¢/kg +
299 30 4 60 7 7226.92.30	Of ball-bearing steel	kġ	10.6%	Free (E,IL)	34%
30 (60 2				7.4% (CA)	
7226.92.50 00 3		kg	4%	Free (E,IL) 2.8% (CA)	0.4¢/kg + 28%
7226.92.70 00 [′]	Of a width of less than 300 mm: Of a thickness not exceed- ing 0.25 mm	kg	5.1%	Free (E,IL) 3.5% (CA)	33%
7226.92.80 00 5	0 Of a thickness exceeding 0.25 mm	kg	6%	Free (E,IL)	33%
7226.99.00 00 5	5 Other	kg	6.3%	4.2% (CA) Free (E,IL) 4.4% (CA)	33%
7227	Bars and rods, hot-rolled, in irregularly wound coils, of other alloy steel:				
7227.10.00 00 0	5 1	-		Free (E,IL) 3.7% (CA)	14% 10%
7227.20.00 00 8	<pre>Of silico-manganese steel Other:</pre>	ку	4.3%	Free (E,IL) 3.1% (CA)	10.2
7227.90.10	Of tool steel (other than high-speed steel):				
30	Not tempered, not treated, and not partly manufactured		2.1%	Free (E,IL) 1.4% (CA)	12%
50 8 60 8 7227.90.20		kg	4.2%	Free (E,IL)	11%
30 3 60 6				2.9% (CA)	
7227.90.60 00 0			4.5%	Free (E,IL) 3.1% (CA)	10%
7228	Other bars and rods of other alloy steel; angles, shapes and sections, of other alloy steel; hollow drill bars and rods, of alloy or non- alloy steel:				
7228.10.00	Bars and rods, of high-speed steel		11.5%	Free (E,IL) 8% (CA)	32%
10 '	Cold-formed:	kg			
30 3	With a maximum cross-sectional dimension of less than 18 mm	kg			
60 6	With a maximum cross-sectional dimension of 18 mm or more	kg			

7228 (con.)	Other bars and rods of other alloy steel; angles, shapes and sections, of other alloy steel; hollow drill bars and rods, of alloy or non-				
7228.20	alloy steel (con.): Bars and rods, of silico-manganese steel:				
7228.20	Not cold-formed	kg	6%	Free (E,IL) 4.2% (CA)	28%
7228.20.50 00 6	Cold-formed	kg	7.5%	Free (E,IL) 5.2% (CA)	28%
7228.30	Other bars and rods, not further worked than hot-rolled, hot-drawn or extruded: Of tool steel (other than high-speed steel):				
7228.30.20 00 1	Of ball-bearing steel	kg	6.1%	Free (E,IL) 4.2% (CA)	29%
7228.30.40 00 7	Of chipper knife steel, not cold-formed	kg	Free		28%
7228.30.60 00 2	Other	kg	10.6%	Free (E,IL)	29%
7228.30.80 00 8	Other	kg	6%	7.4% (CA) Free (E,IL) 4.2% (CA)	28%
7228.40.00 00 3	Other bars and rods, not further worked				
	than forged	kg	6%	Free (E,IL) 4.2% (CA)	28%
7228.50	Other bars and rods, not further worked than cold-formed or cold-finished:				
7228.50.10	Of tool steel (other than high-speed steel)		10.6%	Free (E,IL)	29%
10 6	Of ball-bearing steel	kg		7.4% (CA)	
	With a maximum cross-sectional				
20 4	dimension of less than 18 mm: Of round or rectangular				
20 1	cross section with sur-				
	faces ground, milled or	1			
	polished	кg			
40 0	Other With a maximum cross-sectional	kg			
	dimension of 18 mm or more:				
60 5	Of round or rectangular				
	cross section with surf- aces ground, milled or				
	polished	kg			
80 1	0ther	ka			
7228.50.50 00 9	Other		7.5%	Free (E,IL)	28%
7228.60	Other bars and rods:			5.2% (CA)	
7228.60.10	Of tool steel (other than high-speed			_	
	steel)		10.6%	Free (E,IL) 7.4% (CA)	29%
30 0	Of ball-bearing steel				
60 3	Other	ку			
7228.60.60 00 5	Not cold-formed	kg	6%	Free (E,IL) 4.2% (CA)	28%
7228.60.80 00 1	Cold-formed	kg	7.5%	Free (E,IL) 5.2% (CA)	28%

7228 (con.)		Other bars and rods of other alloy steel; angles, shapes and sections, of other alloy steel; hollow drill bars and rods, of alloy or non- alloy steel (con.):				
7228.70 7228.70.30		Angles, shapes and sections: Hot-rolled, not drilled, not punched and not otherwise advanced		2.1%	Free (E,IL) 1.4% (CA)	10%
	20 6 40 2	With a maximum cross-sectional dimension of 76 mm or more: Angles Other With a maximum cross-sectional				
	60 7 80 3	dimension of less than 76 mm: Angles Other				
7228.70.60	00 3	Other	kg	5.3%	Free (E,IL) 3.7% (CA)	28%
7228.80.00	00 4	Hollow drill bars and rods	kg	5.7%	Free (E,IL) 3.9% (CA)	30%
7229		Wire of other alloy steel:				
7229.10.00	00 8	Of high-speed steel	kg	10%	Free (E,IL) 7% (CA)	37%
7229.20.00	00 6	Of silico-manganese steel	kg	9%	Free (E,IL) 6.3% (CA)	33%
7229.90 7229.90.10	00 9	Other: Flat wire	ka	5.8%	Free (E,IL)	33%
	00 9		5	5.0%	4% (CA)	22%
7229.90.50		Round wire		9%	Free (E,IL) 6.3% (CA)	33%
	15 3	With a diameter of less than 1.0 mm	kg			
	30 4	With a diameter of 1.0 mm or more but less than 1.5 mm	kg			
7229.90.90	50 9 00 2	With a diameter of 1.5 mm or more Other wire		6.2%	Free (E,IL) 4.3% (CA)	33%