CHAPTER 73

ARTICLES OF IRON OR STEEL

XV 73-1

Notes

- In this chapter the expression "cast iron" applies to products obtained by casting in which iron predominates by weight over each of the other elements and which do not comply with the chemical composition of steel as defined in Note 1(d) to chapter 72.
- 2. In this chapter the word "wire" means hot- or cold-formed products of any cross-sectional shape, of which no cross-sectional dimension exceeds 16 mm.

Additional U.S. Notes

- For the purposes of heading 7304 or 7306, the rate of duty "Free (C)" appearing in the "Special" subcolumn applies only to tubes and pipes with attached fittings, suitable for conducting gases or liquids.
- 2. For the purposes of subheading 7307.19.30, the expression "ductile fittings" refers to fittings which contain over 2.5 percent carbon and over 0.02 percent of magnesium or of magnesium and cerium, by weight.

7301		Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel:					
7301.10.00	00 9	Sheet piling	kg	0.8%	Free	(E,IL,J) (CA)	2%
7301.20 7301.20.10	00 5	Angles, shapes and sections: Of iron or nonalloy steel	kg	2.8%	Free 1.4%	(E,IL,J)	20%
7301.20.50	00 6	Of alloy steel	kg	3.9%		(E, IL, J)	28%
7302.10		Railway or tramway track construction material of iron or steel, the following: rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers (cross-ties), fish-plates, chairs, chair wedges, sole plates (base plates), rail clips, bedplates, ties and other material specialized for jointing or fixing rails: Rails:					
7302.10.10		Of iron or nonalloy steel		0.3%	Free	(E,IL,J) (CA)	1%
	10 4	New: Not heat treated: Standard tee rails over 30 kg per meter	kg				
	15 9	Other: Over 30 kg per meter	kg				
	25 7	Other Heat treated:	kg				
	35 5	Standard tee rails over 30 kg per meter	kg				
	45 3	Other: Over 30 kg per meter	kg				
	55 0	Other Used:	kg				
7302.10.50	65 8 75 6	Railway rails for rerolling Other Of alloy steel	kg	3.5%	Free	(E,IL,J)	9%
	20 3	New Used:	kg			(,	
	40 9 60 4	Railway rails for rerolling Other					
7302.20.00	00 6	Sleepers (cross-ties)	kg	0.9%	Free	(E,IL,J) (CA)	2%
7302.30.00	00 4	Switch blades, crossing frogs, point rods and other crossing pieces	kg	5.7%		(A,CA,E,IL,J)	45%
7302.40.00	00 2	Fish-plates and sole plates	kg	0.9%	Free	(E,IL,J) (CA)	2%
7302.90.00	00 1	Other	kg	5.7%	Free	(A,CA,E,IL,J)	45%
7303.00.00		Tubes, pipes and hollow profiles, of cast iron		6.5%	Free	(A,E,IL,J) (CA)	33%
	30 3 60 6	Soil pipe Pressure pipe with an inside diameter of less than 356 mm					
	90 0	Other	kg				

7304		Tubes, pipes and hollow profiles, seamless, of				
7304.10		iron (other than cast iron) or steel: Line pipe of a kind used for oil or gas				
7304.10.10		pipelines: Of iron or nonalloy steel		8%	Free (E,IL,J) 4% (CA)	25%
	20 0	Having an outside diameter not exceeding 114.3 mm	kg		10 (CII)	
	30 8	Having an outside diameter exceeding 114.3 mm but less than 215.9 mm	kg			
		Having an outside diameter of 215.9 mm or more but not exceeding 406.4 mm:				
	45 1	Having a wall thickness less than 12.7 mm	kg			
	60 1	Having a wall thickness of 12.7 mm or more	kg			
	80 7	Having an outside diameter exceeding 406.4 mm	kg			
7304.10.50		Of alloy steel		7.5%	Free (E,IL,J) 3.7% (CA)	35%
	20 1	Having an outside diameter not exceeding 114.3 mm	kg		3176 (021)	
	50 4	Having an outside diameter exceeding 114.3 mm but not exceeding 406.4 mm	kg			
7304.20	80 8	Having an outside diameter exceeding 406.4 mm	kg			
7304.20.10		Casing: Of iron or nonalloy steel: Threaded or coupled		6%	Free (E,IL,J)	20%
	10 0	Having an outside diameter less than 215.9 mm: Having a wall thick- ness less than 12.7 mm	kg		3% (CA)	
	20 8	Having a wall thick- ness of 12.7 mm or more	kg			
	30 6	Having an outside diameter of 215.9 mm or more but not exceeding 285.8 mm: Having a wall thick-				
		ness Tess than 12.7 mm	kg			
	40 4	Having a wall thick- ness of 12.7 mm or more	kg			
	50 1	Having an outside diameter exceeding 285.8 mm but not exceeding 406.4 mm: Having a wall thickness less than 12.7 mm	kg			
	60 9	Having a wall thick- ness of 12.7 mm or more	kg			
	80 5	Having an outside diameter exceeding 406.4 mm	_			

7304 (con.)		Tubes, pipes and hollow profiles, seamless, of				
7304.20 (con.)		<pre>iron (other than cast iron) or steel (con.): Casing, tubing and drill pipe, of a kind used in drilling for oil or gas (con.): Casing (con.):</pre>				
7304.20.20		Of iron or nonalloy steel (con.): Other		0.5%		L%
	10 8	Having an outside diameter less than 215.9 mm: Having a wall thick- ness less than 12.7 mm	kg		0.2% (CA)	
	20 6	Having a wall thickness of 12.7 mm or more Having an outside diameter of 215.9 mm or more but not exceeding 285.8 mm:	kg			
	30 4	Having a wall thick- ness less than 12.7 mm	kg			
	40 2	Having a wall thick- ness of 12.7 mm or more	kg			
	50 9	Having an outside diameter exceeding 285.8 mm but not exceeding 406.4 mm: Having a wall thick- ness less than				
	60 7	12.7 mm	кg			
	00 7	ness of 12.7 mm or more	kg			
	80 3	Having an outside diameter exceeding 406.4 mm	kg			
7304.20.30		Of alloy steel: Threaded or coupled		6.2%	Free (E,IL,J) 2 3.1% (CA)	28%
	10 6	Having an outside diameter less than 215.9 mm: Having a wall thick- ness less than 12.7 mm	kg			
	20 4	Having a wall thick- ness of 12.7 mm or more Having an outside diameter	kg			
	30 2	of 215.9 mm or more but not exceeding 285.8 mm: Having a wall thick- ness less than	le or			
	40 0	12.7 mm Having a wall thickness of 12.7 mm or more				
	50 7	Having an outside diameter exceeding 285.8 mm but not exceeding 406.4 mm: Having a wall thickness less than 12.7 mm				
	60 5	Having a wall thick- ness of 12.7 mm or	,			
	80 1	more Having an outside diameter exceeding 406.4 mm				

from (other than cast iron) or steel (con.): casing, tubing and drill pipe, of a kind used in drilling for oil or gas (con.): Casing, tubing and drilling for oil or gas (con.): Casing, tubing and drilling for oil or gas (con.): Casing, tubing and outside diameter case of the con.): Taylog an outside diameter case of the case of	7304 (con.)	Tubes, pipes and hollow profiles, seamless, of				
Other		Casing, tubing and drill pipe, of a kind used in drilling for oil or gas (con.):				
Having an outside diameter less than 215.9 mm Raving a wall thickness less chan 12.7 mm kg	F204 00 40	Of alloy steel (con.):		2 20	D. (D. II. I)	0.50
less than 215.9 mm; Having a wall thickness less than 12.7 mm	/304.20.40			3.3%		8.5%
Ress of 12.7 mm or more	10 4	less than 215.9 mm: Having a wall thick- ness less than	kg			
not exceeding 285.8 mm:	20 2	ness of 12.7 mm or more Having an outside diameter	kg			
Ness of 12.7 mm or more	30 0	not exceeding 285.8 mm: Having a wall thick- ness less than	kg			
exceeding 406.4 mm:	40 8	ness of 12.7 mm or more Having an outside diameter	kg			
Ness of 12.7 mm or	50 5	exceeding 406.4 mm: Having a wall thick- ness less than	kg			
Having an outside diameter exceeding 406.4 mm kg Tubing: Tubing: Of iron or nonalloy steel	60 3	ness of 12.7 mm or				
7304.20.50 Of iron or nonalloy steel	80 9	Having an outside diameter exceeding 406.4 mm	3			
Having an outside diameter not exceeding 114.3 mm: Having a wall thickness not exceeding 9.5 mm kg Having a wall thickness exceeding 9.5 mm kg Having an outside diameter exceeding 114.3 mm but less than 215.9 mm kg Having an outside diameter of 215.9 mm or more but not exceeding 406.4 mm kg Having an outside diameter	7304.20.50	3 ,		8%		25%
Having a wall thickness exceeding 9.5 mm kg Having an outside diameter exceeding 114.3 mm but less than 215.9 mm kg Having an outside diameter of 215.9 mm or more but not exceeding 406.4 mm kg Having an outside diameter	15 6	exceeding 114.3 mm: Having a wall thickness	ka		10 (CA)	
Having an outside diameter exceeding 114.3 mm but less than 215.9 mm	30 7	Having a wall thickness				
215.9 mm or more but not exceeding 406.4 mm kg 75 3 Having an outside diameter	45 0	Having an outside diameter exceeding 114.3 mm but less				
	60 0	215.9 mm or more but not ex-	kg			
	75 3		kg			

7304 (con.) 7304.20 (con.)	Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel (con.): Casing, tubing and drill pipe, of a kind used in drilling for oil or gas (con.):				
7304.20.60	Tubing (con.) Of alloy steel		7.5%	Free (E,IL,J) 3.7% (CA)	35%
15 4	Having an outside diameter not exceeding 114.3 mm: Having a wall thickness not exceeding 9.5 mm	ka		3.76 (CA)	
30 5	Having a wall thickness	5			
45 8	exceeding 9.5 mm Having an outside diameter exceeding 114.3 mm but less				
	than 215.9 mm	kg			
60 8	Having an outside diameter of 215.9 mm or more but not exceeding 406.4 mm	kg			
75 1	Having an outside diameter exceeding 406.4 mm	kg			
7304.20.70 00 9	Drill pipe: Of iron or nonalloy steel	kg	8%		25%
7304.20.80	Of alloy steel		7.5%	4% (CA) Free (E,IL,J) 3.7% (CA)	35%
	Having an outside diameter not exceeding 168.3 mm:			5.76 (CH)	
30 1	Having a wall thickness not exceeding 9.5 mm	kg			
45 4	Having a wall thickness exceeding 9.5 mm	ka			
60 4	Having an outside diameter exceeding 168.3 mm				
	Other, of circular cross section, of iron or nonalloy steel:	1.9			
7304.31	Cold-drawn or cold-rolled (cold-reduced):				
7304.31.30 00 5	Hollow bars	kg	6.2%	Free (E,IL,J) 3.1% (CA)	22%
7304.31.60	Other		8%	Free (C <u>1</u> /,E,IL,J) 4% (CA)	25%
10 6	Suitable for use in boilers, superheaters, heat exchangers, condensers, refining furnaces			, ,	
	and feedwater heaters				
50 7	Other	kg			

7304 (con.)		Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel (con.): Other, of circular cross section, of iron or			
7304.39.00		nonalloy steel (con.): Other		8%	Free (C <u>1</u> /,E,IL,J) 25% 4% (CA)
	02 1	Suitable for use in boilers, superheaters, heat exchangers, condensers, refining furnaces and feedwater heaters: Having an outside diameter less than 38.1 mm	ka		10 (01)
	04 9	Having an outside diameter of	và		
	04 9	38.1 mm or more but less than 190.5 mm	kg		
	06 7	Having an outside diameter of 190.5 mm or more but not exceeding 285.8 mm	kg		
	08 5	Having an outside diameter exceeding 285.8 mm	kg		
	16 5	Galvanized, having an outside diameter not exceeding 114.3 mm	kg		
	20 9	Other: Having an outside diameter less than 38.1 mm	kg		
	24 5	Having an outside diameter of 38.1 mm or more but not exceeding 114.3 mm: Having a wall thickness less than 6.4 mm	kq		
	28 1	Having a wall thick- ness of 6.4 mm or	5		
		more but not exceed- ing 12.7 mm	kg		
	32 5	Having a wall thick- ness exceeding 12.7 mm Having an outside diameter exceeding 114.3 mm but less than 190.5 mm:	kg		
	36 1	Having a wall thick- ness less than 12.7 mm	kg		
	40 5	Having a wall thickness of 12.7 mm or more but less than 19 mm	kg		
	44 1	Having a wall thick- ness of 19 mm or more	kg		

7304 (con.)	Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel (con.):		
7304.39.00 (con.)	Other, of circular cross section, of iron or nonalloy steel (con.): Other (con.) Other (con.):		
	Other (con.): Having an outside diameter		
48 7	of 190.5 mm or more but not exceeding 285.8 mm: Having a wall thickness less than 12.7 mm	kg	
52 0	Having a wall thick- ness of 12.7 mm or more but less than		
	19 mm	kg	
56 6	Having a wall thick- ness of 19 mm or more Having an outside diameter	kg	
62 8	exceeding 285.8 mm but not exceeding 406.4 mm: Having a wall thickness less than 12.7 mm	kg	
68 2	Having a wall thick- ness of 12.7 mm or more but less than 19 mm	kg	
72 6	Having a wall thick- ness of 19 mm or more	kg	
76 2	Having an outside diameter exceeding 406.4 mm: Having a wall thickness less than 19 mm	kg	
80 6	Having a wall thick- ness of 19 mm or more	kq	
	Other, of circular cross section, of stain- less steel:	5	
7304.41.00	Cold-drawn or cold-rolled (cold-reduced)	7.6%	Free (C 1/,E,IL,J) 36%
05 4	Of high-nickel alloy steel		3.8% (CA)
15 2	Other: Suitable for use in boilers, superheaters, heat exchangers,	5	
	condensers, refining furnaces and feedwater heaters	kg	
45 6	Other	kg	

 $\underline{1}/$ See additional U.S. note 1.

7304 (con.)	Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel (con.): Other, of circular cross section, of stainless steel (con.):			
7304.49.00	Other		7.6%	Free (C $\frac{1}{2}$ /, E, IL, J) 36%
05 6	Of high-nickel alloy steel	kg		3.8% (CA)
15 4	Other: Hollow bars	kg		
45 8	Other: Suitable for use in			
	boilers, superheaters, heat exchangers, con-			
	densers, refining furnaces and feedwater heaters	kg		
60 8	Other	kg		
F2.0.4 F1	Other, of circular cross section, of other alloy steel:			
7304.51	Cold-drawn or cold-rolled (cold-reduced):			
7304.51.10 00 4	Suitable for use in the manu- facture of ball or roller bearings	kg	6.8%	Free (E,IL,J) 34% 3.4% (CA)
7304.51.50	Other		7.5%	Free (C <u>1</u> /,E,IL,J) 35% 3.7% (CA)
05 0	Of high-nickel alloy steel Other:	kg		
	Suitable for use in boilers, superheaters,			
	heat exchangers, con- densers, refining furnaces			
15 8	and feedwater heaters: Of heat resisting			
	steel			
45 2 60 2	Other			
7304.59 7304.59.10 00 6	Other: Suitable for use in the manufacture of ball or roller bearings	kg	6.8%	Free (E,IL,J) 34% 3.4% (CA)
7304.59.20	Other: Suitable for use in boilers,			3.10 (011)
	superheaters, heat exchangers, condensers, refining furnaces			
	and feedwater heaters		7.5%	Free (C $\frac{1}{2}$ /,E,IL,J) 35% 3.7% (CA)
30 8	Of heat resisting steel Other:	kg		
40 6	Having an outside diameter less than			
	38.1 mm	kg		
45 1	Having an outside diameter of 38.1 mm			
	or more but not exceeding 114.3 mm	kg		
55 8	Having an outside			
	diameter exceeding 114.3 mm but less			
	than 190.5 mm	kg		
60 1	Having an outside diameter of 190.5 mm or more but not ex-			
	ceeding 285.8 mm	kg		
70 9	Having an outside diameter exceeding			
	285.8 mm but not exceeding 406.4 mm	kg		
80 7	Having an outside			
	diameter exceeding 406.4 mm	kg		

7304 (con.)	Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel (con.): Other, of circular cross section, of other alloy steel (con.):			
7304.59 (con.)	Other (con.): Other (con.): Other:			
7304.59.60 00 5	Of heat-resisting steel	kg	7.6%	Free (C <u>1</u> /,E,IL,J) 36% 3.8% (CA)
7304.59.80	Other		7.5%	Free (C <u>1</u> /,E,IL,J) 35% 3.7% (CA)
10 9	Having an outside diameter less than 38.1 mm	lea		
	30.1 !!!!!	kg		
	Having an outside diameter of 38.1 mm			
	or more but not ex- ceeding 114.3 mm:			
15 4	Having a wall			
	thickness less than 6.4 mm	ka		
	CHAIL O. I MM	ng.		
20 7	Having a wall thickness of			
	6.4 mm or more			
	but not exceed-			
	ing 12.7 mm	kg		
25 2	Having a wall			
	thickness			
	exceeding 12.7 mm	kq		
	Having an outside	119		
	diameter exceeding			
	114.3 mm but less than 190.5 mm:			
30 5	Having a wall			
	thickness less	,		
	than 12.7 mm	kg		
35 0	Having a wall			
	thickness of 12.7 mm or more			
	but less than			
	19 mm	kg		
40 3	Having a wall			
	thickness of	1		
	19 mm or more	кg		

7304 (con.)	Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel (con.): Other, of circular cross section, of other			
7304.59 (con.)	<pre>alloy steel (con.): Other (con.): Other (con.): Other (con.):</pre>			
7304.59.80 (con.)	Other (con.) Having an outside diameter of 190.5 mm or more but not ex- ceeding 285.8 mm:			
45 8	Having a wall thickness less than 12.7 mm	kg		
50 0	Having a wall thickness of 12.7 mm or more but less than 19 mm	kg		
55 5	Having a wall thickness of 19 mm or more Having an outside	kg		
60 8	diameter exceeding 285.8 mm but not ex- ceeding 406.4 mm: Having a wall thickness less than 12.7 mm	kg		
65 3	Having a wall thickness of 12.7 mm or more but less than 19 mm	kg		
70 6	Having a wall thickness of	,		
80 4	19 mm or more Having an outside diameter exceeding 406.4 mm			
7304.90	Other:	va		
7304.90.10 00 7	Having a wall thickness of 4 mm or more: Of iron or nonalloy steel	kg	0.5%	Free (C <u>1</u> /,E,IL,J) 1% 0.2% (CA)
7304.90.30 00 3	Of alloy steel	kg	3.3%	Free (C <u>1</u> /,E,IL,J) 8.5% 1.6% (CA)
	Having a wall thickness of less than			1.00 (61)
7304.90.50 00 8	4 mm: Of iron or nonalloy steel	kg	8%	Free (C <u>1</u> /,E,IL,J) 25%
7304.90.70 00 4	Of alloy steel	kg	7.5%	4% (CA) Free (C <u>1</u> /,E,IL,J) 35% 3.7% (CA)

 $[\]underline{1}/$ See additional U.S. note 1.

7305	Other tubes and pipes (for example, welded, riveted or similarly closed), having internal and external circular cross sections, the external diameter of which exceeds 406.4 mm, of iron or steel: Line pipe of a kind used for oil or gas					
7305.11 7305.11.10	<pre>pipelines: Longitudinally submerged arc welded:</pre>		1.9%		(E, IL, J)	5.5%
30 6	With an external diameter exceeding 406.4 mm but not exceeding 609.6 mm	kg		0.9%	(CA)	
60 9 7305.11.50 00 3	With an external diameter exceeding 609.6 mm	kg kg	4.9%	Free 2.4%	(E,IL,J) (CA)	10%
7305.12 7305.12.10	Other, longitudinally welded: Of iron or nonalloy steel		1.9%	Free	(E,IL,J) (CA)	5.5%
30 5	With an external diameter exceeding 406.4 mm but not exceeding 609.6 mm	kg		0.50	(C11)	
60 8 7305.12.50 00 2	With an external diameter exceeding 609.6 mm		4.9%	Free 2.4%	(E,IL,J) (CA)	10%
7305.19 7305.19.10	Other: Of iron or nonalloy steel		1.9%	Free 0.9%	(E,IL,J)	5.5%
30 8	With an external diameter exceeding 406.4 mm but not exceeding 609.6 mm	kg		0.30	(011)	
60 1 7305.19.50 00 5	With an external diameter exceeding 609.6 mm		4.9%		(E,IL,J)	10%
7305.20	Casing of a kind used in drilling for oil or gas:			2.4%	(CA)	
7305.20.20 00 9	Of iron or nonalloy steel: Threaded or coupled	kg	6%	Free 3% (((E,IL,J)	20%
7305.20.40 00 5	Other	kg	0.5%		(E, IL, J)	1%
7305.20.60 00 0	Of alloy steel: Threaded or coupled	kg	6.2%		(E,IL,J) (CA)	28%
7305.20.80 00 6	Other	kg	3.3%		(E, IL, J)	8.5%
7305.31 7305.31.20 00 6	Other, welded: Longitudinally welded: Tapered pipes and tubes of steel principally used as parts of il-	le ce	7.6%	Ewoo	(A,E,IL,J)	45%
	<pre>luminating articles Other:</pre>	ку	7.00	3.8%		45%
7305.31.40 00 2	Of allow steel	_	1.9%	0.9%	(E,IL,J) (CA)	5.5%
7305.31.60 00 7 7305.39	Of alloy steel	кд	4.9%	2.4%	(E,IL,J) (CA)	10%
7305.39.10 00 0	Of iron or nonalloy steel	_	1.9%	0.9%	(E,IL,J) (CA)	5.5%
7305.39.50 00 1 7305.90	Of alloy steel	kg	4.9%	Free 2.4%	(E,IL,J) (CA)	10%
7305.90	Of iron or nonalloy steel	kg	1.9%		(E,IL,J) (CA)	5.5%
7305.90.50 00 7	Of alloy steel	kg	4.9%		(E, IL, J)	10%

7306		Other tubes, pipes and hollow profiles (for example, open seamed or welded, riveted or					
7306.10		similarly closed), of iron or steel: Line pipe of a kind used for oil or					
7306.10.10		gas pipelines: Of iron or nonalloy steel		1.9%		(E,IL,J) (CA)	5.5%
	10 0	With an outside diameter not exceeding 114.3 mm	kg		0.9%	(CA)	
7306.10.50	50 1	With an outside diameter exceeding 114.3 mm		4.9%		(E, IL, J)	10%
	10 1	With an outside diameter not exceeding 114.3 mm	kg		2.4%	(CA)	
7306.20	50 2	With an outside diameter exceeding 114.3 mm	kg				
7306.20.10		Of iron or nonalloy steel: Threaded or coupled		6%	Free 3% ((E,IL,J)	20%
7306.20.20	30 4 90 1 00 8	Imported with coupling Other Other	kg	0.5%	Free	(E,IL,J) (CA)	1%
7306.20.30	00 6	Of alloy steel:	le or	6.2%			28%
7306.20.30		Threaded or coupled	_		3.1%	(E, IL, J) (CA)	8.5%
7306.20.40	00 4	Other	ку	3.3%		(E,IL,J) (CA)	0.5%
7306.20.60		Tubing: Of iron or nonalloy steel		1.9%		(E,IL,J) (CA)	5.5%
7306.20.80	10 7 50 8	Imported with coupling Other Of alloy steel	kg	4.9%	Free	(E,IL,J)	10%
7306.30	10 3 50 4	Imported with coupling Other, welded, of circular cross section, of			2.4%	(CA)	
7306.30.10	00 8	iron or nonalloy steel: Having a wall thickness of less than 1.65 mm	kg	8%	Free 4% ((C <u>1</u> /,E,IL,J) CA)	25%
7306.30.30	00 4	Having a wall thickness of 1.65 mm or more: Tapered steel pipes and tubes principally used as parts of illuminating articles	kg	7.6%	Free	(A,E,IL,J)	45%
		3	<u> </u>			(CA)	

 $[\]underline{1}/$ See additional U.S. note 1.

7306 (con.)		Other tubes, pipes and hollow profiles (for example, open seamed or welded, riveted or similarly closed), of iron or steel (con.):			
7306.30 (con.)		Other, welded, of circular cross section, of iron or nonalloy steel (con.): Having a wall thickness of 1.65 mm or more (con.):			
7306.30.50		Other		1.9%	Free (C <u>1</u> /,E,IL,J) 5.5% 0.9% (CA)
	10 7	Suitable for use in boilers, superheaters, heat exchangers, condensers, refining furnaces and feedwater heaters, whether or not cold drawn	kg		3133 (417)
	15 2	Other, cold-drawn	kg		
	20 5	Other, cold-rolled (cold-reduced) with a wall thickness not exceeding 2.54 mm	kg		
		Other: With an outside diameter not exceeding 114.3 mm: Galvanized:			
	25 0	Imported with coupling	kg		
	28 7	Internally coated or lined with a non-electrically insulating material, suitable for use as electrical con-			
		duit	kg		
	32 1	Other:Other:	kg		
	35 8	Tube and pipe hollows for redrawing	kg		
	40 1	Other, imported with coupling	kg		
	55 3	Other With an outside diameter exceeding 114.3 mm but not	kg		
	85 7	exceeding 406.4 mm: Galvanized	kg		
7306.40	90 0	Other, welded, of circular cross section, of	kg		
7306.40.10	00 6	stainless steel: Having a wall thickness of less than 1.65 mm	kg	7.6%	Free (C <u>1</u> /,E,IL,J) 36% 3.8% (CA)

7306 (con.) 7306.40 (con.) 7306.40.50	Other tubes, pipes and hollow profiles (for example, open seamed or welded, riveted or similarly closed), of iron or steel (con.): Other, welded, of circular cross section, of stainless steel (con.): Having a wall thickness of 1.65 mm or			
	more		5%	Free (C <u>1</u> /,E,IL,J) 11% 2.5% (CA)
05 2	Of high-nickel alloy steel Other:	kg		
15 0	Suitable for use in boilers, superheaters, heat exchangers, condensers, refining furnaces and feedwater heaters, whether or not cold-drawn	kg		
45 4	Other, cold-drawn or cold-rolled (cold-reduced)	kg		
	Other:			
60 4	With an outside diameter not exceeding 114.3 mm	kg		
75 7	With an outside diameter exceeding 114.3 mm but not exceeding 406.4 mm	kg		
7306.50	Other, welded, of circular cross section, of other alloy steel:			
7306.50.10 00 3	Having a wall thickness of less than	1		Date (C. 1 / D. T. T.) 359
	1.65 mm	кд	7.5%	Free (C <u>1</u> /,E,IL,J) 35% 3.7% (CA)
	Having a wall thickness of 1.65 mm or			
7306.50.30 00 9	more: Tapered pipes and tubes of steel principally used as parts of illu-			
	minating articles	kg	7.6%	Free (A,E,IL,J) 45% 3.8% (CA)
7306.50.50	Other		4.9%	Free (C <u>1</u> /,E,IL,J) 10% 2.4% (CA)
10 2	Suitable for use in boilers, superheaters, heat exchangers, condensers, refining furnaces and feedwater heaters, whether or not cold-drawn	kg		
30 8	Other, cold-drawn or cold-rolled (cold-reduced)	kg		
	Other:			
50 3	With an outside diameter not exceeding 114.3 mm	kg		
70 9	With an outside diameter exceeding 114.3 mm but not	,		
7306.60	exceeding 406.4 mm Other, welded, of noncircular cross section:	кд		
7306.60.10 00 1	Having a wall thickness of 4 mm or more: Of iron or nonalloy steel	kg	0.5%	Free (C <u>1</u> /,E,IL,J) 1% 0.2% (CA)
7306.60.30 00 7	Of alloy steel	kg	4.5%	Free (C <u>1</u> /,E,IL,J) 28%
	Having a wall thickness of less than 4 mm:			2.2% (CA)
7306.60.50 00 2	Of iron or nonalloy steel	kg	8%	Free (C <u>1</u> /,E,IL,J) 25%
7306.60.70 00 8	Of alloy steel	kg	7.5%	4% (CA) Free (C <u>1</u> /,E,IL,J) 35% 3.7% (CA)

 $[\]underline{1}/$ See additional U.S. note 1.

7306 (con.)		Other tubes, pipes and hollow profiles (for example, open seamed or welded, riveted or similarly closed), of iron or steel (con.):			
7306.90 7306.90.10	00 5	Other: Of iron or nonalloy steel	kg	1.9%	Free (E,IL,J) 5.5% 0.9% (CA)
7306.90.50	00 6	Of alloy steel	kg	4.9%	Free (E,IL,J) 10% 2.4% (CA)
7307		Tube or pipe fittings (for example, couplings, elbows, sleeves), of iron or steel: Cast fittings:			
7307.11.00		Of nonmalleable cast iron		4.8%	Free (A,E,IL,J) 25% 2.4% (CA)
	30 6	For threaded pipe	kg		2.10 (611)
	45 9 60 9	For cast-iron soil pipe			
7307.19 7307.19.30		Other: Ductile fittings		6.2%	Free (A,E,IL,J) 45% 3.1% (CA)
	40 0	Grooved-end fittings (including grooved couplings)	kg		3110 (611)
	60 5	Other: Threaded	le cr		
	80 1	Other	kg		_ ()
7307.19.90		Other		6.2%	Free (E,IL,J) 45% 3.1% (CA)
	30 9	Unions Other:	kg		
	40 7	Grooved-end fittings (in- cluding grooved coup- lings)	kq		
		Other:	J		
	60 2 80 8	Threaded Other, of stainless steel:			
7307.21 7307.21.10	00 8	Flanges: Not machined, not tooled and not			
		otherwise processed after forging	kg	4.1%	Free (A,E,IL,J) 34% 2% (CA)
7307.21.50	00 9	Other	kg	6.2%	Free (A*,B,E,IL,J) 45% 3.1% (CA)
7307.22 7307.22.10	00 7	Threaded elbows, bends and sleeves: Sleeves (couplings)	ka	6.2%	Free (A,B,E,IL,J) 45%
7307.22.50		Other	•	6.2%	3.1% (CA) Free (A,B,E,IL,J) 45%
					3.1% (CA)
7307.23.00	00 8	Butt welding fittings		6.2%	Free (A,B,E,IL,J) 45% 3.1% (CA)
7307.29.00		Other		6.2%	Free (A,B,E,IL,J) 45% 3.1% (CA)
	30 6 90 3	Nipples. Other. Other:			
7307.91		Flanges: Not machined, not tooled and not			
7307.91.10	00 3	otherwise processed after forging: Of iron or nonalloy steel	kg	4.2%	Free (A,E,IL,J) 25% 2.1% (CA) 1/
7307.91.30	00 9	Of alloy steel (except stain-	1	4.0	_
		less steel)	кд	4%	Free (A,E,IL,J) 33% 2% (CA) <u>1</u> /

^{1/} Equipment, originating in the territory of Canada, intended for use in the repair or maintenance of certain motor vehicles subject to accelerated staged rate reductions. See subheading 9905.00.00.

7307 (con.)		Tube or pipe fittings (for example couplings, elbows, sleeves), of iron or steel (con.): Other (con.):			
7307.91 (con.)		Flanges (con.):			
7307.91.50		Other		6.2%	Free (A*,B,E,IL,J) 45% 3.1% (CA) 1/
		With an inside diameter of less than 360 mm:			
	10 2	Of iron or nonalloy			
		steel	kg		
	30 8	Of alloy steel (except			
		stainless steel) With an inside diameter of	kg		
		360 mm or more:			
	50 3	Of iron or nonalloy			
		steel	kg		
	70 9	Of alloy steel (except			
7307.92		stainless steel) Threaded elbows, bends and sleeves:	kg		
7307.92.30		Sleeves (couplings)		6 2%	Free (A,B,E,IL,J) 45%
7507.52.50				0.20	3.1% (CA) <u>1</u> /
	10 6 30 2	Of iron or nonalloy steel Of alloy steel (except stain-	kg		
	30 2	less)	ka		
			5		
7307.92.90	00 5	Other	kg	6.2%	Free (A,B,E,IL,J) 45% 3.1% (CA) <u>1</u> /
7307.93		Butt welding fittings:			
		With an inside diameter of less than			
7207 02 20	00 7	360 mm:	1	6.00	E (D E II I) 45%
7307.93.30	00 /	Of iron or nonalloy steel	кд	6.26	Free (B,E,IL,J) 45% 3.1% (CA)
7307.93.60	00 0	Of alloy steel (except stain-			
		less steel)	kg	6.2%	Free (A,B,E,IL,J) 45%
7307.93.90		With an inside diameter of 360 mm			3.1% (CA)
		or more		6.2%	Free (A,B,E,IL,J) 45%
	20.0	05 inco on manallan abaal	1		3.1% (CA)
	30 8 60 1	Of iron or nonalloy steel Of alloy steel (except stain-	кg		
	00 1	less steel)	kg		
		0.1			
7307.99		Other: Not machined, not tooled and not			
		otherwise processed after forging:			
7307.99.10	00 5	Of iron or nonalloy steel	kg	4.2%	Free (A,E,IL,J) 25%
E20E 00 20	00 1	06 -11			2.1% (CA) <u>1</u> /
7307.99.30	00 1	Of alloy steel (except stain- less steel)	ka	4%	Free (A,E,IL,J) 33%
		TODD DECCT,	g	10	2% (CA) 1/
7307.99.50		Other		6.2%	Free (A,B,E,IL,J) 45% 3.1% (CA) <u>1</u> /
		Of iron or nonalloy steel:			J.10 (CA) 1/
	15 9	Nipples			
	45 3	Other	kg		
	60 3	Of alloy steel (except stain- less steel)	ka		
		1000 00001/	17.2		

^{1/} Equipment, originating in the territory of Canada, intended for use in the repair or maintenance of certain motor vehicles subject to accelerated staged rate reductions. See subheading 9905.00.00.

7308		Structures (excluding prefabricated buildings of heading 9406) and parts of structures (for example, bridges and bridge sections, lock gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns) of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel:						
7308.10.00	00 2	Bridges and bridge sections	kg		5.7%	Free 2.8%	(A,E,IL,J)	45%
7308.20.00	00 0	Towers and lattice masts	kg		5.7%		(A,E,IL,J)	45%
7308.30		Doors, windows and their frames and thresholds for doors:				2.0%	(CA)	
7308.30.10	00 6	Of stainless steel	kg		3.4%	Free	(A,E,IL,J)	35%
7308.30.50		Other			2.4%		(A,E,IL,J)	25%
2	15 0 25 8 50 6 00 6	Windows and their frames Thresholds for doors Other Props and similar equipment for scaffolding,	kg			1.20	(CII)	
		shuttering or pit-propping	kg		5.7%	Free 2.8%	(A,E,IL,J) (CA)	45%
7308.90		Other: Columns, pillars, posts, beams, girders and similar structural units:						
7308.90.30	00 9	Not in part of alloy steel	kg		2.8%	Free 1.4%	(E,IL,J)	20%
7308.90.60	00 2	Other	kg		3.9%		(E,IL,J)	30%
7308.90.90		Other			5.7%		(A,E,IL,J)	45%
3	30 0	Sheet-metal roofing, siding, flooring and roof drainage equipment	kg				(/	
4	60 3	Other: Architectural and ornamental						
	00 5	work	kg					
9	90 7	Other	kg					
7309.00.00		Reservoirs, tanks, vats and similar containers for any material (other than compressed or liquefied gas), of iron or steel, of a capacity exceeding 300 liters, whether or not lined or heat insulated, but not fitted with mechanical or						
		thermal equipment			2.6%	Free 1.3%	(A,E,IL,J)	45%
3	30 7	Tanks	No. ka	v			7	
9	90 4	Other		v				

7310		Tanks, casks, drums, cans, boxes and similar containers, for any material (other than compressed or liquefied gas), of iron or steel, of a capacity not exceeding 300 liters, whether or not lined or heat insulated, but not fitted with mechanical or thermal equipment:					
7310.10.00	10 6	Of a capacity of 50 liters or more	No. v kg	Free			25%
7310.21.00	50 7	Other Of a capacity of less than 50 liters: Cans which are to be closed by soldering or crimping		Free			25%
	25 6	Containers, of circular cross section, of a volume capacity between 11.4 liters and 26.6 liters, of a kind used for the conveyance of goods					
	50 4	Other	No.				
7310.29.00	25 8	Other		Free			25%
	50 6	Other	No.				
7311.00.00		Containers for compressed or liquefied gas, of iron or steel		5%	Free (A,E,IL,J)	25%
		Certified prior to exportation to have been made in accordance with the safety requirements of sections 178.36 through 178.68 of title 49 CFR or under a specific exemption to those requirements:			2.5% (CA)	
	30 3	Seamless steel containers not over- wrapped, marked DOT 3A, 3AX, 3AA, 3AAX, 3B, 3E, 3HT, 3T or DOT-E followed by a specific exemption number					
	60 6	Other	kg No. v kg				
	90 0	Other					
7312		Stranded wire, ropes, cables, plaited bands, slings and the like, of iron or steel, not electrically insulated:					
7312.10		Stranded wire, ropes and cables: Stranded wire: Of stainless steel:					
7312.10.05	00 1	Fitted with fittings or made up into articles	kg	5.7% <u>1</u> /		A,B,C,E,IL, J) CA)	45%
7312.10.10		Other		5.8% <u>1</u> /	Free (. 2.9% (A,E,IL,J) CA)	45%
	30 8 50 3	Tire cord Other, stranded wire having a lay or twist of not more than 1 revolution for a length equal to the strand diameter multiplied by 8.5			,		
	70 9	Other:	kg				
7312.10.20	00 2	Fitted with fittings or made up into articles	kg	5.7% <u>1</u> /		A,B,C,E,IL, J) CA)	45%

 $[\]underline{1}/\text{ Duty on certain inner wire for caliper and cantilever bicycle brakes temporarily suspended}. See heading 9902.73.12.$

7312 (con.)	Stranded wire, ropes, cables, plaited bands, slings and the like, of iron or steel, not electrically insulated (con.):			
7312.10 (con.)	Stranded wire, ropes and cables (con.): Stranded wire (con.): Other (con):			
7312.10.30	Other		4.9% <u>1</u> /	Free (E,IL,J) 35%
05 5		kg		2.4% (CA)
10 8	For prestressing concrete: Covered with textile			
	or other nonmetallic material	ka		
12 6				
20 6		.rg		
	by 8.5	kg		
45 7	Other: Of brass plated wire	kg		
	Other:			
65 2	Galvanized: ACSR core strand	kg		
70 5	Other: Cover-			
70 3	ed			
	with tex-			
	tile or			
	other			
	tallic			
	mate- rial	kg		
74 1	Other.	kg		
80 3	Other Ropes, cables and cordage other than	kg		
	stranded wire: Of stainless steel:			
7312.10.50 00 5	Fitted with fittings or made up	,	5 50 0 /0 /	- (5.6.5.5)
	into articles	кд	5.7% <u>2/3</u> /	Free (B,C,E,IL,J) 45% 2.8% (CA)
7312.10.60 00 3	Other	kg	4.4% 2/3/	Free (E,IL,J) 45%
	Other:			2.2% (CA)
7312.10.70 00 1	Fitted with fittings or made up into articles	ka	5 7% 2/3/	Free (B,C,E,IL,J) 45%
	ap into different	g	3.70 <u>2</u> 7 <u>3</u> 7	2.8% (CA)
	Other:			
7312.10.80 00 9	Of brass plated wire	kg		Free (A,E,IL,J) 35% 2% (CA)
7312.10.90	Other		4% <u>2</u> / <u>3</u> /	Free (E,IL,J) 35% 2% (CA)
30 1	Galvanized: With a diameter not exceeding 9.5 mm	kg		
60 4	With a diameter exceeding			
	9.5 mm			
90 8 7312.90.00 00 9			5.7%	Free (A,B,C,CA,E, 45% IL,J)

 $[\]frac{1}{2}$ Duty on certain inner wire for caliper and cantilever bicycle brakes temporarily suspended. See heading 9902.73.12. $\frac{2}{2}$ Duty on cable for caliper and cantilever bicycle brakes temporarily suspended. See heading 9902.73.12. $\frac{3}{2}$ Duty on cables for derailleurs temporarily suspended. See heading 9902.87.14.

7313.00.00	00 7	Barbed wire of iron or steel; twisted hoop or single flat wire, barbed or not, and loosely twisted double wire, of a kind used for fencing, of iron or steel	kg	Free		Free
7314		Cloth (including endless bands), grill, netting and fencing, of iron or steel wire; expanded metal of iron or steel: Woven products:				
7314.11	00 1	Of stainless steel:				
7314.11.10	00 1	With meshes not finer than 12 wires to the lineal centimeter in				
		warp or filling		4.9%	Free (A,B,E,IL,J)	35%
7314.11.20	00 9	With meshes finer than 12 but not finer than 36 wires to the lineal centimeter in warp or	kg		2.4% (CA)	
		filling	m²v kq	4.9%	Free (A,B,E,IL,J) 2.4% (CA)	50%
		With meshes finer than 36 wires to the lineal centimeter in warp or filling:	ng .		2.10 (CII)	
		Fourdrinier wires, seamed or not seamed, suitable for use				
		in papermaking machines:				
7314.11.30	00 7	With 94 or more wires to	2			7.50
		the lineal centimeter	mv ka	Free		75%
7314.11.60	00 0	Other		10%	Free (A,E,IL,J) 5% (CA)	75%
7314.11.90	00 4	Other		7.2%	Free (A,B,E,IL,J) 3.6% (CA)	60%
7314.19.00	00 5	Other		4.9%	Free (A*,B,E,IL,J 2.4% (CA)) 60%
7314.20.00	00 2	Grill, netting and fencing, welded at the intersection, of wire with a maximum cross-sectional dimension of 3 mm or more and	ng .		2.10 (CII)	
		having a mesh size of 100 cm ² or more	kg	5.7%	Free (A,E,IL,J) 2.8% (CA)	45%
7314.30		Other grill, netting and fencing, welded at the intersection:				
7314.30.10	00 8	Wire fencing coated or plated with zinc, whether or not covered with plastic				
		material	kg	0.2¢/kg	Free (E,IL,J) 0.1¢/kg (CA)	1.1¢/kg
7314.30.50	00 9	Other	kg	5.7%	Free (A,E,IL,J) 2.8% (CA)	45%
		Other grill, netting and fencing:			2.00 (CA)	
7314.41.00		Plated or coated with zinc		0.2¢/kg	Free (E,IL,J) 0.1¢/kg (CA)	1.1¢/kg
	30 1	Chain link fencing	kg		0.14/119 (611)	
7314.42.00	60 4	Other Coated with plastics		0.2¢/kg	Free (E,IL,J)	1.1¢/kg
	30 0	Chain link fencing	ka		0.1¢/kg (CA)	
	60 3	Other				
7314.49		Other:	3	0	- /:	. = 0
7314.49.30	00 3	Not cut to shape	кд	5.7%	Free (A,E,IL,J) 2.8% (CA)	45%
7314.49.60	00 6	Cut to shape	kg	4.7%	Free (A,B,E,IL,J) 2.3% (CA)	35%
7314.50.00	00 5	Expanded metal	$m^2 \dots v$ kg	3.8%	Free (A,CA,E,IL,J) 45%

7315	Chain and parts thereof, of iron or steel: Articulated link chain and parts thereof:					
7315.11.00	Roller chain		4.2% <u>1</u> /	Free	(A,B,CA,E,IL,	40%
	Of not over 50 mm pitch and containing more than 3 parts per				J)	
10 0 20 8	pitch: Bicycle chains Other					
7315.12.00	OtherOther chain		4.2%		(A,B,E,IL,J)	40%
20 7	Of not over 50 mm pitch and containing more than 3 parts per	kq		2.1%	(CA)	
	Other:					
40 3 60 8	Welded steel chain	kg				
80 4 7315.19.00 00 4	OtherParts.		4.2%	Free	(A,B,CA,E,IL, J)	40%
7315.20 7315.20.10 00 9	Skid chain: Not over 8 mm in diameter	kg	1.5%		(A,B,E,IL,J)	10%
7315.20.50 00 0	Over 8 mm in diameter	kg	Free	0.7%	(CA)	2.5¢/kg
7315.81.00 00 7 7315.82	Other chain: Stud link Other, welded link:	kg	Free			4.4¢/kg
7315.82.10 00 4	Of alloy steel: Not over 10 mm in diameter	kg	1.5%	Free	(A,B,E,IL,J)	10%
7315.82.30 00 0	Over 10 mm in diameter Of iron or nonalloy steel:	kg	Free	0.78	(CA)	10%
7315.82.50 00 5	Not over 10 mm in diameter	kg	1.5%	Free	(A,B,E,IL,J)	10%
7315.82.70 00 1 7315.89	Over 10 mm in diameter	kg	Free	0.70	(GII)	10%
	With links of essentially round cross sections:					
7315.89.10 00 7	Not over 8 mm in diameter		1.5%	Free 0.7%	(A,B,E,IL,J) (CA)	
7315.89.30 00 3 7315.89.50 00 8	Over 8 mm in diameter		Free 5.7%	Emaa	(A,B,E,IL,J)	4.7¢/kg
7313.69.30 00 6	Other	<i>r</i> g	5.7%	2.8%		40.0
7315.90.00 00 6	Other parts	kg	5.7%	Free 2.8%	(A,B,E,IL,J) (CA)	45%
7316.00.00 00 4	Anchors, grapnels and parts thereof, of iron or					
	steel	Х	4.2%	Free 2.1%	(A,E,IL,J) (CA)	25%
7317.00	Nails, tacks, drawing pins, corrugated nails, staples (other than those of heading 8305) and similar articles, of iron or steel, whether or					
7317.00.10 00 1	not with heads of other material, but excluding such articles with heads of copper: Thumb tacks	kg	1.4%	Free	(A,E,IL,J) (CA)	4%
	Other, suitable for use in powder-actuated handtools:					
7317.00.20 00 9 7317.00.30 00 7	Not threadedThreaded		Free 4.9%	Free 2.4%	(A,E,IL,J) (CA)	1.5¢/kg 45%

 $[\]underline{1}/$ Duty on bicycle chains temporarily suspended. See heading 9902.73.15.

7317.00 (con.)	Nails, tacks, drawing pins, corrugated nails, staples (other than those of heading 8305) and similar articles, of iron or steel, whether or not with heads of other material, but excluding such articles with heads of copper (con.): Other:			
7317.00.55	Of one piece construction: Made of round wire		0.5%	Free (E,IL,J) 3.5% 0.2% (CA)
05 2	Collated nailsOther:	kg		0.20 (CI)
10 5	With a length of less than 25.4 mm and a with a dia- meter of less than 1.65 mm	ka		
		9		
20 3	Other: Smooth shank: Not coated, plated or paint-			
	ed	kg		
30 1	Coated, plated or painted: Galvan-			
30 1	ized	kg		
40 9	Vinyl, resin or			
	cement coated	kg		
50 6	Other:	kg		
60 4	Not coated, plated or painted	ka		
		kg		
70 2	Coated, plated or painted: Galvan-	,		
	ized	кд		
80 0	Vinyl, resin or cement coated	kq		
00.0		_		
90 8 7317.00.65	Other		3.2%	Free (A,E,IL,J) 5.5%
30 9	Cut	kq		1.6% (CA) <u>1</u> /
7317.00.75 00 3	OtherOf two or more pieces	kg	2.3%	Free (A,E,IL,J) 8% 1.1% (CA)

 $[\]underline{1}/$ Certain die-cut collated nails, originating in the territory of Canada, are free of duty. See subheading 9905.73.01.

7318		Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers (including spring washers) and similar articles, of iron or steel:					
7318.11.00	00 9	Threaded articles: Coach screws	ka	12.5%	Free	(B,E,IL,J)	25%
7318.12.00		Other wood screws		12.5%	6.2%	(CA) 1/ (A,B,E,IL,J)	
	00 8		3		6.2%	(CA) <u>1</u> /	
7318.13.00		Screw hooks and screw rings		5.7%	2.8%	(A,B,E,IL,J) (CA)	456
	30 1	Having shanks or threads with a di- ameter of less than 6 mm	kg				
7318.14	60 4	Having shanks or threads with a di- meter of 6 mm or more Self-tapping screws:	kg				
7318.14.10	00 4	Having shanks or threads with a di- ameter of less than 6 mm	ka	6 28	Fron	(B,E,IL,J)	45%
		ameter of less than 6 mm	лу	0.2%		(CA) <u>1</u> /	400
7318.14.50	00 5	Having shanks or threads with a diameter of 6 mm or more	kg	9.5%		(B,E,IL,J)	45%
7318.15		Other screws and bolts, whether or			4./5	(CA) <u>1</u> /	
7318.15.20		not with their nuts or washers: Bolts and bolts and their nuts or					
		washers entered or exported in the same shipment		0.7%		(A,B,E,IL,J)	3.5%
	10 9	Having shanks or threads with a diameter of less than 6 mm	kg		0.3%	(CA) <u>1</u> /	
		Having shanks or threads with a					
	20 7	diameter of 6 mm or more: Track bolts	kg				
	30 5 40 3	Structural bolts Bent bolts Other:	kg kg				
	50 0 60 8	With round heads With hexagonal	kg				
	00 0	heads	kg				
7318.15.40	90 2	Other Machine screws 9.5 mm or more in	kg				
/310.15.40	00 /	length and 3.2 mm or more in di-	1	1 + /1		(0.0+/1
		ameter (not including cap screws)	кд	1¢/kg		(A,B,E,IL,J) /kg (CA) <u>1</u> /	2.2¢/kg
7318.15.50	00 4	Studs	kg	4.7%		(A,B,E,IL,J) (CA) <u>1</u> /	45%
7318.15.60	00 2	Other: Having shanks or threads with					
		a diameter of less than 6 mm	kg	6.2%		(A,B,E,IL,J) (CA) <u>1</u> /	45%
7318.15.80		Having shanks or threads with		0.5%		(4.5.0
		a diameter of 6 mm or more		9.5%		(A,B,E,IL,J) (CA) <u>1</u> /	45%
	20 4	Set screwsOther:					
	40 0	Socket screws Other:	kg				
	60 5	With hexagonal heads	kg				
	80 1	Other	kg				
7318.16.00	00 4	Nuts		0.2%		(A,B,E,IL,J) (CA) <u>1</u> /	0.5%
7318.19.00	00 1	Other	kg	5.7%	Free	(A,B,\overline{E},IL,J) (CA) $\underline{1}/$	45%

^{1/} Equipment, originating in the territory of Canada, intended for use in the repair or maintenance of certain motor vehicles subject to accelerated staged rate reductions. See subheading 9905.00.00.

7	318 (con.)		rivets, cotter	nuts, coach screws, screw hooks, s, cotter pins, washers (including) and similar articles, of iron or				
7	318.21.00	00 7		ded articles: ng washers and other lock washers	kg	5.8%	Free (A,B,E,IL,J) 2.9% (CA) 1/	35%
	318.22.00 318.23.00			r washersts		Free 0.4¢/kg	Free (A,B,E,IL,J) 0.2¢/kg (CA) <u>1</u> /	1.3¢/kg 2.2¢/kg
7	318.24.00	00 4	Cott	ers and cotter pins	kg	5.7%	Free (A,B,E,IL,J) 2.8% (CA) 1/	45%
7	318.29.00	00 9	Othe	r	kg	5.7%	Free (A,B,E,IL,J) 2.8% (CA) $\underline{1}$ /	45%
	319	00.0	hooks, embroid for use in the and other pins specified or i		mb accessed	Proces		Tues
	319.10.00		Safety pi	arning or embroidery needlesns		rree 9%	Free (A,E,IL,J) 4.5% (CA)	Free 35%
	319.30	10 5 50 6	Othe Other pin		Gross			
7	319.30.10	00 3	Dres	smakers' or common pins	kg	8.2%	Free (A,E,IL,J) 4.1% (CA)	35%
7	319.30.50		Othe	r		3.4%	Free (A,E,IL,J) 1.7% (CA)	35%
		10 2 50 3		Push pinsOther				
7	319.90.00		Other			5.8%	Free (A,E,IL,J) 2.9% (CA)	45%
	320 320.10		Leaf spri	aves for springs, of iron or steel: ngs and leaves therefor:				
7	320.10.30	00 0	Suit	able for motor vehicle suspension: To be used in motor vehicles having				
				a G.V.W. not execeeding 4 metric tons	kg	4%	Free (A,B,E,IL,J)	25%
7	320.10.60			Other		4%	2% (CA) <u>1</u> / Free (B,E,IL,J)	25%
		15 6		Leaf springs having individual leaves with a thickness of 1.6 mm or more and leaves therefor	kq		2% (CA) <u>1</u> /	
		60 0		Other				
7	320.10.90	15 0	Othe	r		4%	Free (A,B,E,IL,J) 2% (CA) <u>1</u> /	25%
		15 0		Leaf springs having individual leaves with a thickness of 1.6 mm or more and leaves therefor	kg			
		60 4		Other	kg			
	320.20 320.20.10	00 2	Helical s Suit	prings: able for motor-vehicle suspension	kg	4%	Free (A,B,E,IL,J)	25%
7	320.20.50		Othe	r		5.7%	2% (CA) <u>1</u> / Free (A,B,E,IL,J) 2.8% (CA) 1/	45%
		15 6		Helical springs, of wire having a cross-sectional dimension of less than 5.1 mm	kg		<u>-</u>	
		45 0		Helical springs, of wire having a cross-sectional dimension of 5.1 mm or more but less than 12.7 mm	kg			
_	220 00	60 0	0+1	Other	kg			
	320.90 320.90.10	00 7	Other: Hair	springs	kg	3.7%	Free (A,B,E,IL,J)	65%
7	320.90.50		Othe	r		5.7%	1.8% (CA) <u>1</u> / Free (A,B,E,IL,J)	45%
		30 2 60 5		Of wire			2.8% (CA) <u>1</u> /	

^{1/} Equipment, originating in the territory of Canada, intended for use in the repair or maintenance of certain motor vehicles subject to accelerated staged rate reductions. See subheading 9905.00.00.

7321	Stoves, ranges, grates, cookers (including those with subsidiary boilers for central heating), barbecues, braziers, gas rings, plate warmers and similar nonelectric domestic appliances, and parts thereof, of iron or steel:			
7321.11	Cooking appliances and plate warmers: For gas fuel or for both gas and other fuels:			
7321.11.10 00	Portable	No	5.7%	Free (A,E,IL,J) 45% 2.8% (CA)
7321.11.30 00	Other: Stoves or ranges	No	4.2%	Free (A*,CA,E,IL, 45% J)
7321.11.60 00	Other	No	4.2%	Free (A,E,IL,J) 45% 2.1% (CA) 1/
7321.12.00 00	-		4.2%	Free (A,E,IL,J) 45% 2.1% (CA)
7321.13.00	For solid fuel		4.2%	Free (A,E,IL,J) 45% 2.1% (CA)
20 4 40 4				
60 ! 80 !	Of cast iron			
7321.81	Other appliances: For gas fuel or for both gas and other fuels:			
7321.81.10 00		No	5.7%	Free (A,E,IL,J) 45% 2.8% (CA)
7321.81.50 00	Other	No	4.2%	Free (A,E,IL,J) 45% 2.1% (CA)
7321.82 7321.82.10 00 (For liquid fuel: Portable	No	5.7%	Free (A,E,IL,J) 45% 2.8% (CA)
7321.82.50 00	Other	No	4.2%	2.8% (CA) Free (A,E,IL,J) 45% 2.1% (CA)
7321.83.00	For solid fuel		4.2%	Free (A,E,IL,J) 45% 2.1% (CA)
10 ! 50 (Other			
7321.90 7321.90.30 00 : 7321.90.60	Parts: Of articles in subheading 7321.11.30 Other		4.2% 4.2%	Free (A,CA,E,IL,J) 45% Free (A,E,IL,J) 45% 2.1% (CA) 1/
30	Of cooking appliances and plate warmers	Х		
90	Other	Х		
7322	Radiators for central heating, not electrically heated, and parts thereof, of iron or steel; air heaters and hot air distributors (including distributors which can also distribute fresh or conditioned air), not electrically heated, incorporating a motor-driven fan or blower, and parts thereof, of iron or steel:			
7322.11.00 00	Radiators and parts thereof: Of cast iron	X	4.2%	Free (A,E,IL,J) 45% 2.1% (CA)
7322.19.00 00	Other	х	4.2%	Free (A,E,IL,J) 45% 2.1% (CA)
7322.90.00	Other, including parts		4.2%	Free (A*,C,E,IL,J) 45% 2.1% (CA) <u>2</u> /
15 (Air heaters, not electrically heated, incorporating a motor-driven fan or blower	X		-
30	Hot air distributors, not electrically heated, incorporating a motor-driven fan or blower	X		
45	Parts of air heaters and hot air distributors	х		

 $[\]frac{1}{2}$ Certain gas ovens and parts thereof, originating in the territory of Canada, are free of duty. See subheading 9905.73.03. $\frac{2}{2}$ Certain pellet-fired heating appliances and parts thereof, and railway track switch heaters, originating in the territory of Canada, are free of duty. See subheading 9905.73.05.

7323		Table, kitchen or other household articles and parts thereof, of iron or steel; iron or steel wool; pot scourers and scouring or polishing						
7323.10.00	00 3	pads, gloves and the like, of iron or steel: Iron or steel wool; pot scourers and						
		scouring or polishing pads, gloves and	lr.cr		2 24/1-~ .	Exac	/A F TT T)	224/1-~
		the like	ку		2.2¢/kg + 2.5%	1.1¢/		22¢/kg - 30%
		Other:				1.2%	(CA)	
7323.91		Of cast iron, not enameled:						
7323.91.10	00 3	Coated or plated with precious metal	х		Free			20%
7323.91.50	00 4	Other	Y		5.3%	Free	(A,CA,E,IL,J)	102
7323.92.00		Of cast iron, enameled			2.7%	Free	(A,E,IL,J)	35.5%
7323.93.00		Of stainless steel			3.4%	1.3% Free 1.7%	(A,E,IL,J)	40%
	15 6	Cooking and kitchen ware:	37.					
	15 6	Teakettles	NO. kg	v				
	30 7	Other: Cooking ware	No	v				
		•	kg					
	60 0	Kitchen ware	No. ka	V				
	80 6	Other		v				
7323.94.00		Of iron (other than cast iron) or steel,	kg					
		enameled		• •	2.7%	Free	(A*,CA,E,IL, J)	35.5%
		Cooking and kitchen ware: Of steel:					3,	
	10 0	Teakettles	No. kg	V				
		Other:	-					
	20 8	Cooking ware	No. ka	V				
	30 6	Kitchen ware	No. ka	v				
	40 4	Other		v				
	80 5	Other	kg No.	v				
E202 00			kg					
7323.99		Other: Coated or plated with precious						
7323.99.10	00 5	metal: Coated or plated with silver	x		4%	Free 2% (0	(A,E,IL,J)	50%
7323.99.30	00 1	Other	х		8.2%	Free	(A,E,IL,J)	65%
		Not coated or plated with precious metal:				4.1%	(CA)	
7323.99.50	00 6	Of tinplate	х		3.1%	Free 1.5%	(A,E,IL,J)	40%
		Other:						
7323.99.70	00 2	Cookingware	No ka	.v	5.3%	Free 2.6%	(A,E,IL,J) (CA)	40%
7323.99.90	00 8	Other	_		3.4%		(A,E,IL,J)	40%
						1./5	(CA)	

7324 7324.10.00	00 2	Sanitary ware and parts therof, of iron or steel: Sinks and wash basins, of stainless steel	No	3.4%	Free	(A,C,E,IL,J) (CA)	40%
7324.21 7324.21.10	00 7	Baths: Of cast iron, whether or not enamelled: Coated or plated with precious					
		metal	No	Free			20%
7324.21.50	00 8	Other	No	3.1%	Free 1.5%	(A,E,IL,J)	40%
7324.29.00	00 1	Other	No	3.4%		(A,E,IL,J)	40%
7324.90.00	00 5	Other, including parts	X	3.4%		(C,E,IL,J)	40%
7325 7325.10.00	10 9 50 0	Other cast articles of iron or steel: Of nonmalleable cast iron Manhole covers, rings and frames Other:	kg	Free			10%
7325.91.00	00 3	Grinding balls and similar articles for mills	kg	5.7%	Free	(A,CA,E,IL,J)	45%
7325.99 7325.99.10	00 3	Other: Of cast iron	•	3.1%		(A,B,E,IL,J) (CA) <u>1</u> /	20%
7325.99.50	00 4	Other	kg	5.7%		(A,B,\overline{E},IL,J) (CA) $\underline{1}/$	45%
7326		Other articles of iron or steel: Forged or stamped, but not further worked:					
7326.11.00	00 9	Grinding balls and similar articles for mills	kg	4.2%	Free	(A,CA,E,IL,J)	27.5%
7326.19.00	00 1	Other	kg	5.7%		(A,B,E,IL,J) (CA) 1/	45%
7326.20.00		Articles of iron or steel wire		5.7%	Free	$(A,B,\overline{C},E,IL,$ J)	45%
7326.90	10 6 50 7	Belts and belting			2.8%	(CA) <u>2</u> /	
7326.90.10	00 1	Of tinplate	x	2.4%		(A,B,E,IL,J) (CA) <u>1</u> /	45%
7326.90.30	00 7	Other: Containers of a kind normally carried on the person, in the					
		pocket or in the handbag	doz	7.8%	Free 3.9%	(E,IL,J) (CA)	110%
7326.90.45		Horse and mule shoesOther:	kg	Free			10%
7326.90.60	00 0	Coated or plated with precious metal	X	8.6%		(A,E,IL,J) (CA) <u>1</u> /	65%
7326.90.90		Other		5.7% <u>3</u> /		(A,B,E,IL,J) (CA) <u>1/4/5</u> /	45%
	30 8	Hangers and similar supports for tubes and pipes	kg			_	
	45 1 60 1	Barbed tapeLadders					
	75 4 90 5	Paint roller frames Other	No.				

^{1/} Equipment, originating in the territory of Canada, intended for use in the repair or maintenance of certain motor vehicles subject to accelerated staged rate reductions. See subheading 9905.00.00.
2/ Treeball baskets, underwires for brassieres, and wire mesh minnow traps, originating in the territory of Canada, are free of duty. See subheading 9905.73.10.
3/ Duty on certain caliper and cantilever bicycle brake parts temporarily suspended. See heading 9902.73.12.
4/ Flush floor and duct systems, and racks and containers for the automotive industry, originating in the territory of Canada, are free of duty. See subheading 9905.73.15.
5/ Upholstery tack strips, originating in the territory of Canada, are subject to accelerated staged-rate reductions. See subheading 9905.73.30.