#### CHAPTER 27

#### MINERAL FUELS, MINERAL OILS AND PRODUCTS OF THEIR DISTILLATION; BITUMINOUS SUBSTANCES; MINERAL WAXES

Notes

- 1. This chapter does not cover:
  - (a) Separate chemically defined organic compounds, other than pure methane and propane which are to be classified in heading 2711;
  - (b) Medicaments of heading 3003 or 3004; or
  - (c) Mixed unsaturated hydrocarbons of heading 3301, 3302 or 3805.
- References in heading 2710 to "<u>petroleum oils and oils obtained from bituminous minerals</u>" include not only petroleum oils and oils obtained from bituminous minerals, but also similar oils, as well as those consisting mainly of mixed unsaturated hydrocarbons, obtained by any process, provided that the weight of the nonaromatic constituents exceeds that of the aromatic constituents.

However, the references do not include liquid synthetic polyolefins of which less than 60 percent by volume distills at 300°C, after conversion to 1,013 millibars when a reduced-pressure distillation method is used (chapter 39).

## Subheading Notes

- 1. For the purposes of subheading 2701.11, "<u>anthracite</u>" means coal having a volatile matter limit (on a dry, mineral-matter-free basis) not exceeding 14 percent.
- For the purposes of subheading 2701.12, "<u>bituminous coal</u>" means coal having a volatile matter limit (on a dry, mineral-matter-free basis) exceeding 14 percent and a calorific value limit (on a moist, mineral-matter-free basis) equal to or greater than 5,833 kcal/kg.
- 3. For the purposes of subheadings 2707.10, 2707.20, 2707.30, 2707.40 and 2707.60, the terms "<u>benzene</u>," "<u>toluene</u>," "<u>xylene</u>," "<u>naphthalene</u>" and "<u>phenols</u>" apply to products which contain more than 50 percent by weight of benzene, toluene, xylene, naphthalene or phenols, respectively.

## Additional U.S. Notes

- (a) Crude petroleum oils, crude oils obtained from bituminous minerals and reconstituted crude petroleum shall, if products of Canada, be admitted free of duty and any entry therefor shall be liquidated or reliquidated accordingly if, on or before the 180th day after the date of entry, documentation is filed with the customs officer concerned establishing that, pursuant to a commercial exchange agreement between the United States and Canadian refiners which has been approved by the Secretary of Energy--
  - (i) An import license for the products covered by such entry has been issued by the Secretary; and
  - (ii) An equivalent amount of domestic or duty-paid foreign crude petroleum oils, crude oils obtained from bituminous minerals or reconstituted crude petroleum have, pursuant to such commercial exchange agreement and to an export license issued by the Secretary of Commerce, been exported from the United States to Canada and have not previously been used to effect the duty-free entry of like Canadian products under this U.S. note.
  - (b) The Secretary of the Treasury, after consulting with the Secretary of Commerce and the Secretary of Energy, shall issue such rules or regulations as may be necessary governing the admission of Canadian products pursuant to the provisions of this U.S. note.
- 2. For the purposes of heading 2710, "petroleum oils" includes only products having:
  - (a) A Congealing Point (ASTM D 938) of less than 30°C; or
  - (b) If the Congealing Point is not less than 30°C:
    - A density at 70°C of less than 0.942 and a Worked Cone Penetration (ASTM D 217) or a Cone Penetration (ASTM D 937) at 25°C of not less than 350; or
    - (ii) If the density at 70°C is not less than 0.942 having a Needle Penetration (ASTM D 5) at 25°C of not less than 400.
- For the purposes of subheading 2710.00.15, "motor fuel" is any product derived primarily from petroleum, shale or natural gas, whether or not containing additives, which is principally used as a fuel in internal-combustion or other engines.
- 4. For the purposes of subheading 2710.00.18, "motor fuel blending stock" means any product (except naphthas of subheading 2710.00.25) derived primarily from petroleum, shale oil or natural gas, whether or not containing additives, to be used for direct blending in the manufacture of motor fuel.

# **e**&f1y3X

V 27-2

- 5. In determining the relative weights of components of the mixtures provided for in subheading 2710.00.45, naphtha and other petroleum derivatives which may be present in such mixtures as solvents shall be disregarded.
- 6. For the purposes of heading 2716:
  - (a) The term "electrical energy" does not include electrical energy transmitted as a medium of communication; and
  - (b) Electrical energy shall not be subject to the entry requirements for imported merchandise set forth in section 484 of the Tariff Act of 1930, as amended, (19 U.S.C. 1484), but shall be entered on a periodic basis in accordance with regulations to be prescribed by the Secretary of the Treasury.
- 7. For the purposes of this chapter, the term barrel (bbl) means a barrel of 158.98 liters measured at 15.6°C.
- Subheading 2712.10.00 does not include petroleum jelly, suitable for use for the care of the skin, put up in packings of a kind sold at retail for such use (subheading 3304.99.10).

## Statistical Note

1. For the purposes of statistical reporting number 2711.11.0000, the volume of liquid natural gas shall be reported on a gaseous equivalent volume basis.

2701		Coal; briquettes, ovoids and similar solid fuels manufactured from coal: Coal, whether or not pulverized, but not					
2701.11.00 2701.12.00	00 10 50	agglomerated: Anthracite Bituminous coal Metallurgical coal Other	 t	Free Free			Free Free
2701.19.00 2701.20.00	00	Other coal Briquettes, ovoids and similar solid fuels		Free			Free
		manufactured from coal	t	Free			Free
2702		Lignite, whether or not agglomerated, excluding jet:					
2702.10.00	00	Lignite, whether or not pulverized, but not agglomerated	t	Free			Free
2702.20.00	00	Agglomerated lignite	t	Free			Free
2703.00.00	00	Peat (including peat litter), whether or not agglomerated	t	Free			Free
2704.00.00	05 15 20 50	Coke and semicoke of coal, of lignite or of peat, whether or not agglomerated; retort carbon Coke and semicoke of coal: Commercially suitable for use as fuel: In briquettes Other Other	t t	Free			Free
2705.00.00	00	Coal gas, water gas, producer gas and similar gases, other than petroleum gases and other gaseous hydrocarbons	thousand m <sup>3</sup> kg	Free			Free
2706.00.00	00	Tar distilled from coal, from lignite or from peat, and other mineral tars, whether or not dehydrated or partially distilled, including reconstituted tars	liters	Free			Free
2707		Oils and other products of the distillation of high temperature coal tar; similar products in which the weight of the aromatic constituents					
2707.10.00	00	exceeds that of the nonaromatic constituents: Benzene		Free			Free
2707.20.00 2707.30.00	00 10 20 30 40	Toluene. Xylenes. m-Xylene. o-Xylene. p-Xylene. Other.	liters liters liters liters liters	Free Free			Free Free
2707.40.00	00	Naphthalene	kg liters	Free			Free
2707.50.00	00	Other aromatic hydrocarbon mixtures of which 65 percent or more by volume (including losses) distills at 250°C by the ASTM D 86 method		_			_
			liters	Free			Free
2707.60 2707.60.10	00	Phenols: Metacresol, orthocresol, paracresol and metaparacresol, all the foregoing having a purity of 75 percent or more by weight	ka	1¢/kg +	Free	(A,CA,E,IL,J	,15.4¢/kg +
				3.3%		MX)	42.5%
2707.60.20	00	Other	kg	2.9¢/kg + 12.5%	Free	(A,CA,E,IL,J MX)	,7.7¢/kg + 29.5%

2707 (con.)		Oils and other products of the distillation of high temperature coal tar; similar products in which the weight of the aromatic constituents exceeds that of the nonaromatic constituents (con.): Other:				
2707.91.00 2707.99	00	Creosote oils	liters	Free		Free
2707.99.10	00	Light oil	liters	Free		Free
2707.99.20	00	Picolines	kg	Free		Free
2707.99.40	00	Carbazole having a purity of 65 percent or more by weight	kg	1.3¢/kg +	Free (A,CA,E,IL,J,	
		211		_4.2%	L,MX)	_40%
2707.99.50	10	Other Carbon black feedstocks		Free		Free
	90	Other				
	50		119			
2708		Pitch and pitch coke, obtained from coal tar or from other mineral tars:				
2708.10.00	00	Pitch		Free		Free
2708.20.00	00	Pitch coke	kg	Free		Free
2709.00		Petroleum oils and oils obtained from bituminous minerals, crude:				
2709.00.10	00	Testing under 25 degrees A.P.I	bbl	5.25¢/bbl	Free (CA,IL)	21¢/bbl
					3.1¢/bbl (MX)	
2709.00.20	00	Testing 25 degrees A.P.I. or more	bbl	10.5¢/bbl	Free (CA,IL) 6.3¢/bbl (MX)	21¢/bbl
2710.00		Petroleum oils and oils obtained from bituminous minerals, other than crude; preparations not elsewhere specified or included, containing by weight 70 percent or more of petroleum oils or of oils obtained from bituminous minerals, these oils being the basic constituents of the prepa- rations: Distillate and residual fuel oils (includ-				
2710.00.05		ing blended fuel oils): Testing under 25 degrees A.P.I		5.25¢/bbl	Free (CA,IL)	21¢/bbl
2710.00.05		resting under 25 degrees A.F.T.		J.2J4/DD1	3.1¢/bbl (MX)	214/001
	05	Having a Saybolt Universal vis- cosity at 37.8°C of 45 seconds or more but not more than 125 seconds (No. 4-type fuel oils): Containing not more than 0.05				
		percent by weight of sulfur	bbl			
	15	Containing more than 0.05 percent by weight of sulfur Having a Saybolt Universal vis- conity at 27.080 of more than 125	bbl			
		cosity at 37.8°C of more than 125 seconds (heavy fuel oils):				
	25	Fuel oil No. 5	bbl			
	30	Fuel oil No. 6				
	35	Other	bbl			
	50	Other	bbl			

2710.00 (con.)		Petroleum oils and oils obtained from bituminous minerals, other than crude; preparations not elsewhere specified or included, containing by weight 70 percent or more of petroleum oils or of oils obtained from bituminous minerals, these oils being the basic constituents of the prepa- rations (con.): Distillate and residual fuel oils (includ- ing blended fuel oils) (con.):				
2710.00.10		Testing 25 degrees A.P.I. or more		10.5¢/bbl	Free (CA,IL) 6.3¢/bbl (MX)	21¢/bbl
	01	Having a Saybolt Universal vis- cosity at 37.8°C of less than 45 seconds (light fuel oils): Fuel oils Nos. 2 and 3: Diesel oil: Containing not more			0.37) DD1 (MA)	
		than 0.05 percent by weight of sulfur	bbl			
	04	Containing more than 0.05 percent by weight of sulfur Other:	bbl			
	06	Containing not more than 0.05 percent by weight of sulfur	bbl			
	08	Containing more than 0.05 percent by weight of sulfur	bbl			
	12	Other: Containing not more than 0.05 percent by weight of sulfur	bbl			
	14	Containing more than 0.05 percent by weight of sulfur Having a Saybolt Universal vis- cosity at 37.8°C of 45 seconds or more but not more than 125 seconds	bbl			
	15	(No. 4-type fuel oils): Containing not more than 0.05 percent by weight of sulfur	bbl			
	25	Containing more than 0.05 percent by weight of sulfur	bbl			
	50	Having a Saybolt Universal vis- cosity at 37.8°C of more than 125				
2710.00.15		seconds (heavy fuel oils) Motor fuel		52.5¢/bbl <u>1</u> /	Free (CA,IL) <u>1</u> / 31.5¢/bbl (MX) 1/	
	10	Gasoline: Leaded	bbl		51.50/DD1 (MA) <u>1</u> /	<u>+</u> /
	14	Unleaded: Reformulated				
	16	Oxygenated	bbl			
	18 20	OtherJet fuel, naphtha-type				
	30	Jet fuel, kerosene-type	bbl			
2710.00.18	50 00	Other Motor fuel blending stock		52.5¢/bbl <u>1</u> /	Free (CA,IL) <u>1</u> / 31.5¢/bbl (MX) 1/	\$1.05/bbl <u>1</u> /
2710.00.20	00	Kerosene (except motor fuel or motor fuel blending stock)	bbl	10.5¢/bbl	Free (CA,IL) 6.3¢/bbl (MX)	<u>-</u> / 21¢/bbl

 $\underline{1}/$  See headings 9901.00.50 and 9901.00.52.

2710.00		Petroleum oils and oils obtained from bituminous				
(con.)		minerals, other than crude; preparations not elsewhere specified or included, containing by				
		weight 70 percent or more of petroleum oils or				
		of oils obtained from bituminous minerals, these				
		oils being the basic constituents of the prepa-				
2710.00.25	00	rations (con.): Naphthas (except motor fuel or motor fuel				
2,10,00,120	00	blending stock)	bb1	10.5¢/bbl	Free (CA,IL)	21¢/bbl
		-		,	6.3¢/bbl (MX)	,
		Lubricating oils and greases, with or				
2710.00.30		without additives: Oils		914/bbl	Free (CA,IL)	\$1.68/bbl
2/10.00.30		0115		044/DDT	50.4¢/bbl (MX)	91.00/DD1
	10	Aviation engine lubricating oils	bbl			
	20	Automotive, diesel or marine engine				
		lubricating oils	Ldd			
	30	Turbine lubricating oil, including				
		marine	bbl			
	40 50	Automotive gear oils Steam cylinder oils				
	70	Quenching or cutting oils				
	80	Õther				
		Greases:				
2710.00.35	00	Containing not over 10 percent by				
		weight of salts of fatty acids of animal (including marine animal)				
		or vegetable origin	kg	5.8%	Free (A,CA,IL,MX)	20%
				/	_	/
2710.00.40	00	Other	kg	1.3¢/kg + 5.7%	Free (A,CA,IL,MX)	4.4¢/kg + 20%
		Other:		5./%		20%
2710.00.45		Mixtures of hydrocarbons not elsewhere				
		specified or included, which contain by				
		weight not over 50 percent of any single		10 54/221		014/661
		hydrocarbon compound		10.50/01	Free (CA,IL) 6.3¢/bbl (MX)	21¢/bbl
	10	Condensate derived wholly from			0.577661 (111)	
		natural gas	bbl			
		White mineuel sil				
	30	White mineral oil: Medicinal grade	bbl			
	40	Other				
	45	Insulating or transformer oils				
0	90	Other				
2710.00.60	00	Other	kg liters	7%	Free (CA,E,IL,J)	25%
			110010	, 0	4.2% (MX)	250
2711		Petroleum gases and other gaseous hydrocarbons:				
0711 11 00	0.0	Liquefied:	the second	Tree e		Deepe
2711.11.00	00	Natural gas	m <sup>3</sup>	Free		Free
2711.12.00		Propane		Free		Free
	10	Propane with a minimum purity of				
		90 liquid volume percent	bbl			
	20	Other	bbl			
2711.13.00	20	Butanes		Free		Free
	10	Butanes with a purity of 90 liquid				
		volume percent or more, but less	1.1.7			
		than 95 liquid volume percent	Laa			
	20	Other	bbl			
2711.14.00		Ethylene, propylene, butylene and				
	1.0	butadiene		Free		Free
	10 20	Ethylene Propylene				
	30	Butylene				
	40	Butadiene	kg			
2711.19.00	1.0	Other		Free		Free
	10 20	Ethane				
	20	0 cm cr	liters			

2711 (con.)	Petroleum gases and other gaseous hydrocarbons (con.):				
2711.21.00 00	In gaseous state: Natural gas	thousand m <sup>3</sup>	Free		Free
2711.29.00	Other		Free		Free
10	Propane: Propane with a minimum purity of 90 liquid volume percent	bbl			
15	OtherButanes:	bbl			
20	Butanes with a purity of 90 liquid volume percent or more, but less than 95 liquid volume percent	bbl			
25	Other				
25 60	Other				
2712	Petroleum jelly; paraffin wax, microcrystalline petroleum wax, slack wax, ozokerite, lignite wax, peat wax, other mineral waxes and similar products obtained by synthesis or by other pro-				
2712.10.00 00	cesses, whether or not colored: Petroleum jelly	kg	Free		Free
2712.20.00 00	Paraffin wax containing by weight less than 0.75 percent of oil	kg	Free		2.2¢/kg
2712.90	Other:				
2712.90.10 00 2712.90.20 00	Montan wax Other		Free Free		Free 2.2¢/kg
2713	Petroleum coke, petroleum bitumen and other residues of petroleum oils or of oils obtained from bituminous minerals: Petroleum coke:				
2713.11.00 00	Not calcined		Free		Free
2713.12.00 00	Calcined		1.2%	Free (A,CA,E,IL,J, MX)	45%
2713.20.00 00 2713.90.00 00	Petroleum bitumen Other residues of petroleum oils or of oils		Free		Free
	obtained from bituminous materials	t	Free		Free
2714	Bitumen and asphalt, natural; bituminous or oil shale and tar sands; asphaltites and asphaltic rocks:				
2714.10.00 00 2714.90.00 00	Bituminous or oil shale and tar sands Other		Free Free		Free Free
2715.00.00 00	Bituminous mixtures based on natural asphalt, on natural bitumen, on petroleum bitumen, on mineral tar or on mineral tar pitch (for example, bituminous mastics, cut-backs)	t	Free		Free
2716.00.00 00	Electrical energy		Free		Free
2,10.00.00 00	Breectrear energy		1100		1100